FTED 65 Series


ID Infinity Drain

FTED 65 | Fixed Length

- 16 gauge 304 Stainless Steel grate and channel
- Pre-pitched channel with "Fixed" lengths and "Fixed" center side "tunnel" outlet location
- Not site sizeable
- Indoor or outdoor use
- Bonded "Flange" installation for flush against the wall
- Allows waste line to connect horizontally to save floor height and waste line relocation
- Lowest height for curbless installations
- Uses Liquid and Fabric Sheet Membrane waterproofing
- Grate can be removed completely for cleaning
- Flow rate 9 GPM per outlet*
 *Flow rate measured at outlet only. Measurement does not account for water in channel or sheeting on shower floor.



Installation (FT) Flange Tunnel



Complete Kits:

FTED 6524 24" Complete Kit FTED 6532 32" Complete Kit FTED 6536 36" Complete Kit FTED 6542 42" Complete Kit FTED 6548 48" Complete Kit FTED 6560 60" Complete Kit

Components:

EA 6524 24" Stainless Steel Grate
EA 6532 32" Stainless Steel Grate
EA 6536 36" Stainless Steel Grate
EA 6542 42" Stainless Steel Grate
EA 6548 48" Stainless Steel Grate
EA 6560 60" Stainless Steel Grate
OC 6524 24" Fixed Flange Channel
OC 6536 36" Fixed Flange Channel
OC 6542 42" Fixed Flange Channel
OC 6548 48" Fixed Flange Channel
OC 6560 60" Fixed Flange Channel
OC 6560 60" Fixed Flange Channel

Infinity Drain

18 Secatoag Avenue Port Washington, NY 11050 Phone: 516.767.6786 Fax: 516.740.3066 www.InfinityDrain.com



ID INFINITY DRAIN


CANADA - CSA B 125.2
USA - ASME A112.18.2



Note: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer.

FTED 6542 Specifications





18 Secatoag Avenue Port Washington, NY 11050 Phone: 516.767.6786 Fax: 516.740.3066 www.InfinityDrain.com



INFINITY DRAIN USA - ASME A112.18.2



dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer.

Page 2 of 2