S-DGAS 65 Series




S-DGAS 65 | Site Sizeable

- Modify length and locate outlet on-site
- Indoor or outdoor use
- 16 gauge, 304 perforated stainless steel grate
- Stainless Steel channel
- Works with 2" clamp down floor drain with 2" throat (strainer size) (not included)
- Uses Hot Mop, Lead Pan, PVC Vinyl Liner, Rubber Liner (Chloraloy™)
 Copper Pan or Fiberglass waterproofing
- Grate can be removed completely for cleaning
- Flow rate 9 GPM per outlet*
 *Flow rate measured at outlet only. Measurement does not account for water in channel or sheet-



Installation (S) Site Sizable



Infinity Drain

18 Secatoag Avenue Port Washington, NY 11050 Phone: 516.767.6786 Fax: 516.740.3066 www.InfinityDrain.com



ID INFINITY DRAIN

CANADA - CSA B 125.2

USA - ASME A112.18.2



Complete Kits:

S-DGAS 6536 36" Complete Kit S-DGAS 6548 48" Complete Kit S-DGAS 6560 60" Complete Kit S-DGAS 6572 72" Complete Kit S-DGAS 6596 96" Complete Kit

Longer lengths for indoor or outdoor installations.

Components:

DA 6536 36" Stainless Steel Grate
DA 6548 48" Stainless Steel Grate
DA 6560 60" Stainless Steel Grate

SC 6548 48" Stainless Open Ended Channel SC 6596 96" Stainless Open Ended Channel LC 6528 28" Stainless Closed Ended Channel LC 6540 40" Stainless Closed Ended Channel LC 6552 52" Stainless Closed Ended Channel LC 6564 64" Stainless Closed Ended Channel LC 6588 88" Stainless Closed Ended Channel LF 65 8" Stainless Steel Outlet Section

GJS 65 Stainless Steel Joiner Strip
SE 65 2" Stainless Steel End Section
TNAS 2" Threaded Nipple

Sikaflex 1a Construction Sealant

Add Clamp Down Drain:

CDA 22 Clamp Down Drain ABS
CDI 22 Clamp Down Drain Cast Iron
CDP 22 Clamp Down Drain PVC



2" clamp down drain not included in kit

Optional Components:

SLA 65 Stainless Steel 90°Angle Joiner
TNRN Stainless Steel Threaded Nipple (3"

extension)


UCP 2 Universal 2" Clamping Plate
UCP 4 Universal 4" Clamping Plate
ERB Eccentric Reducer Bushing 4" x 2"

Note: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes

Page 1 of 2

S-DGAS 6536 Specifications ID Infinity Drain





CDI 22 Clamp Down Drain Cast Iron

CDP 22 Clamp Down Drain PVC



2" clamp down drain not included in kit

Infinity Drain

18 Secatoag Avenue Port Washington, NY 11050 Phone: 516.767.6786 Fax: 516.740.3066 www.InfinityDrain.com



INFINITY DRAIN USA - ASME A112.18.2





Note: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer.

SECTION A-A

S-DGAS 6548 Specifications ID Infinity Drain







1 - DA 6548 Stainless Steel Grate

- 1 LC 6540 Stainless Steel Channel
- 1 LF 65 8" Outlet Section Stainless Steel
- 2 GJS 65 All Stainless Joiner Strip
- 1 TNAS Threaded Nipple
- 1 Sikaflex 1a Construction Sealant

Add Clamp Down Drain:

CDA 22 Clamp Down Drain ABS

CDI 22 Clamp Down Drain Cast Iron

CDP 22 Clamp Down Drain PVC




Infinity Drain

18 Secatoag Avenue Port Washington, NY 11050 Phone: 516.767.6786 Fax: 516.740.3066 www.InfinityDrain.com



INFINITY DRAIN USA - ASME A112.18.2







Note: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer.

S-DGAS 6560 Specifications ID Infinity Drain







(60 1/8" I x 2 7/8" w x 1" h)

- 1 DA 6560 Stainless Steel Grate
- 1 LC 6552 Stainless Steel Channel
- 1 LF 65 8" Outlet Section Stainless Steel
- 2 GJS 65 All Stainless Joiner Strip
- 1 TNAS Threaded Nipple
- 1 Sikaflex 1a Construction Sealant

Add Clamp Down Drain:

CDA 22 Clamp Down Drain ABS

CDI 22 Clamp Down Drain Cast Iron

CDP 22 Clamp Down Drain PVC



2" clamp down drain not included in kit


Infinity Drain

18 Secatoag Avenue Port Washington, NY 11050 Phone: 516.767.6786 Fax: 516.740.3066 www.InfinityDrain.com



INFINITY DRAIN USA - ASME A112.18.2







Note: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer.

S-DGAS 6572 Specifications ID Infinity Drain









72" Complete Kit Includes:

(72 1/8" | x 2 7/8" w x 1" h)

- 2 DA 6536 Stainless Steel Grate
- 1 LC 6564 Stainless Steel Channel
- 2 LF 65 8" Outlet Section Stainless Steel
- 4 GJS 65 All Stainless Joiner Strip
- 2 TNAS Threaded Nipple
- 1 Sikaflex 1a Construction Sealant

Add Clamp Down Drain:

CDA 22 Clamp Down Drain ABS

CDI 22 Clamp Down Drain Cast Iron

CDP 22 Clamp Down Drain PVC



2" clamp down drain not included in kit


Infinity Drain

18 Secatoag Avenue Port Washington, NY 11050 Phone: 516.767.6786 Fax: 516.740.3066 www.InfinityDrain.com



INFINITY DRAIN USA - ASME A112.18.2







Note: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer.

S-DGAS 6596 Specifications ID Infinity Drain







96" Complete Kit Includes:

(96 1/8" | x 2 7/8" w x 1" h)

- 2 DA 6548 Stainless Steel Grate
- 1 LC 6588 Stainless Steel Channel
- 2 LF 65 8" Outlet Section Stainless Steel
- 4 GJS 65 All Stainless Joiner Strip
- 2 TNAS Threaded Nipple
- 1 Sikaflex 1a Construction Sealant

Add Clamp Down Drain:

CDA 22 Clamp Down Drain ABS

CDI 22 Clamp Down Drain Cast Iron

CDP 22 Clamp Down Drain PVC



2" clamp down drain not included in kit


Infinity Drain

18 Secatoag Avenue Port Washington, NY 11050 Phone: 516.767.6786 Fax: 516.740.3066 www.InfinityDrain.com



INFINITY DRAIN USA - ASME A112.18.2





Note: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer.