

















Price List July 1, 2013




# LINEAR GRATE STYLES BY SERIES

GRATE STYLES	Site Sizeable (S)	FIXED (FX)	FIXED FLANGE (FF)	SIDE OUTLET (FT)
			FFED 25 (pg 26)	FTED 25 (pg 36)
			FFDG 25 (pg 28)	FTDG 25 (pg 38)
			FFMN 25 (pg 30)	FTMN 25 (pg 40)
			FFAS 25 (pg 32)	FTAS 25 (pg 42)
	S-DG 38 (pg 11)			
	S-AG 38 (pg 8)			
		FXED 65 (pg 20)	FFED 65 (pg 27)	FTED 65 (pg 37)
	S-DG 65 (pg 12) S-DGAS 65 (pg 13) S-DGAS 99 (pg 14)	FXDG 65 (pg 21)	FFDG 65 (pg 29)	FTDG 65 (pg 39)
		FXMN 65 (pg 22)	FFMN 65 (pg 31)	FTMN 65 (pg 41)
	S-AG 65 (pg 9)			
	S-AS 65 (pg 15) S-AS 99 (pg 16)	FXAS 65 (pg 23)	FFAS 65 (pg 33)	FTAS 65 (pg 43)
	S-AG 100 (pg 10)	FXAS 125 (pg 24)	FFAS 125 (pg 34)	
	S-TIF 65 (pg 17) S-TIFAS 65 (pg 18) S-TIFAS 99 (pg 19)	FXTIF 65 (pg 25)	FFTIF 65 (pg 35)	FTTIF 65 (pg 44)

# TABLE OF CONTENTS

<b>Installation Definitions.....</b>	<b>4–7</b>	<b>Side Outlet Series (FT).....</b>	<b>35–44</b>
<b>Site Sizeable Series (S).....</b>	<b>8–19</b>	FTED 25.....	36
S-AG 38.....	8	FTED 65.....	37
S-AG 65.....	9	FTDG 25.....	38
S-AG 100.....	10	FTDG 65.....	39
S-DG 38.....	11	FTMN 25.....	40
S-DG 65.....	12	FTMN 65.....	41
S-DGAS 65.....	13	FTAS 25.....	42
S-DGAS 99.....	14	FTAS 65.....	43
S-AS 65.....	15	FTTIF 65.....	44
S-AS 99.....	16	<b>Tile Drain Series (TD).....</b>	<b>45–49</b>
S-TIF 65.....	17	LTD 5.....	45
S-TIFAS 65.....	18	RTD 15.....	46
S-TIFAS 99.....	19	TD 15.....	47
<b>Fixed Series (FX).....</b>	<b>20–25</b>	TD 20.....	48
FXED 65.....	20	TD 50.....	49
FXDG 65.....	21	WW 5.....	49
FXMN 65.....	22	<b>Custom Information.....</b>	<b>50–54</b>
FXAS 65.....	23	<b>Linear Drain Components.....</b>	<b>55–73</b>
FXAS 125.....	24	<b>FCB, FCH, and OCH Variations.....</b>	<b>64</b>
FXTIF.....	25	<b>Clamp Down and Bonded</b>	
<b>Fixed Flange Series (FF).....</b>	<b>26–35</b>	<b>Flange Drain Bodies.....</b>	<b>74–75</b>
FFED 25.....	26	<b>Parts.....</b>	<b>76</b>
FFED 65.....	27	<b>Tub to Shower Kits.....</b>	<b>77</b>
FFDG 25.....	28	<b>Waterproofing.....</b>	<b>78</b>
FFDG 65.....	29	<b>Displays.....</b>	<b>79</b>
FFMN 25.....	30	<b>Appendix.....</b>	<b>80–90</b>
FFMN 65.....	31	<b>Glossary.....</b>	<b>91–93</b>
FFAS 25.....	32	<b>Terms and Conditions.....</b>	<b>94–95</b>
FFAS 65.....	33	<b>Alpha Numeric Price List.....</b>	<b>96–103</b>
FFAS 125.....	34		
FFTIF 65.....	35		

## Sku Explanation



# Installation S - Site Sizable

## Installation

For exact wall-to-wall installation, cut to length on "Site", locate outlet anywhere on channel run.

## Waterproofing: Via clamping floor drain.








- Hot Mop
- Lead Pan
- PVC Vinyl Liner
- Rubber Liner (Chloraloy™)
- Copper Pan
- Fiberglass

## Channels:


PVC (S-AG, S-DG, S-TIF) or  
Stainless Steel (S-AS, S-DGAS, S-TIFAS)

## Grates:

16 gauge 304 Stainless Steel (S-DG, S-DGAS)  
12 gauge 316 Stainless Steel (S-AG, S-AS, S-TIF)

Series	
	S-AG 38 (pg 8)
	S-AG 65 (pg 9)
	S-AG 100 (pg 10)
	S-DG 38 (pg 11)
	S-DG 65 (pg 12) S-DGAS 65 (pg 13) S-DGAS 99 (pg 14)
	S-AS 65 (pg 15) S-AS 99 (pg 16)
	S-TIF 65 (pg 17) S-TIFAS 65 (pg 18) S-TIFAS 99 (pg 19)

## Example - S-AG 38 Wall Installation\* (no build out)



\*Wall installation (no build out) see pg 86 to 89 for more installation details.

# Installation FX – Fixed Length

## Installation

Pre-pitched channel with “Fixed” lengths and “Fixed” center outlet location. Custom sizing available pg 51.

**Waterproofing:** Via clamping floor drain.







- Hot Mop
- Lead Pan
- PVC Vinyl Liner
- Rubber Liner (Chloraloy™)
- Copper Pan
- Fiberglass

## Channels:


16 gauge 304 Stainless Steel

## Grates:

- 16 gauge 304 Stainless Steel (FXED, FXDG)
- 14 gauge 304 Stainless Steel (FXMN)
- 12 gauge 316 Stainless Steel (FXAS, FXTIF)

Series	
	FXED 65 (pg 20)
	FXDG 65 (pg 21)
	FXMN 65 (pg 22)
	FXAS 65 (pg 23)
	FXAS 125 (pg 24)
	FXTIF 65 (pg 25)

## Example - FXED 65 shown Threshold installation\*



\*See pgs 87 to 90 for more installation details.

# Installation FF - Fixed Flange

## Installation

Pre-pitched channel with "Fixed" lengths and "Fixed" center vertical (down) outlet location. Bonded "Flange" installation for flush against the wall. Lowest height for curbless installations. Custom sizing available pg 52.

## Waterproofing:











- Liquid Membrane (pg 78)
- Fabric Sheet Membrane

## Channels:


16 gauge 304 Stainless Steel

## Grates:

- 16 gauge 304 Stainless Steel (FFED, FFDG, FFTIF)
- 14 gauge 304 Stainless Steel (FFMN)
- 12 gauge 316 Stainless Steel (FFAS)

Series	
	FFED 25 (pg 26)
	FFED 65 (pg 27)
	FFDG 25 (pg 28)
	FFDG 65 (pg 29)
	FFMN 25 (pg 30)
	FFMN 65 (pg 31)
	FFAS 25 (pg 32)
	FFAS 65 (pg 33)
	FFAS 125 (pg 34)
	FFTIF 65 (pg 35)

## Example - FFAS25 Wall Installation\*



\*See pgs 87 to 90 for more installation details.

# Installation FT – Side Outlet

## Installation

Pre-pitched channel with fixed lengths and fixed center side “Tunnel” outlet location. Bonded “Flange” installation for flush against the wall. Allows waste line to connect horizontally to save floor height and waste line relocation. Custom sizing available pg 53.

## Waterproofing:










- Liquid Membrane (pg 78)
- Fabric Sheet Membrane

## Channels:


- 16 gauge 304 Stainless Steel

## Grates:

- 16 gauge 304 Stainless Steel (FTED, FTDG, FTTIF)
- 14 gauge 304 Stainless Steel (FTMN)
- 12 gauge 316 Stainless Steel (FTAS)

Series	
	FTED 25 (pg 36)
	FTED 65 (pg 37)
	FTDG 25 (pg 38)
	FTDG 65 (pg 39)
	FTMN 25 (pg 40)
	FTMN 65 (pg 41)
	FTAS 25 (pg 42)
	FTAS 65 (pg 43)
	FTTIF 65 (pg 44)



## Example - FTED65 Wall Installation - Side Outlet\*




\*See pgs 87 to 90 for more installation details.

# S-AG 38 (Previously AG 38)




## Site Sizable




Description	Model	Finish	Lbs	List
<b>36" Complete Kit Includes:</b> (36 1/8" L x 1 13/16" W x 1 5/8" H) 1 - A 3836 Grate 1 - G 3836 PVC Channel 2 - E 38 PVC Stop End 1 - S 32 PVC Outlet Section 1 - S 50 PVC Threaded Outlet	<b>S-AG 3836 SS</b> <b>S-AG 3836 PS</b> <b>S-AG 3836 ORB</b>	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	7	\$595 \$725 \$725
	9 GPM PER OUTLET*			
<b>48" Complete Kit Includes:</b> (48 1/8" L x 1 13/16" W x 1 5/8" H) 1 - A 3848 Grate 1 - G 3848 PVC Channel 2 - E 38 PVC Stop End 1 - S 32 PVC Outlet Section 1 - S 50 PVC Threaded Outlet	<b>S-AG 3848 SS</b> <b>S-AG 3848 PS</b> <b>S-AG 3848 ORB</b>	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	9	\$625 \$775 \$775
	9 GPM PER OUTLET*			
<b>60" Complete Kit Includes:</b> (60 1/8" L x 1 13/16" W x 1 5/8" H) 1 - A 3860 Grate 1 - G 3860 PVC Channel 2 - E 38 PVC Stop End 1 - S 32 PVC Outlet Section 1 - S 50 PVC Threaded Outlet	<b>S-AG 3860 SS</b> <b>S-AG 3860 PS</b> <b>S-AG 3860 ORB</b>	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	11	\$800 \$945 \$945
	9 GPM PER OUTLET*			
<b>96" Complete Kit Includes:</b> (96 1/8" L x 1 13/16" W x 1 5/8" H) 2 - A 3848 Grate 1 - G 3896 PVC Channel 2 - E 38 PVC Stop End 2 - S 32 PVC Outlet Section 2 - S 50 PVC Threaded Outlet	<b>S-AG 3896 SS</b> <b>S-AG 3896 PS</b> <b>S-AG 3896 ORB</b>	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	22	\$1235 \$1535 \$1535
	9 GPM PER OUTLET* (Two outlets)			
 Drain Body <b>Not</b> included in kit sku. If not provided, add...	<b>CDI 22</b> <b>CDA 22</b> <b>CDP 22</b>	Cast Iron - 2" throat, 2" no hub connect ABS - 2" throat, 2" standard connect PVC - 2" throat, 2" standard connect	4 2 2	\$65 \$50 \$50

\*See page 82 for more information on flow rates. • See page 55 for individual components.v








Description	Model	Finish	Lbs	List
<b>36" Complete Kit Includes:</b> (36 1/8" L x 2 7/8" W x 1 5/8" H) 1 - A 6536 Grate 1 - G 6536 PVC Channel 2 - E 65 PVC Stop End 1 - S 50 PVC Threaded Outlet	<b>S-AG 6536 SS</b> <b>S-AG 6536 PS</b> <b>S-AG 6536 ORB</b>  16 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	9	\$795 \$945 \$945
<b>48" Complete Kit Includes:</b> (48 1/8" L x 2 7/8" W x 1 5/8" H) 1 - A 6548 Grate 1 - G 6548 PVC Channel 2 - E 65 PVC Stop End 1 - S 50 PVC Threaded Outlet	<b>S-AG 6548 SS</b> <b>S-AG 6548 PS</b> <b>S-AG 6548 ORB</b>  16 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	11	\$845 \$995 \$995
<b>60" Complete Kit Includes:</b> (60 1/8" L x 2 7/8" W x 1 5/8" H) 1 - A 6560 Grate 1 - G 6560 PVC Channel 2 - E 65 PVC Stop End 1 - S 50 PVC Threaded Outlet	<b>S-AG 6560 SS</b> <b>S-AG 6560 PS</b> <b>S-AG 6560 ORB</b>  16 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	13	\$995 \$1095 \$1095
<b>96" Complete Kit Includes:</b> (96 1/8" L x 2 7/8" W x 1 5/8" H) 2 - A 6548 Grate 1 - G 6596 PVC Channel 2 - E 65 PVC Stop End 2 - S 50 PVC Threaded Outlet	<b>S-AG 6596 SS</b> <b>S-AG 6596 PS</b> <b>S-AG 6596 ORB</b>  16 GPM PER OUTLET* (Two outlets)	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	24	\$1690 \$1980 \$1980
 Drain Body <b>Not</b> included in kit sku. If not provided, add...	<b>CDI 22</b> <b>CDA 22</b> <b>CDP 22</b>	Cast Iron - 2" throat, 2" no hub connect ABS - 2" throat, 2" standard connect PVC - 2" throat, 2" standard connect	4 2 2	\$65 \$50 \$50

\*See page 82 for more information on flow rates. • See page 56 for individual components.

# S-AG 100 (Previously AG 100)



## Site Sizable




Description	Model	Finish	Lbs	List
<b>48" Complete Kit Includes:</b> (47 1/4" L x 4 3/16" W x 13/16" H) 1 - A 10048 Grate 1 - G 10048 PVC Channel 2 - E 100 PVC Stop End 1 - S 50 PVC Threaded Outlet	<b>S-AG 10048 SS</b> <b>S-AG 10048 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	11	\$925 \$1225
<b>96" Complete Kit Includes:</b> (95 1/2" L x 4 3/16" W x 13/16" H) 2 - A 10048 Grate 1 - G 10096 PVC Channel 2 - E 100 PVC Stop End 2 - S 50 PVC Threaded Outlet	<b>S-AG 10096 SS</b> <b>S-AG 10096 PS</b>  9 GPM PER OUTLET* (Two outlets)	Satin Stainless Polished Stainless	15	\$1850 \$2450
 Drain Body <b>Not</b> included in kit sku. If not provided, add...	<b>CDI 22</b> <b>CDA 22</b> <b>CDP 22</b>	Cast Iron - 2" throat, 2" no hub connect ABS - 2" throat, 2" standard connect PVC - 2" throat, 2" standard connect	4 2 2	\$65 \$50 \$50

\*See page 82 for more information on flow rates.  
See page 57 for individual components.

-Note: 5" wide grate now available in FX 125 (pg. 24) and FF 125 (pg. 34) install with 3" outlet connection.







Description	Model	Finish	Lbs	List
<b>48" Complete Kit Includes:</b> (48 1/8" L x 1 13/16" W x 1 5/8" H) 1 - D 3848 Grate 1 - G 3848 PVC Channel 2 - E 38 PVC Stop End 1 - S 32 PVC Outlet Section 1 - S 50 PVC Threaded Outlet	<b>S-DG 3848 SS</b> <b>S-DG 3848 PS</b> <b>S-DG 3848 ORB</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	8	\$335 \$485 \$485
<b>60" Complete Kit Includes:</b> (60 1/8" L x 1 13/16" W x 1 5/8" H) 1 - D 3860 Grate 1 - G 3860 PVC Channel 2 - E 38 PVC Stop End 1 - S 32 PVC Outlet Section 1 - S 50 PVC Threaded Outlet	<b>S-DG 3860 SS</b> <b>S-DG 3860 PS</b> <b>S-DG 3860 ORB</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	9	\$455 \$605 \$605
<b>96" Complete Kit Includes:</b> (96 1/8" L x 1 13/16" W x 1 5/8" H) 2 - D 3848 Grate 1 - G 3896 PVC Channel 2 - E 38 PVC Stop End 2 - S 32 PVC Outlet 2 - S 50 PVC Threaded Outlet	<b>S-DG 3896 SS</b> <b>S-DG 3896 PS</b> <b>S-DG 3896 ORB</b>  9 GPM PER OUTLET* (Two outlets)	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	9	\$665 \$980 \$980
 Drain Body <b>Not</b> included in kit sku. If not provided, add...	<b>CDI 22</b> <b>CDA 22</b> <b>CDP 22</b>	Cast Iron - 2" throat, 2" no hub connect ABS - 2" throat, 2" standard connect PVC - 2" throat, 2" standard connect	4 2 2	\$65 \$50 \$50

\*See page 82 for more information on flow rates. • See page 55 for individual components.



# S-DG 65 (Previously DG 65)

## Site Sizable





Description	Model	Finish	Lbs	List
<b>48" Complete Kit Includes:</b> (48 1/8" L x 2 7/8" W x 1 5/8" H) 1 - D 6548 Grate 1 - G 6548 PVC Channel 2 - E 65 PVC Stop End 1 - S 50 PVC Threaded Outlet	<b>S-DG 6548 SS</b> <b>S-DG 6548 PS</b> <b>S-DG 6548 ORB</b>  16 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	9	\$390 \$530 \$530
<b>60" Complete Kit Includes:</b> (60 1/8" L x 2 7/8" W x 1 5/8" H) 1 - D 6560 Grate 1 - G 6560 PVC Channel 2 - E 65 PVC Stop End 1 - S 50 PVC Threaded Outlet	<b>S-DG 6560 SS</b> <b>S-DG 6560 PS</b> <b>S-DG 6560 ORB</b>  16 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	9	\$515 \$710 \$710
<b>96" Complete Kit Includes:</b> (96 1/8" L x 2 7/8" W x 1 5/8" H) 2 - D 6548 Grate 1 - G 6596 PVC Channel 2 - E 65 PVC Stop End 2 - S 50 PVC Threaded Outlet	<b>S-DG 6596 SS</b> <b>S-DG 6596 PS</b> <b>S-DG 6596 ORB</b>  16 GPM PER OUTLET* (Two outlets)	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	11	\$745 \$995 \$995
 Drain Body <b>Not</b> included in kit sku. If not provided, add...	<b>CDI 22</b> <b>CDA 22</b> <b>CDP 22</b>	Cast Iron - 2" throat, 2" no hub connect ABS - 2" throat, 2" standard connect PVC - 2" throat, 2" standard connect	4 2 2	\$65 \$50 \$50

\*See page 82 for more information on flow rates. • See page 56 for individual components.



## NEW ALL STAINLESS CHANNEL




Description	Model	Finish	Lbs	List
<b>36" Complete Kit Includes:</b> (36 1/8" L x 2 7/8" W x 1" H) 1 - DA 6536 Stainless Steel Grate 1 - LC 6528 Stainless Steel Channel 1 - LF 65 8" Outlet Section Stainless Steel 2 - GJS 65 All Stainless Joiner Strip 1 - TNAS Threaded Nipple 1 - Sikaflex 1a Construction Sealant	<b>S-DGAS 6536 SS</b> <b>S-DGAS 6536 PS</b>       9 GPM PER OUTLET*	Satin Stainless Polished Stainless	8	\$575 \$690
<b>48" Complete Kit Includes:</b> (48 1/8" L x 2 7/8" W x 1" H) 1 - DA 6548 Stainless Steel Grate 1 - LC 6540 Stainless Steel Channel 1 - LF 65 8" Outlet Section Stainless Steel 2 - GJS 65 All Stainless Joiner Strip 1 - TNAS Threaded Nipple 1 - Sikaflex 1a Construction Sealant	<b>S-DGAS 6548 SS</b> <b>S-DGAS 6548 PS</b>       9 GPM PER OUTLET*	Satin Stainless Polished Stainless	11	\$700 \$775
<b>60" Complete Kit Includes:</b> (60 1/8" L x 2 7/8" W x 1" H) 1 - DA 6560 Stainless Steel Grate 1 - LC 6552 Stainless Steel Channel 1 - LF 65 8" Outlet Section Stainless Steel 2 - GJS 65 All Stainless Joiner Strip 1 - TNAS Threaded Nipple 1 - Sikaflex 1a Construction Sealant	<b>S-DGAS 6560 SS</b> <b>S-DGAS 6560 PS</b>       9 GPM PER OUTLET*	Satin Stainless Polished Stainless	14	\$750 \$840
<b>72" Complete Kit Includes:</b> (72 1/8" L x 2 7/8" W x 1" H) 2 - DA 6536 Stainless Steel Grate 1 - LC 6564 Stainless Steel Channel 2 - LF 65 8" Outlet Section Stainless Steel 4 - GJS 65 All Stainless Joiner Strip 2 - TNAS Threaded Nipple 1 - Sikaflex 1a Construction Sealant	<b>S-DGAS 6572 SS</b> <b>S-DGAS 6572 PS</b>       9 GPM PER OUTLET* (Two outlets)	Satin Stainless Polished Stainless	17	\$995 \$1195
<b>96" Complete Kit Includes:</b> (96 1/8" L x 2 7/8" W x 1" H) 2 - DA 6548 Stainless Steel Grate 1 - LC 6588 Stainless Steel Channel 2 - LF 65 8" Outlet Section Stainless Steel 4 - GJS 65 All Stainless Joiner Strip 2 - TNAS Threaded Nipple 1 - Sikaflex 1a Construction Sealant	<b>S-DGAS 6596 SS</b> <b>S-DGAS 6596 PS</b>       9 GPM PER OUTLET* (Two outlets)	Satin Stainless Polished Stainless	22	\$1295 \$1495
 Drain Body <b>Not</b> included in kit sku. If not provided, add...	<b>CDI 22</b> <b>CDA 22</b> <b>CDP 22</b>	Cast Iron - 2" throat, 2" no hub connect ABS - 2" throat, 2" standard connect PVC - 2" throat, 2" standard connect	4 2 2	\$65 \$50 \$50


\*See page 82 for more information on flow rates. • See page 58 for individual components.

# S-DGAS 99

## Site Sizable




### NEW HIGH CAPACITY FLOW RATE




Description	Model	Finish	Lbs	List
<b>36" Complete Kit Includes:</b> (36 1/8" L x 2 7/8" W x 1" H) 1 - DA 6536 Stainless Steel Grate 1 - LC 6528 Stainless Steel Channel 1 - LF 99 8" Outlet Assembly Stainless Steel 2 - GJS 65 All Stainless Joiner Strip 1 - Sikaflex 1a Construction Sealant 1 - CDI 43 Cast Iron Drain Body**	<b>S-DGAS 9936 SS</b> <b>S-DGAS 9936 PS</b>  21 GPM PER OUTLET*	Satin Stainless Polished Stainless	16	\$1025 \$1115
<b>48" Complete Kit Includes:</b> (48 1/8" L x 2 7/8" W x 1" H) 1 - DA 6548 Stainless Steel Grate 1 - LC 6540 Stainless Steel Channel 1 - LF 99 8" Outlet Assembly Stainless Steel 2 - GJS 65 All Stainless Joiner Strip 1 - Sikaflex 1a Construction Sealant 1 - CDI 43 Cast Iron Drain Body**	<b>S-DGAS 9948 SS</b> <b>S-DGAS 9948 PS</b>  21 GPM PER OUTLET*	Satin Stainless Polished Stainless	18	\$1145 \$1245
<b>60" Complete Kit Includes:</b> (60 1/8" L x 2 7/8" W x 1" H) 1 - DA 6560 Stainless Steel Grate 1 - LC 6552 Stainless Steel Channel 1 - LF 99 8" Outlet Assembly Stainless Steel 2 - GJS 65 All Stainless Joiner Strip 1 - Sikaflex 1a Construction Sealant 1 - CDI 43 Cast Iron Drain Body**	<b>S-DGAS 9960 SS</b> <b>S-DGAS 9960 PS</b>  21 GPM PER OUTLET*	Satin Stainless Polished Stainless	20	\$1275 \$1395
<b>72" Complete Kit Includes:</b> (72 1/8" L x 2 7/8" W x 1" H) 2 - DA 6536 Stainless Steel Grate 1 - LC 6564 Stainless Steel Channel 2 - LF 99 8" Outlet Assembly Stainless Steel 4 - GJS 65 All Stainless Joiner Strip 1 - Sikaflex 1a Construction Sealant 2 - CDI 43 Cast Iron Drain Body**	<b>S-DGAS 9972 SS</b> <b>S-DGAS 9972 PS</b>  21 GPM PER OUTLET* (Two outlets)	Satin Stainless Polished Stainless	32	\$1615 \$1815
<b>96" Complete Kit Includes:</b> (96 1/8" L x 2 7/8" W x 1" H) 2 - DA 6548 Stainless Steel Grate 1 - LC 6588 Stainless Steel Channel 2 - LF 99 8" Outlet Assembly Stainless Steel 4 - GJS 65 All Stainless Joiner Strip 1 - Sikaflex 1a Construction Sealant 2 - CDI 43 Cast Iron Drain Body**	<b>S-DGAS 9996 SS</b> <b>S-DGAS 9996 PS</b>  21 GPM PER OUTLET* (Two outlets)	Satin Stainless Polished Stainless	34	\$1865 \$2075


\*See page 82 for more information on flow rates. • See page 58 for individual components.

\*\*Kit standard with cast iron drain body. If ABS or PVC desired, add A or P to model number (example: S-DGAS99-P-SS) at same cost.



## IMPROVED INSTALLATION




Description	Model	Finish	Lbs	List
<b>36" Complete Kit Includes:</b> (36 1/8" L x 2 7/8" W x 1" H) 1 - SA 6536 Stainless Steel Grate 1 - LC 6528 Stainless Steel Channel 1 - LF 65 8" Outlet Section Stainless Steel 2 - GJS 65 All Stainless Joiner Strip 1 - TNAS Threaded Nipple 1 - Sikaflex 1a Construction Sealant	<b>S-AS 6536 SS</b> <b>S-AS 6536 PS</b>	Satin Stainless Polished Stainless	10	\$995 \$1195
<b>48" Complete Kit Includes:</b> (48 1/8" L x 2 7/8" W x 1" H) 1 - SA 6548 Stainless Steel Grate 1 - LC 6540 Stainless Steel Channel 1 - LF 65 8" Outlet Section Stainless Steel 2 - GJS 65 All Stainless Joiner Strip 1 - TNAS Threaded Nipple 1 - Sikaflex 1a Construction Sealant	<b>S-AS 6548 SS</b> <b>S-AS 6548 PS</b>	Satin Stainless Polished Stainless	13	\$1195 \$1395
<b>60" Complete Kit Includes:</b> (60 1/8" L x 2 7/8" W x 1" H) 1 - SA 6560 Stainless Steel Grate 1 - LC 6552 Stainless Steel Channel 1 - LF 65 8" Outlet Section Stainless Steel 2 - GJS 65 All Stainless Joiner Strip 1 - TNAS Threaded Nipple 1 - Sikaflex 1a Construction Sealant	<b>S-AS 6560 SS</b> <b>S-AS 6560 PS</b>	Satin Stainless Polished Stainless	16	\$1395 \$1595
<b>72" Complete Kit Includes:</b> (72 1/8" L x 2 7/8" W x 1" H) 2 - SA 6536 Stainless Steel Grate 1 - LC 6564 Stainless Steel Channel 2 - LF 65 8" Outlet Section Stainless Steel 4 - GJS 65 All Stainless Joiner Strip 2 - TNAS Threaded Nipple 1 - Sikaflex 1a Construction Sealant	<b>S-AS 6572 SS</b> <b>S-AS 6572 PS</b>	Satin Stainless Polished Stainless	21	\$1895 \$2295
<b>96" Complete Kit Includes:</b> (96 1/8" L x 2 7/8" W x 1" H) 2 - SA 6548 Stainless Steel Grate 1 - LC 6588 Stainless Steel Channel 2 - LF 65 8" Outlet Section Stainless Steel 4 - GJS 65 All Stainless Joiner Strip 2 - TNAS Threaded Nipple 1 - Sikaflex 1a Construction Sealant	<b>S-AS 6596 SS</b> <b>S-AS 6596 PS</b>	Satin Stainless Polished Stainless	27	\$2295 \$2695
 Drain Body <b>Not</b> included in kit sku. If not provided, add...	<b>CDI 22</b> <b>CDA 22</b> <b>CDP 22</b>	Cast Iron - 2" throat, 2" no hub connect ABS - 2" throat, 2" standard connect PVC - 2" throat, 2" standard connect	4 2 2	\$65 \$50 \$50


\*See page 82 for more information on flow rates. • See page 58 for individual components.

## S-AS 99

## Site Sizable



## NEW HIGH CAPACITY FLOW RATE





Description	Model	Finish	Lbs	List
<b>36" Complete Kit Includes:</b> (36 1/8" L x 2 7/8" W x 1" H) 1 - SA 6536 Stainless Steel Grate 1 - LC 6528 Stainless Steel Channel 1 - LF 99 8" Outlet Assembly Stainless Steel 2 - GJS 65 All Stainless Joiner Strip 1 - Sikaflex 1a Construction Sealant 1 - CDI 43 Cast Iron Drain Body** 21 GPM PER OUTLET*	<b>S-AS 9936 SS</b> <b>S-AS 9936 PS</b>	Satin Stainless Polished Stainless	18	\$1200 \$1350
<b>48" Complete Kit Includes:</b> (48 1/8" L x 2 7/8" W x 1" H) 1 - SA 6548 Stainless Steel Grate 1 - LC 6540 Stainless Steel Channel 1 - LF 99 8" Outlet Assembly Stainless Steel 2 - GJS 65 All Stainless Joiner Strip 1 - Sikaflex 1a Construction Sealant 1 - CDI 43 Cast Iron Drain Body** 21 GPM PER OUTLET*	<b>S-AS 9948 SS</b> <b>S-AS 9948 PS</b>	Satin Stainless Polished Stainless	21	\$1365 \$1520
<b>60" Complete Kit Includes:</b> (60 1/8" L x 2 7/8" W x 1" H) 1 - SA 6560 Stainless Steel Grate 1 - LC 6552 Stainless Steel Channel 1 - LF 99 8" Outlet Assembly Stainless Steel 2 - GJS 65 All Stainless Joiner Strip 1 - Sikaflex 1a Construction Sealant 1 - CDI 43 Cast Iron Drain Body** 21 GPM PER OUTLET*	<b>S-AS 9960 SS</b> <b>S-AS 9960 PS</b>	Satin Stainless Polished Stainless	24	\$1645 \$1815
<b>72" Complete Kit Includes:</b> (72 1/8" L x 2 7/8" W x 1" H) 2 - SA 6536 Stainless Steel Grate 1 - LC 6564 Stainless Steel Channel 2 - LF 99 8" Outlet Assembly Stainless Steel 4 - GJS 65 All Stainless Joiner Strip 1 - Sikaflex 1a Construction Sealant 2 - CDI 43 Cast Iron Drain Body** 21 GPM PER OUTLET* (Two outlets)	<b>S-AS 9972 SS</b> <b>S-AS 9972 PS</b>	Satin Stainless Polished Stainless	37	\$2405 \$2805
<b>96" Complete Kit Includes:</b> (96 1/8" L x 2 7/8" W x 1" H) 2 - SA 6548 Stainless Steel Grate 1 - LC 6588 Stainless Steel Channel 2 - LF 99 8" Outlet Assembly Stainless Steel 4 - GJS 65 All Stainless Joiner Strip 1 - Sikaflex 1a Construction Sealant 2 - CDI 43 Cast Iron Drain Body** 21 GPM PER OUTLET* (Two outlets)	<b>S-AS 9996 SS</b> <b>S-AS 9996 PS</b>	Satin Stainless Polished Stainless	43	\$2805 \$3205

\*See page 82 for more information on flow rates. • See page 58 for individual components.

\*\*Kit standard with cast iron drain body. If ABS or PVC desired, add A or P to model number (example: S-AS99-P-SS) at same cost.








Description	Model	Finish	Lbs	List
<b>40" Complete Kit Includes:</b> (40 1/8" L x 2 7/8" W x 1 5/8" H) 1 - TA 6540 Tile Insert Frame 1 - G 6540 PVC Channel 2 - E 65 PVC Stop End 1 - S 50 PVC Threaded Outlet 1 - TKEY Lift Out Key	<b>S-TIF 6540 SS</b> <b>S-TIF 6540 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	9	\$645 \$720
<b>48" Complete Kit Includes:</b> (48 1/8" L x 2 7/8" W x 1 5/8" H) 1 - TA 6548 Tile Insert Frame 1 - G 6548 PVC Channel 2 - E 65 PVC Stop End 1 - S 50 PVC Threaded Outlet 1 - TKEY Lift Out Key	<b>S-TIF 6548 SS</b> <b>S-TIF 6548 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	12	\$765 \$840
<b>60" Complete Kit Includes:</b> (60 1/8" L x 2 7/8" W x 1 5/8" H) 1 - TA 6560 Tile Insert Frame 1 - G 6560 PVC Channel 2 - E 65 PVC Stop End 1 - S 50 PVC Threaded Outlet 1 - TKEY Lift Out Key	<b>S-TIF 6560 SS</b> <b>S-TIF 6560 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	14	\$960 \$1035
<b>80" Complete Kit Includes:</b> (80 1/8" L x 2 7/8" W x 1 5/8" H) 2 - TA 6540 Tile Insert Frame 1 - G 6580 PVC Channel 2 - E 65 PVC Stop End 2 - S 50 PVC Threaded Outlet 1 - TKEY Lift Out Key	<b>S-TIF 6580 SS</b> <b>S-TIF 6580 PS</b>  9 GPM PER OUTLET* (Two outlets)	Satin Stainless Polished Stainless	21	\$1275 \$1425
<b>96" Complete Kit Includes:</b> (96 1/8" L x 2 7/8" W x 1 5/8" H) 2 - TA 6548 Tile Insert Frame 1 - G 6596 PVC Channel 2 - E 65 PVC Stop End 2 - S 50 PVC Threaded Outlet 1 - TKEY Lift Out Key	<b>S-TIF 6596 SS</b> <b>S-TIF 6596 PS</b>  9 GPM PER OUTLET* (Two outlets)	Satin Stainless Polished Stainless	24	\$1520 \$1670
 Drain Body <b>Not</b> included in kit sku. If not provided, add...	<b>CDI 22</b> <b>CDA 22</b> <b>CDP 22</b>	Cast Iron - 2" throat, 2" no hub connect ABS - 2" throat, 2" standard connect PVC - 2" throat, 2" standard connect	4 2 2	\$65 \$50 \$50

\*See page 82 for more information on flow rates. • See page 56 for individual components.



# S-TIFAS 65 (Previously TIFAS 65)

## Site Sizable






Description	Model	Finish	Lbs	List
<b>40" Complete Kit Includes:</b> (40 1/8" L x 2 7/8" W x 1 5/8" H) 1 - TA 6540 Tile Insert Frame 1 - HC 6532 Stainless Steel Channel 1 - HF 65 8" Outlet Section Stainless Steel 2 - TJS 65 Stainless Steel Joiner Strip 1 - TNAS Threaded Nipple 1 - TKEY Lift Out Key (included in each length) 1 - Sikaflex 1a Construction Sealant	<b>S-TIFAS 6540 SS</b> <b>S-TIFAS 6540 PS</b>	Satin Stainless Polished Stainless	14	\$950 \$1025
<b>48" Complete Kit Includes:</b> (48 1/8" L x 2 7/8" W x 1 5/8" H) 1 - TA 6548 Tile Insert Frame 1 - HC 6540 Stainless Steel Channel 1 - HF 65 8" Outlet Section Stainless Steel 2 - TJS 65 Stainless Steel Joiner Strip 1 - TNAS Threaded Nipple 1 - Sikaflex 1a Construction Sealant	<b>S-TIFAS 6548 SS</b> <b>S-TIFAS 6548 PS</b>	Satin Stainless Polished Stainless	17	\$1050 \$1175
<b>60" Complete Kit Includes:</b> (60 1/8" L x 2 7/8" W x 1 5/8" H) 1 - TA 6560 Tile Insert Frame 1 - HC 6552 Stainless Steel Channel 1 - HF 65 8" Outlet Section Stainless Steel 2 - TJS 65 Stainless Steel Joiner Strip 1 - TNAS Threaded Nipple 1 - Sikaflex 1a Construction Sealant	<b>S-TIFAS 6560 SS</b> <b>S-TIFAS 6560 PS</b>	Satin Stainless Polished Stainless	21	\$1250 \$1325
<b>80" Complete Kit Includes:</b> (80 1/8" L x 2 7/8" W x 1 5/8" H) 2 - TA 6540 Tile Insert Frame 1 - HC 6572 Stainless Steel Channel 2 - HF 65 8" Outlet Section Stainless Steel 4 - TJS 65 Stainless Steel Joiner Strip 2 - TNAS Threaded Nipple 1 - Sikaflex 1a Construction Sealant	<b>S-TIFAS 6580 SS</b> <b>S-TIFAS 6580 PS</b>	Satin Stainless Polished Stainless	25	\$1750 \$1900
<b>96" Complete Kit Includes:</b> (96 1/8" L x 2 7/8" W x 1 5/8" H) 2 - TA 6548 Tile Insert Frame 1 - HC 6588 Stainless Steel Channel 2 - HF 65 8" Outlet Section Stainless Steel 4 - TJS 65 Stainless Steel Joiner Strip 2 - TNAS Threaded Nipple 1 - Sikaflex 1a Construction Sealant	<b>S-TIFAS 6596 SS</b> <b>S-TIFAS 6596 PS</b>	Satin Stainless Polished Stainless	28	\$1995 \$2145
 Drain Body <b>Not</b> included in kit sku. If not provided, add...	<b>CDI 22</b> <b>CDA 22</b> <b>CDP 22</b>	Cast Iron - 2" throat, 2" no hub outlet ABS - 2" throat, 2" slip fit PVC - 2" throat, 2" slip fit	4 2 2	\$65 \$50 \$50


\*See page 82 for more information on flow rates. • See page 59 for individual components.






Description	Model	Finish	Lbs	List
<b>40" Complete Kit Includes:</b> (40 1/8" L x 2 7/8" W x 1 5/8" H) 1 - TA 6540 Tile Insert Frame 1 - HC 6532 Stainless Steel Channel 1 - HF 99 8" Outlet Assembly Stainless Steel 2 - TJS 65 All Stainless Joiner Strip. 1 - TKEY Lift Out Key (included in each length) 1 - Sikaflex 1a Construction Sealant 1 - CDI 43 Cast Iron Drain Body**	<b>S-TIFAS 9940 SS</b> <b>S-TIFAS 9940 PS</b>	Satin Stainless Polished Stainless	22	\$1515 \$1585
<b>48" Complete Kit Includes:</b> (48 1/8" L x 2 7/8" W x 1 5/8" H) 1 - TA 6548 Tile Insert Frame 1 - HC 6540 Stainless Steel Channel 1 - HF 99 8" Outlet Assembly Stainless Steel 2 - TJS 65 Stainless Steel Joiner Strip 1 - Sikaflex 1a Construction Sealant 1 - CDI 43 Cast Iron Drain Body**	<b>S-TIFAS 9948 SS</b> <b>S-TIFAS 9948 PS</b>	Satin Stainless Polished Stainless	25	\$1670 \$1785
<b>60" Complete Kit Includes:</b> (60 1/8" L x 2 7/8" W x 1 5/8" H) 1 - TA 6560 Tile Insert Frame 1 - HC 6552 Stainless Steel Channel 1 - HF 99 8" Outlet Assembly Stainless Steel 2 - TJS 65 Stainless Steel Joiner Strip 1 - Sikaflex 1a Construction Sealant 1 - CDI 43 Cast Iron Drain Body**	<b>S-TIFAS 9960 SS</b> <b>S-TIFAS 9960 PS</b>	Satin Stainless Polished Stainless	29	\$1920 \$2050
<b>80" Complete Kit Includes:</b> (80 1/8" L x 2 7/8" W x 1 5/8" H) 2 - TA 6540 Tile Insert Frame 1 - HC 6572 Stainless Steel Channel 2 - HF 99 8" Outlet Assembly Stainless Steel 4 - TJS 65 Stainless Steel Joiner Strip 1 - Sikaflex 1a Construction Sealant 2 - CDI 43 Cast Iron Drain Body**	<b>S-TIFAS 9980 SS</b> <b>S-TIFAS 9980 PS</b>	Satin Stainless Polished Stainless	41	\$2570 \$2690
<b>96" Complete Kit Includes:</b> (96 1/8" L x 2 7/8" W x 1 5/8" H) 2 - TA 6548 Tile Insert Frame 1 - HC 6588 Stainless Steel Channel 2 - HF 99 8" Outlet Assembly Stainless Steel 4 - TJS 65 Stainless Steel Joiner Strip 1 - Sikaflex 1a Construction Sealant 2 - CDI 43 Cast Iron Drain Body**	<b>TIFAS 9996 SS</b> <b>TIFAS 9996 PS</b>	Satin Stainless Polished Stainless	45	\$2850 \$3040


\*See page 82 for more information on flow rates. • See page 59 for individual components.  
 \*\*Kit standard with cast iron drain body. If ABS or PVC desired, add A or P to model number (example: S-TIFAS99-P-SS) at same cost.



Description	Model	Finish	Lbs	List
<b>32" Complete Kit Includes:</b> (32 1/8" L x 2 7/8" W x 1" H) 1 - EA 6532 Grate 1 - XC 6532 Fixed Channel 1 - TNAS Threaded Nipple	<b>FXED 6532 SS</b> <b>FXED 6532 PS</b> <b>FXED 6532 ORB</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	7	\$455 \$530 \$530
<b>36" Complete Kit Includes:</b> (36 1/8" L x 2 7/8" W x 1" H) 1 - EA 6536 Grate 1 - XC 6536 Fixed Channel 1 - TNAS Threaded Nipple	<b>FXED 6536 SS</b> <b>FXED 6536 PS</b> <b>FXED 6536 ORB</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	8	\$485 \$585 \$585
<b>42" Complete Kit Includes:</b> (42 1/8" L x 2 7/8" W x 1" H) 1 - EA 6542 Grate 1 - XC 6542 Fixed Channel 1 - TNAS Threaded Nipple	<b>FXED 6542 SS</b> <b>FXED 6542 PS</b> <b>FXED 6542 ORB</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	8	\$550 \$655 \$655
<b>48" Complete Kit Includes:</b> (48 1/8" L x 2 7/8" W x 1" H) 1 - EA 6548 Grate 1 - XC 6548 Fixed Channel 1 - TNAS Threaded Nipple	<b>FXED 6548 SS</b> <b>FXED 6548 PS</b> <b>FXED 6548 ORB</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	10	\$610 \$730 \$730
<b>60" Complete Kit Includes:</b> (60 1/8" L x 2 7/8" W x 1" H) 1 - EA 6560 Grate 1 - XC 6560 Fixed Channel 1 - TNAS Threaded Nipple	<b>FXED 6560 SS</b> <b>FXED 6560 PS</b> <b>FXED 6560 ORB</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	12	\$740 \$890 \$890
 Drain Body <b>Not</b> included in kit sku. If not provided, add...	<b>CDI 22</b> <b>CDA 22</b> <b>CDP 22</b>	Cast Iron - 2" throat, 2" no hub connect ABS - 2" throat, 2" standard connect PVC - 2" throat, 2" standard connect	4 2 2	\$65 \$50 \$50




\*See page 82 for more information on flow rates. • See page 60-61 for individual components.  
 -See page 51 for custom form.




Description	Model	Finish	Lbs	List
<b>32" Complete Kit Includes:</b> (32 1/8" L x 2 7/8" W x 1" H) 1 - DA 6532 Grate 1 - XC 6532 Fixed Channel 1 - TNAS Threaded Nipple	FXDG 6532 SS FXDG 6532 PS  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	7	\$455 \$530
<b>36" Complete Kit Includes:</b> (36 1/8" L x 2 7/8" W x 1" H) 1 - DA 6536 Grate 1 - XC 6536 Fixed Channel 1 - TNAS Threaded Nipple	FXDG 6536 SS FXDG 6536 PS  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	8	\$485 \$585
<b>42" Complete Kit Includes:</b> (42 1/8" L x 2 7/8" W x 1" H) 1 - DA 6542 Grate 1 - XC 6542 Fixed Channel 1 - TNAS Threaded Nipple	FXDG 6542 SS FXDG 6542 PS  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	8	\$550 \$655
<b>48" Complete Kit Includes:</b> (48 1/8" L x 2 7/8" W x 1" H) 1 - DA 6548 Grate 1 - XC 6548 Fixed Channel 1 - TNAS Threaded Nipple	FXDG 6548 SS FXDG 6548 PS  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	10	\$610 \$730
<b>60" Complete Kit Includes:</b> (60 1/8" L x 2 7/8" W x 1" H) 1 - DA 6560 Grate 1 - XC 6560 Fixed Channel 1 - TNAS Threaded Nipple	FXDG 6560 SS FXDG 6560 PS  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	12	\$740 \$890
 Drain Body <b>Not</b> included in kit sku. If not provided, add...	CDI 22 CDA 22 CDP 22	Cast Iron - 2" throat, 2" no hub connect ABS - 2" throat, 2" standard connect PVC - 2" throat, 2" standard connect	4 2 2	\$65 \$50 \$50

\*See page 82 for more information on flow rates. • See page 60-61 for individual components.  
 -See page 51 for custom form.




*Mark Newson.*




Fixed Length

Description	Model	Finish	Lbs	List
<b>32" Complete Kit Includes:</b> (32 1/8" L x 2 7/8" W x 1" H) 1 - MA 6532 Grate 1 - XC 6532 Fixed Channel 1 - TNAS Threaded Nipple	FXMN 6532 SS FXMN 6532 PS FXMN 6532 ORB FXMN 6532 WH FXMN 6532 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	8	\$555 \$695 \$695 \$695 \$695
<b>36" Complete Kit Includes:</b> (36 1/8" L x 2 7/8" W x 1" H) 1 - MA 6536 Grate 1 - XC 6536 Fixed Channel 1 - TNAS Threaded Nipple	FXMN 6536 SS FXMN 6536 PS FXMN 6536 ORB FXMN 6536 WH FXMN 6536 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	9	\$610 \$760 \$760 \$760 \$760
<b>42" Complete Kit Includes:</b> (42 1/8" L x 2 7/8" W x 1" H) 1 - MA 6542 Grate 1 - XC 6542 Fixed Channel 1 - TNAS Threaded Nipple	FXMN 6542 SS FXMN 6542 PS FXMN 6542 ORB FXMN 6542 WH FXMN 6542 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	9	\$680 \$830 \$830 \$830 \$830
<b>48" Complete Kit Includes:</b> (48 1/8" L x 2 7/8" W x 1" H) 1 - MA 6548 Grate 1 - XC 6548 Fixed Channel 1 - TNAS Threaded Nipple	FXMN 6548 SS FXMN 6548 PS FXMN 6548 ORB FXMN 6548 WH FXMN 6548 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	11	\$750 \$900 \$900 \$900 \$900
<b>60" Complete Kit Includes:</b> (60 1/8" L x 2 7/8" W x 1" H) 1 - MA 6560 Grate 1 - XC 6560 Fixed Channel 1 - TNAS Threaded Nipple	FXMN 6560 SS FXMN 6560 PS FXMN 6560 ORB FXMN 6560 WH FXMN 6560 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	13	\$1065 \$1275 \$1275 \$1275 \$1275
 Drain Body <b>Not</b> included in kit sku. If not provided, add...	CDI 22 CDA 22 CDP 22	Cast Iron - 2" throat, 2" no hub connect ABS - 2" throat, 2" standard connect PVC - 2" throat, 2" standard connect	4 2 2	\$65 \$50 \$50

\*See page 82 for more information on flow rates. • See page 60-61 for individual components.  
 -See page 51 for custom form.






Description	Model	Finish	Lbs	List
<b>32" Complete Kit Includes:</b> (32 1/8" L x 2 7/8" W x 1" H) 1 - SA 6532 Grate 1 - XC 6532 Fixed Channel 1 - TNAS Threaded Nipple	<b>FXAS 6532 SS</b> <b>FXAS 6532 PS</b> <b>FXAS 6532 WH</b> <b>FXAS 6532 BK</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Matte White Matte Black	9	\$815 \$955 \$955 \$955
<b>36" Complete Kit Includes:</b> (36 1/8" L x 2 7/8" W x 1" H) 1 - SA 6536 Grate 1 - XC 6536 Fixed Channel 1 - TNAS Threaded Nipple	<b>FXAS 6536 SS</b> <b>FXAS 6536 PS</b> <b>FXAS 6536 WH</b> <b>FXAS 6536 BK</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Matte White Matte Black	9	\$845 \$995 \$995 \$995
<b>42" Complete Kit Includes:</b> (42 1/8" L x 2 7/8" W x 1" H) 1 - SA 6542 Grate 1 - XC 6542 Fixed Channel 1 - TNAS Threaded Nipple	<b>FXAS 6542 SS</b> <b>FXAS 6542 PS</b> <b>FXAS 6542 WH</b> <b>FXAS 6542 BK</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Matte White Matte Black	12	\$1045 \$1195 \$1195 \$1195
<b>48" Complete Kit Includes:</b> (48 1/8" L x 2 7/8" W x 1" H) 1 - SA 6548 Grate 1 - XC 6548 Fixed Channel 1 - TNAS Threaded Nipple	<b>FXAS 6548 SS</b> <b>FXAS 6548 PS</b> <b>FXAS 6548 WH</b> <b>FXAS 6548 BK</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Matte White Matte Black	12	\$1095 \$1265 \$1265 \$1265
<b>60" Complete Kit Includes:</b> (60 1/8" L x 2 7/8" W x 1" H) 1 - SA 6560 Grate 1 - XC 6560 Fixed Channel 1 - TNAS Threaded Nipple	<b>FXAS 6560 SS</b> <b>FXAS 6560 PS</b> <b>FXAS 6560 WH</b> <b>FXAS 6560 BK</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Matte White Matte Black	14	\$1295 \$1445 \$1445 \$1445
 Drain Body <b>Not</b> included in kit sku. If not provided, add...	<b>CDI 22</b> <b>CDA 22</b> <b>CDP 22</b>	Cast Iron - 2" throat, 2" no hub connect ABS - 2" throat, 2" standard connect PVC - 2" throat, 2" standard connect	4 2 2	\$65 \$50 \$50

\*See page 82 for more information on flow rates. • See page 60-61 for individual components.  
 -See page 51 for custom form.

# FXAS 125

**NEW**

## Fixed Length







Description	Model	Finish	Lbs	List
<b>32" Complete Kit Includes:</b> (32 1/8" L x 5 3/8" W x 1" H) 1 - SA 12532 Grate 1 - XC 12532 Fixed Channel 1 - TN4A Threaded Nipple 1 - CDI 43 Cast Iron Drain Body**	<b>FXAS 12532 SS</b> <b>FXAS 12532 PS</b>  21 GPM PER OUTLET*	Satin Stainless Polished Stainless	15	\$1365 \$1765
<b>36" Complete Kit Includes:</b> (36 1/8" L x 5 3/8" W x 1" H) 1 - SA 12536 Grate 1 - XC 12536 Fixed Channel 1 - TN4A Threaded Nipple 1 - CDI 43 Cast Iron Drain Body**	<b>FXAS 12536 SS</b> <b>FXAS 12536 PS</b>  21 GPM PER OUTLET*	Satin Stainless Polished Stainless	16	\$1485 \$1885
<b>42" Complete Kit Includes:</b> (42 1/8" L x 5 3/8" W x 1" H) 1 - SA 12542 Grate 1 - XC 12542 Fixed Channel 1 - TN4A Threaded Nipple 1 - CDI 43 Cast Iron Drain Body**	<b>FXAS 12536 SS</b> <b>FXAS 12536 PS</b>  21 GPM PER OUTLET*	Satin Stainless Polished Stainless	16	\$1585 \$1945
<b>48" Complete Kit Includes:</b> (48 1/8" L x 5 3/8" W x 1" H) 1 - SA 12548 Grate 1 - XC 12548 Fixed Channel 1 - TN4A Threaded Nipple 1 - CDI 43 Cast Iron Drain Body**	<b>FXAS 12548 SS</b> <b>FXAS 12548 PS</b>  21 GPM PER OUTLET*	Satin Stainless Polished Stainless	18	\$1680 \$2080
<b>60" Complete Kit Includes:</b> (60 1/8" L x 5 3/8" W x 1" H) 1 - SA 12560 Grate 1 - XC 12560 Fixed Channel 1 - TN4A Threaded Nipple 1 - CDI 43 Cast Iron Drain Body**	<b>FXAS 12560 SS</b> <b>FXAS 12560 PS</b>  21 GPM PER OUTLET*	Satin Stainless Polished Stainless	20	\$1995 \$2305

\*See page 82 for more information on flow rates. • See page 63 for individual components. • See page 51 for custom form.

\*\*Kit standard with cast iron drain body. If ABS or PVC desired, add A or P to model number (example: FXAS-P-SS) at same cost.







Description	Model	Finish	Lbs	List
<b>20" Complete Kit Includes:</b> (20 1/8" L x 2 7/8" W x 1 5/8" H) 1 - TA 6520 Grate 1 - IC 6520 Fixed Channel 1 - TNAS Threaded Nipple	<b>FXTIF 6520 SS</b> <b>FXTIF 6520 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	12	\$475 \$510
<b>40" Complete Kit Includes:</b> (40 1/8" L x 2 7/8" W x 1 5/8" H) 1 - TA 6540 Grate 1 - IC 6540 Fixed Channel 1 - TNAS Threaded Nipple	<b>FXTIF 6540 SS</b> <b>FXTIF 6540 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	12	\$780 \$830
<b>48" Complete Kit Includes:</b> (48 1/8" L x 2 7/8" W x 1 5/8" H) 1 - TA 6548 Grate 1 - IC 6548 Fixed Channel 1 - TNAS Threaded Nipple	<b>FXTIF 6548 SS</b> <b>FXTIF 6548 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	14	\$910 \$995
<b>60" Complete Kit Includes:</b> (60 1/8" L x 2 7/8" W x 1 5/8" H) 1 - TA 6560 Grate 1 - IC 6560 Fixed Channel 1 - TNAS Threaded Nipple	<b>FXTIF 6560 SS</b> <b>FXTIF 6560 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	19	\$1110 \$1220
 Drain Body Not included in kit sku. If not provided, add...	<b>CDI 22</b> <b>CDA 22</b> <b>CDP 22</b>	Cast Iron - 2" throat, 2" no hub connect ABS - 2" throat, 2" standard connect PVC - 2" throat, 2" standard connect	4 2 2	\$65 \$50 \$50

\*See page 82 for more information on flow rates. • See page 62 for individual components.

-See page 51 for custom form.



Description	Model	Finish	Lbs	List
<b>32" Complete Kit Includes:</b> (34 1/8" L x 4 1/2" W x 4 3/16" H) 1 - EA 2532 Grate 1 - FC 6532 Fixed Flange Channel 1 - CI 2532 Channel Insert	<b>FFED 2532 SS</b> <b>FFED 2532 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	7	\$630 \$665
<b>36" Complete Kit Includes:</b> (38 1/8" L x 4 1/2" W x 4 3/16" H) 1 - EA 2536 Grate 1 - FC 6536 Fixed Flange Channel 1 - CI 2536 Channel Insert	<b>FFED 2536 SS</b> <b>FFED 2536 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	8	\$695 \$745
<b>42" Complete Kit Includes:</b> (44 1/8" L x 4 1/2" W x 4 3/16" H) 1 - EA 2542 Grate 1 - FC 6542 Fixed Flange Channel 1 - CI 2542 Channel Insert	<b>FFED 2542 SS</b> <b>FFED 2542 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	10	\$790 \$845
<b>48" Complete Kit Includes:</b> (50 1/8" L x 4 1/2" W x 4 3/16" H) 1 - EA 2548 Grate 1 - FC 6548 Fixed Flange Channel 1 - CI 2548 Channel Insert	<b>FFED 2548 SS</b> <b>FFED 2548 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	12	\$890 \$950
<b>60" Complete Kit Includes:</b> (62 1/8" L x 4 1/2" W x 4 3/16" H) 1 - EA 2560 Grate 1 - FC 6560 Fixed Flange Channel 1 - CI 2560 Channel Insert	<b>FFED 2560 SS</b> <b>FFED 2560 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	14	\$1050 \$1125



-See page 52 for custom form.

-See page 64 for installation variations.

-See page 65-68 for individual components.

-Bonded flange installation per ANSI A118.10. See page 78 for waterproofing.

\*See page 82 for more information on flow rates.



Description	Model	Finish	Lbs	List
<b>24" Complete Kit Includes:</b> (26 1/8" L x 4 1/2" W x 4 1/16" H) 1 - EA 6524 Grate 1 - FC 6524 Fixed Flange Channel	<b>FFED 6524 SS</b> <b>FFED 6524 PS</b> <b>FFED 6524 ORB</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	7	\$380 \$445 \$445
<b>32" Complete Kit Includes:</b> (34 1/8" L x 4 1/2" W x 4 1/16" H) 1 - EA 6532 Grate 1 - FC 6532 Fixed Flange Channel	<b>FFED 6532 SS</b> <b>FFED 6532 PS</b> <b>FFED 6532 ORB</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	8	\$535 \$570 \$570
<b>36" Complete Kit Includes:</b> (38 1/8" L x 4 1/2" W x 4 1/16" H) 1 - EA 6536 Grate 1 - FC 6536 Fixed Flange Channel	<b>FFED 6536 SS</b> <b>FFED 6536 PS</b> <b>FFED 6536 ORB</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	8	\$575 \$645 \$645
<b>42" Complete Kit Includes:</b> (44 1/8" L x 4 1/2" W x 4 1/16" H) 1 - EA 6542 Grate 1 - FC 6542 Fixed Flange Channel	<b>FFED 6542 SS</b> <b>FFED 6542 PS</b> <b>FFED 6542 ORB</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	9	\$635 \$710 \$710
<b>48" Complete Kit Includes:</b> (50 1/8" L x 4 1/2" W x 4 1/16" H) 1 - EA 6548 Grate 1 - FC 6548 Fixed Flange Channel	<b>FFED 6548 SS</b> <b>FFED 6548 PS</b> <b>FFED 6548 ORB</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	10	\$690 \$770 \$770
<b>60" Complete Kit Includes:</b> (62 1/8" L x 4 1/2" W x 4 1/16" H) 1 - EA 6560 Grate 1 - FC 6560 Fixed Flange Channel	<b>FFED 6560 SS</b> <b>FFED 6560 PS</b> <b>FFED 6560 ORB</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	12	\$840 \$940 \$940



-See page 52 for custom form.

-See page 64 for installation variations.

-See page 69-72 for individual components.

-Bonded flange installation per ANSI A118.10. See page 78 for waterproofing.

\*See page 82 for more information on flow rates.



Description	Model	Finish	Lbs	List
<b>32" Complete Kit Includes:</b> (34 1/8" L x 4 1/2" W x 4 3/16" H) 1 - DA 2532 Grate 1 - FC 6532 Fixed Flange Channel 1 - CI 2532 Channel Insert	<b>FFDG 2532 SS</b> <b>FFDG 2532 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	7	\$630 \$665
<b>36" Complete Kit Includes:</b> (38 1/8" L x 4 1/2" W x 4 3/16" H) 1 - DA 2536 Grate 1 - FC 6536 Fixed Flange Channel 1 - CI 2536 Channel Insert	<b>FFDG 2536 SS</b> <b>FFDG 2536 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	8	\$695 \$745
<b>42" Complete Kit Includes:</b> (44 1/8" L x 4 1/2" W x 4 3/16" H) 1 - DA 2542 Grate 1 - FC 6542 Fixed Flange Channel 1 - CI 2542 Channel Insert	<b>FFDG 2542 SS</b> <b>FFDG 2542 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	10	\$790 \$845
<b>48" Complete Kit Includes:</b> (50 1/8" L x 4 1/2" W x 4 3/16" H) 1 - DA 2548 Grate 1 - FC 6548 Fixed Flange Channel 1 - CI 2548 Channel Insert	<b>FFDG 2548 SS</b> <b>FFDG 2548 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	12	\$890 \$950
<b>60" Complete Kit Includes:</b> (62 1/8" L x 4 1/2" W x 4 3/16" H) 1 - DA 2560 Grate 1 - FC 6560 Fixed Flange Channel 1 - CI 2560 Channel Insert	<b>FFDG 2560 SS</b> <b>FFDG 2560 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	14	\$1050 \$1125



-See page 52 for custom form.

-See page 64 for installation variations.

-See page 65-68 for individual components.

-Bonded flange installation per ANSI A118.10. See page 78 for waterproofing.

\*See page 82 for more information on flow rates.



Description	Model	Finish	Lbs	List
<b>32" Complete Kit Includes:</b> (34 1/8" L x 4 1/2" W x 4 3/16" H) 1 - DA 6532 Grate 1 - FC 6532 Fixed Flange Channel	<b>FFDG 6532 SS</b> <b>FFDG 6532 PS</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless	8	\$535 \$570
<b>36" Complete Kit Includes:</b> (38 1/8" L x 4 1/2" W x 4 3/16" H) 1 - DA 6536 Grate 1 - FC 6536 Fixed Flange Channel	<b>FFDG 6536 SS</b> <b>FFDG 6536 PS</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless	8	\$575 \$645
<b>42" Complete Kit Includes:</b> (44 1/8" L x 4 1/2" W x 4 3/16" H) 1 - DA 6542 Grate 1 - FC 6542 Fixed Flange Channel	<b>FFDG 6542 SS</b> <b>FFDG 6542 PS</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless	9	\$635 \$710
<b>48" Complete Kit Includes:</b> (50 1/8" L x 4 1/2" W x 4 3/16" H) 1 - DA 6548 Grate 1 - FC 6548 Fixed Flange Channel	<b>FFDG 6548 SS</b> <b>FFDG 6548 PS</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless	10	\$690 \$770
<b>60" Complete Kit Includes:</b> (62 1/8" L x 4 1/2" W x 4 3/16" H) 1 - DA 6560 Grate 1 - FC 6560 Fixed Flange Channel	<b>FFDG 6560 SS</b> <b>FFDG 6560 PS</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless	12	\$840 \$940

-See page 52 for custom form.



-See page 64 for installation variations.

-See page 69-72 for individual components.

-Bonded flange installation per ANSI A118.10. See page 78 for waterproofing.

\*See page 82 for more information on flow rates.

*Mark Newson.*



Description	Model	Finish	Lbs	List
<b>32" Complete Kit Includes:</b> (34 1/8" L x 4 1/2" W x 4 3/16" H) 1 - MA 2532 Grate 1 - FC 6532 Fixed Flange Channel 1 - CI 2532 Channel Insert	FFMN 2532 SS FFMN 2532 PS FFMN 2532 ORB FFMN 2532 WH FFMN 2532 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	7	\$755 \$790 \$790 \$790 \$790
<b>36" Complete Kit Includes:</b> (38 1/8" L x 4 1/2" W x 4 3/16" H) 1 - MA 2536 Grate 1 - FC 6536 Fixed Flange Channel 1 - CI 2536 Channel Insert	FFMN 2536 SS FFMN 2536 PS FFMN 2536 ORB FFMN 2536 WH FFMN 2536 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	8	\$845 \$995 \$995 \$995 \$995
<b>42" Complete Kit Includes:</b> (44 1/8" L x 4 1/2" W x 4 3/16" H) 1 - MA 2542 Grate 1 - FC 6542 Fixed Flange Channel 1 - CI 2542 Channel Insert	FFMN 2542 SS FFMN 2542 PS FFMN 2542 ORB FFMN 2542 WH FFMN 2542 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	10	\$945 \$1095 \$1095 \$1095 \$1095
<b>48" Complete Kit Includes:</b> (50 1/8" L x 4 1/2" W x 4 3/16" H) 1 - MA 2548 Grate 1 - FC 6548 Fixed Flange Channel 1 - CI 2548 Channel Insert	FFMN 2548 SS FFMN 2548 PS FFMN 2548 ORB FFMN 2548 WH FFMN 2548 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	12	\$1060 \$1210 \$1210 \$1210 \$1210
<b>60" Complete Kit Includes:</b> (62 1/8" L x 4 1/2" W x 4 3/16" H) 1 - MA 2560 Grate 1 - FC 6560 Fixed Flange Channel 1 - CI 2560 Channel Insert	FFMN 2560 SS FFMN 2560 PS FFMN 2560 ORB FFMN 2560 WH FFMN 2560 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	14	\$1265 \$1415 \$1415 \$1415 \$1415




-See page 52 for custom form.

-See page 64 for installation variations.

-See page 65-68 for individual components.

-Bonded flange installation per ANSI A118.10. See page 78 for waterproofing.

\*See page 82 for more information on flow rates.



Description	Model	Finish	Lbs	List
<b>32" Complete Kit Includes:</b> (34 1/8" L x 4 1/2" W x 4 3/16" H) 1 - MA 6532 Grate 1 - FC 6532 Fixed Flange Channel	FFMN 6532 SS FFMN 6532 PS FFMN 6532 ORB FFMN 6532 WH FFMN 6532 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	8	\$660 \$810 \$810 \$810 \$810
<b>36" Complete Kit Includes:</b> (38 1/8" L x 4 1/2" W x 4 3/16" H) 1 - MA 6536 Grate 1 - FC 6536 Fixed Flange Channel	FFMN 6536 SS FFMN 6536 PS FFMN 6536 ORB FFMN 6536 WH FFMN 6536 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	8	\$725 \$875 \$875 \$875 \$875
<b>42" Complete Kit Includes:</b> (44 1/8" L x 4 1/2" W x 4 3/16" H) 1 - MA 6542 Grate 1 - FC 6542 Fixed Flange Channel	FFMN 6542 SS FFMN 6542 PS FFMN 6542 ORB FFMN 6542 WH FFMN 6542 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	9	\$790 \$940 \$940 \$940 \$940
<b>48" Complete Kit Includes:</b> (50 1/8" L x 4 1/2" W x 4 3/16" H) 1 - MA 6548 Grate 1 - FC 6548 Fixed Flange Channel	FFMN 6548 SS FFMN 6548 PS FFMN 6548 ORB FFMN 6548 WH FFMN 6548 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	10	\$885 \$1035 \$1035 \$1035 \$1035
<b>60" Complete Kit Includes:</b> (62 1/8" L x 4 1/2" W x 4 3/16" H) 1 - MA 6560 Grate 1 - FC 6560 Fixed Flange Channel	FFMN 6560 SS FFMN 6560 PS FFMN 6560 ORB FFMN 6560 WH FFMN 6560 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	12	\$1125 \$1275 \$1275 \$1275 \$1275



-See page 52 for custom form.

-See page 64 for installation variations.

-See page 69-72 for individual components.

-Bonded flange installation per ANSI A118.10. See page 78 for waterproofing.

\*See page 82 for more information on flow rates.



Description	Model	Finish	Lbs	List
<b>32" Complete Kit Includes:</b> (34 1/8" L x 4 1/2" W x 4 3/16" H) 1 - SA 2532 Grate 1 - FC 6532 Fixed Flange Channel 1 - CI 2532 Channel Insert	FFAS 2532 SS FFAS 2532 PS FFAS 2532 WH FFAS 2532 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Matte White Matte Black	9	\$845 \$1040 \$1040 \$1040
<b>36" Complete Kit Includes:</b> (38 1/8" L x 4 1/2" W x 4 3/16" H) 1 - SA 2536 Grate 1 - FC 6536 Fixed Flange Channel 1 - CI 2536 Channel Insert	FFAS 2536 SS FFAS 2536 PS FFAS 2536 WH FFAS 2536 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Matte White Matte Black	10	\$995 \$1125 \$1125 \$1125
<b>42" Complete Kit Includes:</b> (44 1/8" L x 4 1/2" W x 4 3/16" H) 1 - SA 2542 Grate 1 - FC 6542 Fixed Flange Channel 1 - CI 2542 Channel Insert	FFAS 2542 SS FFAS 2542 PS FFAS 2542 WH FFAS 2542 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Matte White Matte Black	11	\$1195 \$1295 \$1295 \$1295
<b>48" Complete Kit Includes:</b> (50 1/8" L x 4 1/2" W x 4 3/16" H) 1 - SA 2548 Grate 1 - FC 6548 Fixed Flange Channel 1 - CI 2548 Channel Insert	FFAS 2548 SS FFAS 2548 PS FFAS 2548 WH FFAS 2548 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Matte White Matte Black	12	\$1245 \$1345 \$1345 \$1345
<b>60" Complete Kit Includes:</b> (62 1/8" L x 4 1/2" W x 4 3/16" H) 2 - SA 2530 Grate 1 - FC 6560 Fixed Flange Channel 1 - CI 2560 Channel Insert	FFAS 2560 SS FFAS 2560 PS FFAS 2560 WH FFAS 2560 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Matte White Matte Black	14	\$1395 \$1545 \$1545 \$1545

-See page 52 for custom form.



-See page 64 for installation variations.

-See page 65-68 for individual components.

-Bonded flange installation per ANSI A118.10. See page 78 for waterproofing.

\*See page 82 for more information on flow rates.





Description	Model	Finish	Lbs	List
<b>24" Complete Kit Includes:</b> (26 1/8" L x 4 1/2" W x 4 1/16" H) 1 - SA 6524 Grate 1 - FC 6524 Fixed Flange Channel	FFAS 6524 SS FFAS 6524 PS FFAS 6524 WH FFAS 6524 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Matte White Matte Black	9	\$755 \$895 \$895 \$895
<b>32" Complete Kit Includes:</b> (34 1/8" L x 4 1/2" W x 4 1/16" H) 1 - SA 6532 Grate 1 - FC 6532 Fixed Flange Channel	FFAS 6532 SS FFAS 6532 PS FFAS 6532 WH FFAS 6532 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Matte White Matte Black	11	\$855 \$995 \$995 \$995
<b>36" Complete Kit Includes:</b> (38 1/8" L x 4 1/2" W x 4 1/16" H) 1 - SA 6536 Grate 1 - FC 6536 Fixed Flange Channel	FFAS 6536 SS FFAS 6536 PS FFAS 6536 WH FFAS 6536 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Matte White Matte Black	12	\$955 \$1095 \$1095 \$1095
<b>42" Complete Kit Includes:</b> (44 1/8" L x 4 1/2" W x 4 1/16" H) 1 - SA 6542 Grate 1 - FC 6542 Fixed Flange Channel	FFAS 6542 SS FFAS 6542 PS FFAS 6542 WH FFAS 6542 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Matte White Matte Black	13	\$1055 \$1195 \$1195 \$1195
<b>48" Complete Kit Includes:</b> (50 1/8" L x 4 1/2" W x 4 1/16" H) 1 - SA 6548 Grate 1 - FC 6548 Fixed Flange Channel	FFAS 6548 SS FFAS 6548 PS FFAS 6548 WH FFAS 6548 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Matte White Matte Black	14	\$1145 \$1295 \$1295 \$1295
<b>60" Complete Kit Includes:</b> (62 1/8" L x 4 1/2" W x 4 1/16" H) 1 - SA 6560 Grate 1 - FC 6560 Fixed Flange Channel	FFAS 6560 SS FFAS 6560 PS FFAS 6560 WH FFAS 6560 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Matte White Matte Black	16	\$1345 \$1495 \$1495 \$1495

-See page 52 for custom form.

-See page 64 for installation variations.

-See page 69-72 for individual components.



-Bonded flange installation per ANSI A118.10. See page 78 for waterproofing.

\*See page 82 for more information on flow rates.

# FFAS 125

**NEW**

## Fixed Flange



### Fixed Flange


Description	Model	Finish	Lbs	List
<b>32" Complete Kit Includes:</b> (34 1/8" L x 7 1/8" W x 4 1/16" H) 1 - SA 12532 Grate 1 - FC 12532 Fixed Flange Channel	<b>FFAS 12532 SS</b> <b>FFAS 12532 PS</b>	Satin Stainless Polished Stainless	11	\$1225 \$1525
21 GPM PER OUTLET*				
<b>36" Complete Kit Includes:</b> (38 1/8" L x 7 1/8" W x 4 1/16" H) 1 - SA 12536 Grate 1 - FC 12536 Fixed Flange Channel	<b>FFAS 12536 SS</b> <b>FFAS 12536 PS</b>	Satin Stainless Polished Stainless	12	\$1355 \$1655
21 GPM PER OUTLET*				
<b>42" Complete Kit Includes:</b> (44 1/8" L x 7 1/8" W x 4 1/16" H) 1 - SA 12542 Grate 1 - FC 12542 Fixed Flange Channel	<b>FFAS 12542 SS</b> <b>FFAS 12542 PS</b>	Satin Stainless Polished Stainless	13	\$1740 \$2040
21 GPM PER OUTLET*				
<b>48" Complete Kit Includes:</b> (50 1/8" L x 7 1/8" W x 4 1/16" H) 1 - SA 12548 Grate 1 - FC 12548 Fixed Flange Channel	<b>FFAS 12548 SS</b> <b>FFAS 12548 PS</b>	Satin Stainless Polished Stainless	15	\$1540 \$1840
21 GPM PER OUTLET*				
<b>60" Complete Kit Includes:</b> (62 1/8" L x 7 1/8" W x 4 1/16" H) 1 - SA 12560 Grate 1 - FC 12560 Fixed Flange Channel	<b>FFAS 12560 SS</b> <b>FFAS 12560 PS</b>	Satin Stainless Polished Stainless	18	\$1780 \$2080
21 GPM PER OUTLET*				

-See page 52 for custom form.

-See page 73 for individual components.

-Bonded flange installation per ANSI A118.10. See page 78 for waterproofing.

\*See page 82 for more information on flow rates.



Description	Model	Finish	Lbs	List
<b>24" Complete Kit Includes:</b> (26 1/8" L x 4 1/2" W x 4 3/16" H) 1 - LA 6524 Grate 1 - FC 6524 Fixed Flange Channel	<b>FFTIF 6524 SS</b> <b>FFTIF 6524 PS</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless	7	\$475 \$495
<b>32" Complete Kit Includes:</b> (34 1/8" L x 4 1/2" W x 4 3/16" H) 1 - LA 6532 Grate 1 - FC 6532 Fixed Flange Channel	<b>FFTIF 6532 SS</b> <b>FFTIF 6532 PS</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless	8	\$635 \$670
<b>36" Complete Kit Includes:</b> (38 1/8" L x 4 1/2" W x 4 3/16" H) 1 - LA 6536 Grate 1 - FC 6536 Fixed Flange Channel	<b>FFTIF 6536 SS</b> <b>FFTIF 6536 PS</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless	8	\$675 \$725
<b>42" Complete Kit Includes:</b> (44 1/8" L x 4 1/2" W x 4 3/16" H) 1 - LA 6542 Grate 1 - FC 6542 Fixed Flange Channel	<b>FFTIF 6542 SS</b> <b>FFTIF 6542 PS</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless	9	\$750 \$800
<b>48" Complete Kit Includes:</b> (50 1/8" L x 4 1/2" W x 4 3/16" H) 1 - LA 6548 Grate 1 - FC 6548 Fixed Flange Channel	<b>FFTIF 6548 SS</b> <b>FFTIF 6548 PS</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless	10	\$825 \$875
<b>60" Complete Kit Includes:</b> (62 1/8" L x 4 1/2" W x 4 3/16" H) 1 - LA 6560 Grate 1 - FC 6560 Fixed Flange Channel	<b>FFTIF 6560 SS</b> <b>FFTIF 6560 PS</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless	12	\$925 \$975



-See page 52 for custom form.

-See page 64 for installation variations.

-See page 69-72 for individual components.

-Bonded flange installation per ANSI A118.10. See page 78 for waterproofing.

\*See page 82 for more information on flow rates.



Description	Model	Finish	Lbs	List
<b>32" Complete Kit Includes:</b> (34 1/8" L x 4 1/2" W x 1 3/16" H) 1 - EA 2532 Grate 1 - OC 6532 Fixed Flange Channel 1 - CI 2532 Channel Insert	<b>FTED 2532 SS</b> <b>FTED 2532 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	7	\$730 \$765
<b>36" Complete Kit Includes:</b> (38 1/8" L x 4 1/2" W x 1 3/16" H) 1 - EA 2536 Grate 1 - OC 6536 Fixed Flange Channel 1 - CI 2536 Channel Insert	<b>FTED 2536 SS</b> <b>FTED 2536 PS</b>  9 GPM PER OUTLET *	Satin Stainless Polished Stainless	8	\$795 \$845
<b>42" Complete Kit Includes:</b> (44 1/8" L x 4 1/2" W x 1 3/16" H) 1 - EA 2542 Grate 1 - OC 6542 Fixed Flange Channel 1 - CI 2542 Channel Insert	<b>FTED 2542 SS</b> <b>FTED 2542 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	10	\$890 \$945
<b>48" Complete Kit Includes:</b> (50 1/8" L x 4 1/2" W x 1 3/16" H) 1 - EA 2548 Grate 1 - OC 6548 Fixed Flange Channel 1 - CI 2548 Channel Insert	<b>FTED 2548 SS</b> <b>FTED 2548 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	12	\$990 \$1050
<b>60" Complete Kit Includes:</b> (62 1/8" L x 4 1/2" W x 1 3/16" H) 1 - EA 2560 Grate 1 - OC 6560 Fixed Flange Channel 1 - CI 2560 Channel Insert	<b>FTED 2560 SS</b> <b>FTED 2560 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	14	\$1150 \$1225




-See page 53 for custom form.

-See page 64 for installation variations.

-See page 65-68 for individual components.

-Bonded flange installation per ANSI A118.10. See page 78 for waterproofing.

\*See page 82 for more information on flow rates.



Description	Model	Finish	Lbs	List
<b>24" Complete Kit Includes:</b> (26 1/8" L x 4 1/2" W x 1 3/16" H) 1 - EA 6524 Grate 1 - OC 6524 Fixed Flange Channel	<b>FTED 6524 SS</b> <b>FTED 6524 PS</b> <b>FTED 6524 ORB</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	7	\$480 \$545 \$545
<b>32" Complete Kit Includes:</b> (34 1/8" L x 4 1/2" W x 1 3/16" H) 1 - EA 6532 Grate 1 - OC 6532 Fixed Flange Channel	<b>FTED 6532 SS</b> <b>FTED 6532 PS</b> <b>FTED 6532 ORB</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	8	\$635 \$670 \$670
<b>36" Complete Kit Includes:</b> (38 1/8" L x 4 1/2" W x 1 3/16" H) 1 - EA 6536 Grate 1 - OC 6536 Fixed Flange Channel	<b>FTED 6536 SS</b> <b>FTED 6536 PS</b> <b>FTED 6536 ORB</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	8	\$675 \$760 \$760
<b>42" Complete Kit Includes:</b> (44 1/8" L x 4 1/2" W x 1 3/16" H) 1 - EA 6542 Grate 1 - OC 6542 Fixed Flange Channel	<b>FTED 6542 SS</b> <b>FTED 6542 PS</b> <b>FTED 6542 ORB</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	9	\$735 \$810 \$810
<b>48" Complete Kit Includes:</b> (50 1/8" L x 4 1/2" W x 1 3/16" H) 1 - EA 6548 Grate 1 - OC 6548 Fixed Flange Channel	<b>FTED 6548 SS</b> <b>FTED 6548 PS</b> <b>FTED 6548 ORB</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	10	\$790 \$870 \$870
<b>60" Complete Kit Includes:</b> (62 1/8" L x 4 1/2" W x 1 3/16" H) 1 - EA 6560 Grate 1 - OC 6560 Fixed Flange Channel	<b>FTED 6560 SS</b> <b>FTED 6560 PS</b> <b>FTED 6560 ORB</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze	12	\$940 \$1040 \$1040



-See page 53 for custom form.

-See page 64 for installation variations.

-See page 69-72 for individual components.

-Bonded flange installation per ANSI A118.10. See page 78 for waterproofing.

\*See page 82 for more information on flow rates.



Description	Model	Finish	Lbs	List
<b>32" Complete Kit Includes:</b> (34 1/8" L x 4 1/2" W x 1 3/16" H) 1 - DA 2532 Grate 1 - OC 6532 Fixed Flange Channel 1 - CI 2532 Channel Insert	<b>FTDG 2532 SS</b> <b>FTDG 2532 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	7	\$730 \$765
<b>36" Complete Kit Includes:</b> (38 1/8" L x 4 1/2" W x 1 3/16" H) 1 - DA 2536 Grate 1 - OC 6536 Fixed Flange Channel 1 - CI 2536 Channel Insert	<b>FTDG 2536 SS</b> <b>FTDG 2536 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	8	\$795 \$845
<b>42" Complete Kit Includes:</b> (44 1/8" L x 4 1/2" W x 1 3/16" H) 1 - DA 2542 Grate 1 - OC 6542 Fixed Flange Channel 1 - CI 2542 Channel Insert	<b>FTDG 2542 SS</b> <b>FTDG 2542 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	10	\$890 \$945
<b>48" Complete Kit Includes:</b> (50 1/8" L x 4 1/2" W x 1 3/16" H) 1 - DA 2548 Grate 1 - OC 6548 Fixed Flange Channel 1 - CI 2548 Channel Insert	<b>FTDG 2548 SS</b> <b>FTDG 2548 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	12	\$990 \$1050
<b>60" Complete Kit Includes:</b> (62 1/8" L x 4 1/2" W x 1 3/16" H) 1 - DA 2560 Grate 1 - OC 6560 Fixed Flange Channel 1 - CI 2560 Channel Insert	<b>FTDG 2560 SS</b> <b>FTDG 2560 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	14	\$1150 \$1225




-See page 53 for custom form.

-See page 64 for installation variations.

-See page 65-68 for individual components.

-Bonded flange installation per ANSI A118.10. See page 78 for waterproofing.

\*See page 82 for more information on flow rates.



Description	Model	Finish	Lbs	List
<b>32" Complete Kit Includes:</b> (34 1/8" L x 4 1/2" W x 1 3/16" H) 1 - DA 6532 Grate 1 - OC 6532 Fixed Flange Channel	<b>FTDG 6532 SS</b> <b>FTDG 6532 PS</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless	8	\$635 \$670
<b>36" Complete Kit Includes:</b> (38 1/8" L x 4 1/2" W x 1 3/16" H) 1 - DA 6536 Grate 1 - OC 6536 Fixed Flange Channel	<b>FTDG 6536 SS</b> <b>FTDG 6536 PS</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless	8	\$675 \$760
<b>42" Complete Kit Includes:</b> (44 1/8" L x 4 1/2" W x 1 3/16" H) 1 - DA 6542 Grate 1 - OC 6542 Fixed Flange Channel	<b>FTDG 6542 SS</b> <b>FTDG 6542 PS</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless	9	\$735 \$825
<b>48" Complete Kit Includes:</b> (50 1/8" L x 4 1/2" W x 1 3/16" H) 1 - DA 6548 Grate 1 - OC 6548 Fixed Flange Channel	<b>FTDG 6548 SS</b> <b>FTDG 6548 PS</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless	10	\$790 \$890
<b>60" Complete Kit Includes:</b> (62 1/8" L x 4 1/2" W x 1 3/16" H) 1 - DA 6560 Grate 1 - OC 6560 Fixed Flange Channel	<b>FTDG 6560 SS</b> <b>FTDG 6560 PS</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless	12	\$940 \$1065

-See page 53 for custom form.



-See page 64 for installation variations.

-See page 69-72 for individual components.

-Bonded flange installation per ANSI A118.10. See page 78 for waterproofing.

\*See page 82 for more information on flow rates.

*Mark Newson*



Description	Model	Finish	Lbs	List
<b>32" Complete Kit Includes:</b> (34 1/8" L x 4 1/2" W x 1 3/16" H) 1 - MA 2532 Grate 1 - OC 6532 Fixed Flange Channel 1 - CI 2532 Channel Insert	FTMN 2532 SS FTMN 2532 PS FTMN 2532 ORB FTMN 2532 WH FTMN 2532 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	7	\$855 \$890 \$890 \$890 \$890
<b>36" Complete Kit Includes:</b> (38 1/8" L x 4 1/2" W x 1 3/16" H) 1 - MA 2536 Grate 1 - OC 6536 Fixed Flange Channel 1 - CI 2536 Channel Insert	FTMN 2536 SS FTMN 2536 PS FTMN 2536 ORB FTMN 2536 WH FTMN 2536 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	8	\$945 \$1095 \$1095 \$1095 \$1095
<b>42" Complete Kit Includes:</b> (44 1/8" L x 4 1/2" W x 1 3/16" H) 1 - MA 2542 Grate 1 - OC 6542 Fixed Flange Channel 1 - CI 2542 Channel Insert	FTMN 2542 SS FTMN 2542 PS FTMN 2542 ORB FTMN 2542 WH FTMN 2542 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	10	\$1045 \$1195 \$1195 \$1195 \$1195
<b>48" Complete Kit Includes:</b> (50 1/8" L x 4 1/2" W x 1 3/16" H) 1 - MA 2548 Grate 1 - OC 6548 Fixed Flange Channel 1 - CI 2548 Channel Insert	FTMN 2548 SS FTMN 2548 PS FTMN 2548 ORB FTMN 2548 WH FTMN 2548 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	12	\$1160 \$1310 \$1310 \$1310 \$1310
<b>60" Complete Kit Includes:</b> (62 1/8" L x 4 1/2" W x 1 3/16" H) 1 - MA 2560 Grate 1 - OC 6560 Fixed Flange Channel 1 - CI 2560 Channel Insert	FTMN 2560 SS FTMN 2560 PS FTMN 2560 ORB FTMN 2560 WH FTMN 2560 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	14	\$1365 \$1515 \$1515 \$1515 \$1515

-See page 53 for custom form.

-See page 64 for installation variations.


-See page 65-68 for individual components.

-Bonded flange installation per ANSI A118.10. See page 78 for waterproofing.

\*See page 82 for more information on flow rates.



*Mark Newson.*



Description	Model	Finish	Lbs	List
<b>32" Complete Kit Includes:</b> (34 1/8" L x 4 1/2" W x 1 3/16" H) 1 - MA 6532 Grate 1 - OC 6532 Fixed Flange Channel	FTMN 6532 SS FTMN 6532 PS FTMN 6532 ORB FTMN 6532 WH FTMN 6532 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	8	\$760 \$910 \$910 \$910 \$910
<b>36" Complete Kit Includes:</b> (38 1/8" L x 4 1/2" W x 1 3/16" H) 1 - MA 6536 Grate 1 - OC 6536 Fixed Flange Channel	FTMN 6536 SS FTMN 6536 PS FTMN 6536 ORB FTMN 6536 WH FTMN 6536 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	8	\$825 \$975 \$975 \$975 \$975
<b>42" Complete Kit Includes:</b> (44 1/8" L x 4 1/2" W x 1 3/16" H) 1 - MA 6542 Grate 1 - OC 6542 Fixed Flange Channel	FTMN 6542 SS FTMN 6542 PS FTMN 6542 ORB FTMN 6542 WH FTMN 6542 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	9	\$890 \$1040 \$1040 \$1040 \$1040
<b>48" Complete Kit Includes:</b> (50 1/8" L x 4 1/2" W x 1 3/16" H) 1 - MA 6548 Grate 1 - OC 6548 Fixed Flange Channel	FTMN 6548 SS FTMN 6548 PS FTMN 6548 ORB FTMN 6548 WH FTMN 6548 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	10	\$985 \$1135 \$1135 \$1135 \$1135
<b>60" Complete Kit Includes:</b> (62 1/8" L x 4 1/2" W x 1 3/16" H) 1 - MA 6560 Grate 1 - OC 6560 Fixed Flange Channel	FTMN 6560 SS FTMN 6560 PS FTMN 6560 ORB FTMN 6560 WH FTMN 6560 BK 9 GPM PER OUTLET*	Satin Stainless Polished Stainless Lifetime Oil Rubbed Bronze Matte White Matte Black	12	\$1225 \$1375 \$1375 \$1375 \$1375



-See page 53 for custom form.

-See page 64 for installation variations.

-See page 69-72 for individual components.

-Bonded flange installation per ANSI A118.10. See page 78 for waterproofing.

\*See page 82 for more information on flow rates.



Description	Model	Finish	Lbs	List
<b>32" Complete Kit Includes:</b> (34 1/8" L x 4 1/2" W x 1 3/16" H) 1 - SA 2532 Grate 1 - OC 6532 Fixed Flange Channel 1 - CI 2532 Channel Insert	FTAS 2532 SS FTAS 2532 PS FTAS 2532 WH FTAS 2532 BK	Satin Stainless Polished Stainless Matte White Matte Black	9	\$945 \$1140 \$1140 \$1140
<b>36" Complete Kit Includes:</b> (38 1/8" L x 4 1/2" W x 1 3/16" H) 1 - SA 2536 Grate 1 - OC 6536 Fixed Flange Channel 1 - CI 2536 Channel Insert	FTAS 2536 SS FTAS 2536 PS FTAS 2536 WH FTAS 2536 BK	Satin Stainless Polished Stainless Matte White Matte Black	10	\$1095 \$1225 \$1225 \$1225
<b>42" Complete Kit Includes:</b> (44 1/8" L x 4 1/2" W x 1 3/16" H) 1 - SA 2542 Grate 1 - OC 6542 Fixed Flange Channel 1 - CI 2542 Channel Insert	FTAS 2542 SS FTAS 2542 PS FTAS 2542 WH FTAS 2542 BK	Satin Stainless Polished Stainless Matte White Matte Black	11	\$1295 \$1395 \$1395 \$1395
<b>48" Complete Kit Includes:</b> (50 1/8" L x 4 1/2" W x 1 3/16" H) 1 - SA 2548 Grate 1 - OC 6548 Fixed Flange Channel 1 - CI 2548 Channel Insert	FTAS 2548 SS FTAS 2548 PS FTAS 2548 WH FTAS 2548 BK	Satin Stainless Polished Stainless Matte White Matte Black	12	\$1345 \$1445 \$1445 \$1445
<b>60" Complete Kit Includes:</b> (62 1/8" L x 4 1/2" W x 1 3/16" H) 1 - SA 2560 Grate 1 - OC 6560 Fixed Flange Channel 1 - CI 2560 Channel Insert	FTAS 2560 SS FTAS 2560 PS FTAS 2560 WH FTAS 2560 BK	Satin Stainless Polished Stainless Matte White Matte Black	14	\$1495 \$1645 \$1645 \$1645




-See page 53 for custom form.

-See page 64 for installation variations.

-See page 65-68 for individual components.

-Bonded flange installation per ANSI A118.10. See page 78 for waterproofing.

\*See page 82 for more information on flow rates.



Description	Model	Finish	Lbs	List
<b>24" Complete Kit Includes:</b> (24 1/8" L x 4 1/2" W x 1 3/16" H) 1 - SA 6532 Grate 1 - OC 6532 Fixed Flange Channel	FTAS 6524 SS FTAS 6524 PS FTAS 6524 WH FTAS 6524 BK  9 GPM PER OUTLET*	Satin Stainless Polished Stainless Matte White Matte Black	9	\$855 \$995 \$995 \$995
<b>32" Complete Kit Includes:</b> (34 1/8" L x 4 1/2" W x 1 3/16" H) 1 - SA 6532 Grate 1 - OC 6532 Fixed Flange Channel	FTAS 6532 SS FTAS 6532 PS FTAS 6532 WH FTAS 6532 BK  9 GPM PER OUTLET*	Satin Stainless Polished Stainless Matte White Matte Black	11	\$955 \$1095 \$1095 \$1095
<b>36" Complete Kit Includes:</b> (38 1/8" L x 4 1/2" W x 1 3/16" H) 1 - SA 6536 Grate 1 - OC 6536 Fixed Flange Channel	FTAS 6536 SS FTAS 6536 PS FTAS 6536 WH FTAS 6536 BK  9 GPM PER OUTLET*	Satin Stainless Polished Stainless Matte White Matte Black	12	\$1055 \$1195 \$1195 \$1195
<b>42" Complete Kit Includes:</b> (44 1/8" L x 4 1/2" W x 1 3/16" H) 1 - SA 6542 Grate 1 - OC 6542 Fixed Flange Channel	FTAS 6542 SS FTAS 6542 PS FTAS 6542 WH FTAS 6542 BK  9 GPM PER OUTLET*	Satin Stainless Polished Stainless Matte White Matte Black	13	\$1155 \$1295 \$1295 \$1295
<b>48" Complete Kit Includes:</b> (50 1/8" L x 4 1/2" W x 1 3/16" H) 1 - SA 6548 Grate 1 - OC 6548 Fixed Flange Channel	FTAS 6548 SS FTAS 6548 PS FTAS 6548 WH FTAS 6548 BK  9 GPM PER OUTLET*	Satin Stainless Polished Stainless Matte White Matte Black	14	\$1245 \$1395 \$1395 \$1395
<b>60" Complete Kit Includes:</b> (62 1/8" L x 4 1/2" W x 1 3/16" H) 1 - SA 6560 Grate 1 - OC 6560 Fixed Flange Channel	FTAS 6560 SS FTAS 6560 PS FTAS 6560 WH FTAS 6560 BK  9 GPM PER OUTLET*	Satin Stainless Polished Stainless Matte White Matte Black	16	\$1445 \$1595 \$1595 \$1595


-See page 53 for custom form.

-See page 64 for installation variations.

-See page 69-72 for individual components.

-Bonded flange installation per ANSI A118.10. See page 78 for waterproofing.

\*See page 82 for more information on flow rates.




Description	Model	Finish	Lbs	List
<b>24" Complete Kit Includes:</b> (26 1/8" L x 4 1/2" W x 1 3/16" H) 1 - LA 6524 Grate 1 - OC 6524 Fixed Flange Channel	<b>FTTIF 6524 SS</b> <b>FTTIF 6524 PS</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless	7	\$590 \$630
<b>32" Complete Kit Includes:</b> (34 1/8" L x 4 1/2" W x 1 3/16" H) 1 - LA 6532 Grate 1 - OC 6532 Fixed Flange Channel	<b>FTTIF 6532 SS</b> <b>FTTIF 6532 PS</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless	8	\$755 \$795
<b>36" Complete Kit Includes:</b> (38 1/8" L x 4 1/2" W x 1 3/16" H) 1 - LA 6536 Grate 1 - OC 6536 Fixed Flange Channel	<b>FTTIF 6536 SS</b> <b>FTTIF 6536 PS</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless	8	\$835 \$885
<b>42" Complete Kit Includes:</b> (44 1/8" L x 4 1/2" W x 1 3/16" H) 1 - LA 6542 Grate 1 - OC 6542 Fixed Flange Channel	<b>FTTIF 6542 SS</b> <b>FTTIF 6542 PS</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless	9	\$875 \$925
<b>48" Complete Kit Includes:</b> (50 1/8" L x 4 1/2" W x 1 3/16" H) 1 - LA 6548 Grate 1 - OC 6548 Fixed Flange Channel	<b>FTTIF 6548 SS</b> <b>FTTIF 6548 PS</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless	10	\$965 \$1015
<b>60" Complete Kit Includes:</b> (62 1/8" L x 4 1/2" W x 1 3/16" H) 1 - LA 6560 Grate 1 - OC 6560 Fixed Flange Channel	<b>FTTIF 6560 SS</b> <b>FTTIF 6560 PS</b> 9 GPM PER OUTLET*	Satin Stainless Polished Stainless	12	\$1095 \$1145

-See page 53 for custom form.  
 -See page 64 for installation variations.  
 -See page 69-72 for individual components.  
 -Bonded flange installation per ANSI A118.10. See page 78 for waterproofing.  
 \*See page 82 for more information on flow rates.

# Tile Drain Sku Explanation

## TD 15 2 I





## Tile Drain

**NEW**

## LTD 5 Series



Description		Model	List
	<b>5" x 5" LT5-2 Tile Drain Strainer-2" Throat</b> <b>Finish:</b> Satin Stainless Polished Stainless 8 GPM* <b>Note: Strainer Only</b>	LT5-2 SS LT5-2 PS Case Qty 24 LT5-2 SS-C24 LT5-2 PS-C24	\$95 \$145 \$2280 \$3480
	<b>CAST IRON</b> <b>5" x 5" LTD 5 Kit with Cast Iron Drain Body 2" Outlet</b> <b>Kit Includes:</b> LT5-2 Tile Drain Strainer CDI 22 Clamp Down Drain Cast Iron <b>Finish:</b> Satin Stainless Polished Stainless 8 GPM*	LTD5-2I SS LTD5-2I PS	\$160 \$210
	<b>ABS</b> <b>5" x 5" LTD 5 Kit with ABS Drain Body 2" Outlet</b> <b>Kit Includes:</b> LT5-2 Tile Drain Strainer CDA 22 Clamp Down Drain ABS <b>Finish:</b> Satin Stainless Polished Stainless 8 GPM*	LTD5-2A SS LTD5-2A PS	\$145 \$195
	<b>PVC</b> <b>5" x 5" LTD 5 Kit with PVC Drain Body 2" Outlet</b> <b>Kit Includes:</b> LT5-2 Tile Drain Strainer CDP 22 Clamp Down Drain PVC <b>Finish:</b> Satin Stainless Polished Stainless 8 GPM*	LTD5-2P SS LTD5-2P PS	\$145 \$195
	<b>ABS</b> <b>5" x 5" LTD 5 Kit with ABS Bonded Flange 2", 3", and 4" Outlet</b> <b>Kit Includes:</b> LT5-2 Tile Drain Strainer BFA 22 Bonded Flange ABS Drain <b>Finish:</b> Satin Stainless Polished Stainless 8 GPM*	LTD5 BA SS LTD5 BA PS	\$195 \$245
	<b>PVC</b> <b>5" x 5" LTD 5 Kit with PVC Bonded Flange 2", 3", and 4" Outlet</b> <b>Kit Includes:</b> LT5-2 Tile Drain Strainer-2" Throat BFP 22 Bonded Flange PVC Drain <b>Finish:</b> Satin Stainless Polished Stainless 8 GPM*	LTD5 BP SS LTD5 BP PS	\$195 \$245

\*See page 82 for more information on flow rates. \*\*Inside dimension for material 4 1/4 x 4 1/4 x 3/8" depth

Description		Model	List
	C A S T  I R O N	<b>5" RTD 15 Kit with Cast Iron Drain Body 2" No Hub Outlet</b> <b>Kit Includes:</b> 9 GPM* R 15 A Tile Drain Strainer CDI 42 Clamp Down Drain Cast Iron <b>Finish:</b> Polished Stainless	RTD 15-2I PS \$575
		<b>5" RTD 15 Kit with Cast Iron Drain Body 3" No Hub Outlet</b> <b>Kit Includes:</b> 21 GPM* R 15 A Tile Drain Strainer CDI 43 Clamp Down Drain Cast Iron <b>Finish:</b> Polished Stainless	RTD 15-3I PS \$595
	A B S	<b>5" RTD 15 Kit with ABS Drain Body 2" Outlet</b> <b>Kit Includes:</b> 9 GPM* R 15 A Tile Drain Strainer CDA 42 Clamp Down Drain ABS <b>Finish:</b> Polished Stainless	RTD 15-2A PS \$575
		<b>5" RTD 15 Kit with ABS Drain Body 3" Outlet</b> <b>Kit Includes:</b> 21 GPM* R 15 A Tile Drain Strainer CDA 43 Clamp Down Drain ABS <b>Finish:</b> Polished Stainless	RTD 15-3A PS \$595
	P V C	<b>5" RTD 15 Kit with PVC Drain Body 2" Outlet</b> <b>Kit Includes:</b> 9 GPM* R 15 A Tile Drain Strainer CDP 42 Clamp Down Drain PVC <b>Finish:</b> Polished Stainless	RTD 15-2P PS \$575
		<b>5" RTD 15 Kit with PVC Drain Body 3" Outlet</b> <b>Kit Includes:</b> 21 GPM* R 15 A Tile Drain Strainer CDP 43 Clamp Down Drain PVC <b>Finish:</b> Polished Stainless	RTD 15-3P PS \$595
	A B S	<b>5" RTDB 15 Kit with ABS Bonded Flange Drain Body fits 2", 3", and 4" Outlet</b> <b>Kit Includes:</b> 9 GPM* R 15 B Tile Drain Strainer BFA 42 Bonded Flange ABS Drain <b>Finish:</b> Polished Stainless	RTDB 15-A PS \$525
	P V C	<b>5" RTDB 15 Kit with PVC Bonded Flange Drain Body fits 2", 3", and 4" Outlet</b> <b>Kit Includes:</b> 9 GPM* R 15 B Tile Drain Strainer BFP 42 Bonded Flange PVC Drain <b>Finish:</b> Polished Stainless	RTDB 15-P PS \$525

\*See page 82 for more information on flow rates.

\*\*Inside dimension for material 4" round x 3/4" depth



		Description	Model	List
	CAST IRON	<b>5" x 5" TD 15 Kit with Cast Iron Drain Body 2" No Hub Outlet</b> <b>Kit Includes:</b> 9 GPM* T 15 A Tile Drain Strainer CDI 42 Clamp Down Drain Cast Iron <b>Finish:</b> Satin Stainless Polished Stainless	TD 15-2I SS TD 15-2I PS	\$505 \$565
		<b>5" x 5" TD 15 Kit with Cast Iron Drain Body 3" No Hub Outlet</b> <b>Kit Includes:</b> 21 GPM* T 15 A Tile Drain Strainer CDI 43 Clamp Down Drain Cast <b>Finish:</b> Satin Stainless Polished Stainless	TD 15-3I SS TD 15-3I PS	\$525 \$585
	ABS	<b>5" x 5" TD 15 Kit with ABS Drain Body 2" Outlet</b> <b>Kit Includes:</b> 9 GPM* T 15 A Tile Drain Strainer CDA 42 Clamp Down Drain ABS <b>Finish:</b> Satin Stainless Polished Stainless	TD 15-2A SS TD 15-2A PS	\$505 \$565
		<b>5" x 5" TD 15 Kit with ABS Drain Body 3" Outlet</b> <b>Kit Includes:</b> 21 GPM* T 15 A Tile Drain Strainer CDA 43 Clamp Down Drain ABS <b>Finish:</b> Satin Stainless Polished Stainless	TD 15-3A SS TD 15-3A PS	\$525 \$585
	PVC	<b>5" x 5" TD 15 Kit with PVC Drain Body 2" Outlet</b> <b>Kit Includes:</b> 9 GPM* T 15 A Tile Drain Strainer CDP 42 Clamp Down Drain PVC <b>Finish:</b> Satin Stainless Polished Stainless	TD 15-2P SS TD 15-2P PS	\$505 \$565
		<b>5" x 5" TD 15 Kit with PVC Drain Body 3" Outlet</b> <b>Kit Includes:</b> 21 GPM* T 15 A Tile Drain Strainer- 4" Throat CDP 43 Clamp Down Drain PVC <b>Finish:</b> Satin Stainless Polished Stainless	TD 15-3P SS TD 15-3P PS	\$525 \$585
	ABS	<b>5" x 5" TDB 15 Kit with ABS Bonded Flange Drain Body fits 2", 3", and 4" Outlet</b> <b>Kit Includes:</b> 9 GPM* T 15 B Tile Drain Strainer BFA 42 Bonded Flange ABS Drain <b>Finish:</b> Satin Stainless Polished Stainless	TDB 15-A SS TDB 15-A PS	\$470 \$515
	PVC	<b>5" x 5" TDB 15 Kit with PVC Bonded Flange Drain Body fits 2", 3", and 4" Outlet</b> <b>Kit Includes:</b> 9 GPM* T 15 B Tile Drain Strainer BFP 42 Bonded Flange PVC Drain <b>Finish:</b> Satin Stainless Polished Stainless	TDB 15-P SS TDB 15-P PS	\$470 \$515

\*See page 82 for more information on flow rates.

\*\*Inside dimension for material 4 1/4 x 4 1/4 x 3/4" depth

# TD 20 Series

# Tile Drain

Description		Model	List
	CAST IRON	<b>8" x 8" TD 20 Kit with Cast Iron Drain Body 2" No Hub Outlet</b> <b>Kit Includes:</b> 9 GPM* T 20 A Tile Drain Strainer CDI 42 Clamp Down Drain Cast Iron <b>Finish:</b> Satin Stainless Polished Stainless	TD 20-2I SS \$565 TD 20-2I PS \$610
		<b>8" x 8" TD 20 Kit with Cast Iron Drain Body 3" No Hub Outlet</b> <b>Kit Includes:</b> 21 GPM* T 20 A Tile Drain Strainer CDI 43 Clamp Down Drain Cast Iron <b>Finish:</b> Satin Stainless Polished Stainless	TD 20-3I SS \$570 TD 20-3I PS \$620
	ABS	<b>8" x 8" TD 20 Kit with ABS Drain Body 2" Outlet</b> <b>Kit Includes:</b> 9 GPM* T 20 A Tile Drain Strainer CDA 42 Clamp Down Drain ABS <b>Finish:</b> Satin Stainless Polished Stainless	TD 20-2A SS \$565 TD 20-2A PS \$610
		<b>8" x 8" TD 20 Kit with ABS Drain Body 3" Outlet</b> <b>Kit Includes:</b> 21 GPM* T 20 A Tile Drain Strainer CDA 43 Clamp Down Drain ABS <b>Finish:</b> Satin Stainless Polished Stainless	TD 20-3A SS \$570 TD 20-3A PS \$620
	PVC	<b>8" x 8" TD 20 Kit with PVC Drain Body 2" Outlet</b> <b>Kit Includes:</b> 9 GPM* T 20 A Tile Drain Strainer CDP 42 Clamp Down Drain PVC <b>Finish:</b> Satin Stainless Polished Stainless	TD 20-2P SS \$565 TD 20-2P PS \$610
		<b>8" x 8" TD 20 Kit with PVC Drain Body 3" Outlet</b> <b>Kit Includes:</b> 21 GPM* T 20 A Tile Drain Strainer CDP 43 Clamp Down Drain PVC <b>Finish:</b> Satin Stainless Polished Stainless	TD 20-3P SS \$570 TD 20-3P PS \$620
	ABS	<b>8" x 8" TDB 20 Kit with ABS Bonded Flange Drain Body fits 2", 3", and 4" Outlet</b> <b>Kit Includes:</b> 9 GPM* T 20 B Tile Drain Strainer BFA 42 Bonded Flange ABS Drain <b>Finish:</b> Satin Stainless Polished Stainless	TDB 20-A SS \$615 TDB 20-A PS \$665
	PVC	<b>8" x 8" TDB 20 Kit with PVC Bonded Flange Drain Body fits 2", 3", and 4" Outlet</b> <b>Kit Includes:</b> 9 GPM* T 20 B Tile Drain Strainer BFP 42 Bonded Flange PVC Drain <b>Finish:</b> Satin Stainless Polished Stainless	TDB 20-P SS \$615 TDB 20-P PS \$665


\*See page 82 for more information on flow rates.

\*\*Inside dimension for material 7 3/8 x 7 3/8 x 3/4" depth




# Tile Drain

# TD 50 Series

Description		Model	List
	<b>CAST IRON</b>	<b>20" x 3" TD 50 Kit with Cast Iron Drain Body 2" No Hub Outlet</b> <b>Kit Includes:</b> TA 6520 Grate IC 6520 Channel CDI 22 Clamp Down Drain Cast Iron <b>Finish:</b> Satin Stainless Polished Stainless	9 GPM*  TD 50-2I SS \$560 TD 50-2I PS \$595
	<b>ABS</b>	<b>20" x 3" TD 50 Kit with ABS Drain Body 2" or 3" Outlet</b> <b>Kit Includes:</b> TA 6520 Grate IC 6520 Channel CDA 22 Clamp Down Drain ABS <b>Finish:</b> Satin Stainless Polished Stainless	9 GPM*  TD 50-2A SS \$560 TD 50-2A PS \$595
	<b>PVC</b>	<b>20" x 3" TD 50 Kit with PVC Drain Body 2" or 3" Outlet</b> <b>Kit Includes:</b> TA 6520 Grate IC 6520 Channel CDP 22 Clamp Down Drain PVC <b>Finish:</b> Satin Stainless Polished Stainless	9 GPM*  TD 50-2P SS \$560 TD 50-2P PS \$595

**NEW**

# WW 5 Series

Description		Model	List
		<b>5" x 5" W5 Wedge Wire Strainer - 2" Throat</b> <b>Finish:</b> Satin Stainless Polished Stainless	9 GPM*  W5-SS \$445 W5-PS \$495
	<b>Note: Strainer Only</b>		
	<b>CAST IRON</b>	<b>5" x 5" WW5 Kit with Cast Iron Drain Body 2" No Hub Outlet</b> <b>Kit Includes:</b> W5 Wedge Wire Strainer-2" Throat CDI 22 Clamp Down Drain Cast Iron <b>Finish:</b> Satin Stainless Polished Stainless	9 GPM*  WW5-2I SS \$530 WW5-2I PS \$580
	<b>ABS</b>	<b>5" x 5" WW5 Kit with Cast ABS Body 2" No Hub Outlet</b> <b>Kit Includes:</b> W5 Wedge Wire Strainer-2" Throat CDA 22 Clamp Down Drain ABS <b>Finish:</b> Satin Stainless Polished Stainless	9 GPM*  WW5-2A SS \$515 WW5-2A PS \$565
	<b>PVC</b>	<b>5" x 5" WW5 Kit with PVC Drain Body 2" No Hub Outlet</b> <b>Kit Includes:</b> W5 Wedge Wire Strainer-2" Throat CDP 22 Clamp Down Drain PVC <b>Finish:</b> Satin Stainless Polished Stainless	9 GPM*  WW5-2P SS \$515 WW5-2P PS \$565

\*See page 82 for more information on flow rates.

# Custom Installation

## Infinity Drain offers a variety of customized products.

Please contact Infinity Drain for a custom fabrication quote and lead time.


### Important:

- FX series custom length is based on the entire grate and channel assembly
- FF and FT custom length is based on inside channel dimension
- Signed custom sheet must have all spaces filled to be processed
- Custom sheet must accompany a purchase order for processing
- **Lead time**  
Order must be in by Wednesday of first full week of the month for production the following week. Call for exact dates.
- **Rush available at \$200 net**  
Rush is 5 business days plus shipping time


### Customized product will follow all other standard dimensions

- Grates will be made 1/8" shorter than specified custom length to allow for removal
- 1/8" tolerance on custom fabricated products
- Multiple outlets available
- Custom Shapes available – send drawing for quotation (**Rush not available**)
- Custom angle joiners available
- Custom outdoor available
- Longest available length is 300"
- For longer channel runs, use Site Sizeable components pgs 54-59 to build any length
- See page 64 for FF and FT channel specialty installation options


Example Custom Configuration



Example Custom Length (13')



Overall Length of Drain\* \_\_\_\_\_ "




### Grate choice:



**FXED 65** \_\_\_\_\_



**FXDG 65** \_\_\_\_\_



**FXMN 65** \_\_\_\_\_



**FXAS 65** \_\_\_\_\_



**FXAS 125** \_\_\_\_\_



**FXTIF 65** \_\_\_\_\_

### Grate finish:

**Satin Stainless** \_\_\_\_\_

**Polished Stainless** \_\_\_\_\_

**Oil Rubbed Bronze** \_\_\_\_\_

**Matte White** \_\_\_\_\_

**Matte Black** \_\_\_\_\_

**RUSH: YES** \_\_\_\_\_ **NO** \_\_\_\_\_

Rush applicable to only length and outlet modifications in Satin Stainless and Polished Stainless.

Rush charge applied per set-up. Turnaround is 5 business days, plus packaging and shipping.

Job Name: \_\_\_\_\_ Location: \_\_\_\_\_

Customer: \_\_\_\_\_ Purchase Order: \_\_\_\_\_

Approved by: \_\_\_\_\_ Date: \_\_\_\_\_

\*Overall length is the outside channel dimension. Grate will be 1/8" shorter for removal.  
See standard FX specifications for other dimensions.

Overall 'Inside Length' of Channel\* \_\_\_\_\_ "

\_\_\_\_\_ Number of Outlets

Center of drain to right edge

2" outlet - 3" length is standard. " other than standard length: \_\_\_\_\_ (charges apply)

### Grate choice:

	FFED 25 _____		FFDG 65 _____
	FFDG 25 _____		FFMN 65 _____
	FFMN 25 _____		FFAS 65 _____
	FFAS 25 _____		FFAS 125 _____
	FFED 65 _____		FFTIF 65 _____

### Grate finish:

Satin Stainless	_____
Polished Stainless	_____
Oil Rubbed Bronze	_____
Matte White	_____
Matte Black	_____

### Install options:

**Only check for non-standard**

FCB with straight nipple \_\_\_\_\_

FCH with tapered nipple \_\_\_\_\_

*Details on page 64 of price book*

**RUSH:** YES \_\_\_\_\_ NO \_\_\_\_\_


Rush applicable to only length and outlet modifications in Satin Stainless and Polished Stainless. Rush charge applied per set-up. Turnaround is 5 business days, plus packaging and shipping.

Job Name: \_\_\_\_\_ Location: \_\_\_\_\_











Customer: \_\_\_\_\_ Purchase Order: \_\_\_\_\_

Approved by: \_\_\_\_\_ Date: \_\_\_\_\_

\*Inside channel length is finished wall-to-wall dimension. Grate will be 1/8" shorter for removal.  
See standard FF specifications for other dimensions.



### Grate choice:

 <b>FTED 25</b> _____	 <b>FTDG 65</b> _____
 <b>FTDG 25</b> _____	 <b>FTMN 65</b> _____
 <b>FTMN 25</b> _____	 <b>FTAS 65</b> _____
 <b>FTAS 25</b> _____	 <b>FTAS 125</b> _____
 <b>FTED 65</b> _____	 <b>FTTIF 65</b> _____

### Grate finish:

<b>Satin Stainless</b>	_____
<b>Polished Stainless</b>	_____
<b>Oil Rubbed Bronze</b>	_____
<b>Matte White</b>	_____
<b>Matte Black</b>	_____

### Install options:

<b>Only check for non-standard</b>
<b>OCH threaded connection</b> _____
<i>Details on page 64 of price book</i>

**RUSH:** YES \_\_\_\_\_ NO \_\_\_\_\_

Rush applicable to only length and outlet modifications in Satin Stainless and Polished Stainless. Rush charge applied per set-up. Turnaround is 5 business days, plus packaging and shipping.

Job Name: \_\_\_\_\_ Location: \_\_\_\_\_

Customer: \_\_\_\_\_ Purchase Order \_\_\_\_\_

Approved by: \_\_\_\_\_ Date: \_\_\_\_\_

*\*Inside channel length is finished wall-to-wall dimension. Grate will be 1/8" shorter for removal. See standard FF specifications for other dimensions.*


# Outdoor & Longer than Standard Kit Lengths

The Infinity Drain (S) Site Sizeable Series can be joined together to infinite lengths. The product is designed for outdoor and indoor application. Use the following component section pages for outdoor and longer indoor installations. We offer threaded and non-threaded outlets, 90 degree joiners, straight joiners, and custom fabrication. Please contact us for assistance.



Example of a straight 30' (360'') linear drain run using the S-AS 65 series.  
(Components pg 58)

Qty	SKU	Description	Note
6	SA 6560 SS	60" SA 65 Grate 1" high in Satin Stainless Steel (grate 59 7/8")	total length 359 1/4"
4	SC 6596	96" SC Channel 1" high in Satin Stainless Steel (384")	total length 360"
6*	LF 65	2" Dia. Outlet - 8" Long x 1" high – Satin	adds 42" to channel
14	GJS	SS Joiner Strip for LC/ SC 65 Channel	2 per outlet + ends
2	SE 65	2" End Section for SC Channel in Satin Stainless Steel	adds 4" to channel
6	TNAS	2" Threaded Nipple – Straight Threaded	1 per outlet












Example of 20' x 40' (1440'') rectangular pool drain run using the AG 38 series.  
(Components pg 55)

Qty	SKU	Description	Note
25	A 3860 SS	60" A 38 Grate 1 9/16" high in Satin Stainless Steel (grate 59 7/8")	total length 1496 7/8"
14	G 38108	108" G38 PVC Channel	total length 1512"
24	S 32	2 3/8" PVC Outlet Section for AG/DG 38 Series (outlet section can act as joiner)	adds 57" to channel
24	F 65	Non-threaded outlet for S 32 or G 65 and G 125 Channel	straight connect channel
10	GJC 38	Straight Channel Joiner for G 38 Channel (May not be needed)	
4	SLA 65	90° Angle Channel Joiner for G 38	

\*Outlets depending on application and geographical location.











-Note: Custom fabrication available on page 50-53.

# Components | S-AG 38\* + S-DG 38\*

	Description	Model	Finish	Lbs	List
	<b>36" Grate for S-AG 38</b> (35 7/8" L x 1 1/2" W x 1 9/16" H)	A 3836 SS A 3836 PS A 3836 ORB	Satin Stainless Polished Stainless Steel Lifetime Oil-Rubbed Bronze	5 1/4	\$530 \$660 \$660
	<b>48" Grate for S-AG 38</b> (47 7/8" L x 1 1/2" W x 1 9/16" H)	A 3848 SS A 3848 PS A 3848 ORB	Satin Stainless Polished Stainless Steel Lifetime Oil-Rubbed Bronze	5 1/4	\$555 \$705 \$705
	<b>60" Grate for S-AG 38</b> (59 7/8" L x 1 1/2" W x 1 9/16" H)	A 3860 SS A 3860 PS A 3860 ORB	Satin Stainless Polished Stainless Steel Lifetime Oil-Rubbed Bronze	6	\$710 \$855 \$855
	<b>48" Grate for S-DG 38</b> (47 7/8" L x 1 1/2" W x 1 9/16" H)	D 3848 SS D 3848 PS D 3848 ORB	Satin Stainless Polished Stainless Steel Lifetime Oil-Rubbed Bronze	3	\$265 \$415 \$415
	<b>60" Grate for S-DG 38</b> (59 7/8" L x 1 1/2" W x 1 9/16" H)	D 3860 SS D 3860 PS D 3860 ORB	Satin Stainless Polished Stainless Steel Lifetime Oil-Rubbed Bronze	3 3/4	\$365 \$515 \$515
	<b>36" PVC Channel for S-AG/DG 38 Series</b> (34" L x 1 13/16" W x 1 5/8" H)	G 3836		1	\$45
	<b>48" PVC Channel for S-AG/DG 38 Series</b> (46" L x 1 13/16" W x 1 5/8" H)	G 3848		1	\$50
	<b>60" PVC Channel for S-AG/DG 38 Series</b> (58" L x 1 13/16" W x 1 5/8" H)	G 3860		1 1/4	\$70
	<b>96" PVC Channel for S-AG/DG 38 Series</b> (96" L x 1 13/16" W x 1 5/8" H)	G 3896		2	\$100
	<b>108" PVC Channel for S-AG/DG 38 Series</b> (108" L x 1 13/16" W x 1 5/8" H)	G 38108		2.1	\$110
	<b>PVC stop end for S-AG/DG 38 Series</b>	E 38		1/2 oz.	\$3.75
	<b>2 3/8 PVC outlet section for S-AG/DG Series</b> (note that S 32 also acts as joiner)	S 32		2 oz.	\$7.50
	<b>PVC threaded 2" outlet for S-AG/DG/TIF Series</b> (for clamp down installation)	S 50		1 oz.	\$7.50
	<b>PVC non-threaded 2" outlet for S-AG/DG/TIF Series</b> (for direct connect outdoor installation)	F 65		1 oz.	\$7.50
	<b>PVC straight joiner strip for S-AG/DG 38 Series</b>	GJC 38		1 oz.	\$16
	<b>PVC 90° angle joiner for S-AG/DG 38 Series</b>	GAM 38		2 oz.	\$25

\*D 38 + A 38 grates share same dimensions both fit into G 38 channel.









# Components | S-AG 65\* + S-DG 65\* + S-TIF 65\*

	Description	Model	Finish	Lbs	List
	<b>36" Grate for S-AG 65</b> (35 7/8" L x 2 1/2" W x 1 9/16" H)	A 6536 SS A 6536 PS A 6536 ORB	Satin Stainless Polished Stainless Steel Lifetime Oil-Rubbed Bronze	6	\$730 \$880 \$880
	<b>48" Grate for S-AG 65</b> (47 7/8" L x 2 1/2" W x 1 9/16" H)	A 6548 SS A 6548 PS A 6548 ORB	Satin Stainless Polished Stainless Steel Lifetime Oil-Rubbed Bronze	6 1/2	\$780 \$925 \$925
	<b>60" Grate for S-AG 65</b> (59 7/8" L x 2 1/2" W x 1 9/16" H)	A 6560 SS A 6560 PS A 6560 ORB	Satin Stainless Polished Stainless Steel Lifetime Oil-Rubbed Bronze	8	\$910 \$1010 \$1010
	<b>48" Grate for S-DG 65</b> (47 7/8" L x 2 1/2" W x 1 9/16" H)	D 6548 SS D 6548 PS D 6548 ORB	Satin Stainless Polished Stainless Steel Lifetime Oil-Rubbed Bronze	3 1/2	\$305 \$460 \$460
	<b>60" Grate for S-DG 65</b> (59 7/8" L x 2 1/2" W x 1 9/16" H)	D 6560 SS D 6560 PS D 6560 ORB	Satin Stainless Polished Stainless Steel Lifetime Oil-Rubbed Bronze	4 1/4	\$430 \$625 \$625
	<b>40" Tile Insert Frame for S-TIF 65/TIFAS 65 Series</b> (39 7/8" L x 2 1/2" W x 1 9/16" H)	TA 6540 SS TA 6540 PS	Satin Stainless Polished Stainless Steel	6	\$575 \$610
	<b>48" Tile Insert Frame for S-TIF 65/TIFAS 65 Series</b> (47 7/8" L x 2 1/2" W x 1 9/16" H)	TA 6548 SS TA 6548 PS	Satin Stainless Polished Stainless Steel	6 1/2	\$690 \$725
	<b>60" Tile Insert Frame for S-TIF 65/TIFAS 65 Series</b> (59 7/8" L x 2 1/2" W x 1 9/16" H)	TA 6560 SS TA 6560 PS	Satin Stainless Polished Stainless Steel	9	\$865 \$900
	<b>36" PVC Channel for S-AG/DG + S-TIF 65 Series</b> (36" L x 2 7/8" W x 1 5/8" H)	G 6536		3	\$50
	<b>40" PVC Channel for S-AG/DG + S-TIF 65 Series</b> (40" L x 2 7/8" W x 1 5/8" H)	G 6540		3	\$55
	<b>48" PVC Channel for S-AG/DG + S-TIF 65 Series</b> (48" L x 2 7/8" W x 1 5/8" H)	G 6548		1 1/2	\$60
	<b>60" PVC Channel for S-AG/DG + S-TIF 65 Series</b> (60" L x 2 7/8" W x 1 5/8" H)	G 6560		2	\$80
	<b>80" PVC Channel for S-AG/DG + S-TIF 65 Series</b> (80" L x 2 7/8" W x 1 5/8" H)	G 6580		3	\$100
	<b>96" PVC Channel for S-AG/DG + S-TIF 65 Series</b> (96" L x 2 7/8" W x 1 5/8" H)	G 6596		3	\$110
	<b>108" PVC Channel for S-AG/DG + S-TIF 65 Series</b> (108" L x 2 7/8" W x 1 5/8" H)	G 65108		3	\$120
	<b>PVC stop end for S-AG/DG 65 Series</b>	E 65		1/2 oz.	\$3.75
	<b>PVC threaded outlet for S-AG/DG/TIF Series</b> (for clamp down installation) 2" diameter	S 50		1 oz.	\$7.50
	<b>PVC non-threaded outlet for S-AG/DG/TIF Series</b> (for direct connect outdoor installation)	F 65		1 oz.	\$7.50
	<b>PVC straight joiner strip for S-AG/DG 65 Series</b>	GJC 65		1 oz.	\$16
	<b>PVC 90° angle joiner for S-AG/DG 65 Series</b>	GAM 65		3 oz.	\$25
	<b>TIF Plates</b>	TIF PL		1 oz.	\$40

\*D 65, A 65 + TA 65 grates share same dimensions both fit into G 65 channel.












# Components | s-AG 100

	Description	Model	Finish	Lbs	List
	<b>48" Grate for S-AG 100</b> (47 1/4" L x 3 7/8" W x 3/4" H)	A 10048 SS A 10048 PS	Satin Stainless Polished Stainless Steel	6	\$845 \$1145
	<b>48" PVC Channel for S-AG 100 Series</b> (47 1/2" L x 4 3/16" W x 13/16" H)	G 10048		3	\$65
	<b>96" PVC Channel for S-AG 100 Series</b> (95 1/4" L x 4 3/16" W x 13/16" H)	G 10096		3	\$130
	<b>108" PVC Channel for S-AG 100 Series</b> (108" L x 4 3/16" W x 13/16" H)	G 100108		3	\$140
	<b>PVC stop end for S-AG/DG 65 Series</b>	E 100		1/2 oz.	\$5
	<b>PVC threaded outlet for S-AG 100 Series</b> (for clamp down installation) 2" diameter	S 50		1 oz.	\$7.50
	<b>PVC non-threaded outlet for S-AG 100 Series</b> (for direct connect outdoor installation) 2" diameter	F 65		1 oz.	\$7.50
	<b>PVC non-threaded outlet for S-AG 100 Series</b> (for direct connect outdoor installation) 4" diameter	F 100		1 oz.	\$7.50
	<b>PVC straight joiner strip for S-AG 100 Series</b>	GJ 100		1 oz.	\$16
	<b>PVC 90° angle joiner for S-AG 100 Series*</b>	GA 100		3 oz.	\$25

\*Requires two GJ 100

# Components | S-DGAS 65/99\* + S-AS 65/99\*











	Description	Model	Finish	Lbs	List
 Integral height adjustment	<b>36" Grate for S-DGAS 65 Series</b> (35 7/8" L x 2 1/2" W x 1" H)	DA 6536 SS DA 6536 PS	Satin Stainless Polished Stainless Steel	2	\$170 \$240
	<b>48" Grate for S-DGAS 65 Series</b> (47 7/8" L x 2 1/2" W x 1" H)	DA 6548 SS DA 6548 PS	Satin Stainless Polished Stainless Steel	5 1/2	\$260 \$340
	<b>60" Grate for S-DGAS 65 Series</b> (59 7/8" L x 2 1/2" W x 1" H)	DA 6560 SS DA 6560 PS	Satin Stainless Polished Stainless Steel	7	\$320 \$420
 Integral height adjustment	<b>36" Grate for S-AS 65 Series</b> (35 7/8" L x 2 1/2" W x 1" H)	SA 6536 SS SA 6536 PS	Satin Stainless Polished Stainless Steel	3	\$565 \$715
	<b>48" Grate for S-AS 65 Series</b> (47 7/8" L x 2 1/2" W x 1" H)	SA 6548 SS SA 6548 PS	Satin Stainless Polished Stainless Steel	5 1/2	\$730 \$885
	<b>60" Grate for S-AS 65 Series</b> (59 7/8" L x 2 1/2" W x 1" H)	SA 6560 SS SA 6560 PS	Satin Stainless Polished Stainless Steel	7	\$860 \$1005
	<b>48" Stainless Open Ended Channel for S-AS 65 Series</b> (48" L x 2 7/8" W x 1" H)	SC 6548 SS SC 6548 PS	Satin Stainless Polished Stainless Steel	4	\$160 \$220
	<b>96" Stainless Open Ended Channel for S-AS 65 Series w/ threaded nipple</b> (96" L x 2 7/8" W x 1" H)	SC 6596 SS SC 6596 PS	Satin Stainless Polished Stainless Steel	8	\$320 \$440
	<b>28" Stainless Closed Ended Channel for S-AS 65 Series</b> (28 1/4" L x 2 7/8" W x 1" H)	LC 6528 SS LC 6528 PS	Satin Stainless Polished Stainless Steel	3	\$215 \$315
	<b>40" Stainless Closed Ended Channel for S-AS 65 Series</b> (40 1/4" L x 2 7/8" W x 1" H)	LC 6540 SS LC 6540 PS	Satin Stainless Polished Stainless Steel	4	\$250 \$350
	<b>52" Stainless Closed Ended Channel for S-AS 65 Series</b> (52 1/4" L x 2 7/8" W x 1" H)	LC 6552 SS LC 6552 PS	Satin Stainless Polished Stainless Steel	5	\$320 \$420
	<b>64" Stainless Closed Ended Channel for S-AS 65 Series</b> (64 1/4" L x 2 7/8" W x 1" H)	LC 6564 SS LC 6564 PS	Satin Stainless Polished Stainless Steel	6	\$525 \$625
	<b>88" Stainless Closed Ended Channel for S-AS 65 Series</b> (88 1/4" L x 2 7/8" W x 1" H)	LC 6588 SS LC 6588 PS	Satin Stainless Polished Stainless Steel	8	\$595 \$695
	<b>8" Stainless steel outlet section for S-AS 65 Series<sup>+</sup></b>	LF 65 SS LF 65 PS	Satin Stainless Polished Stainless Steel	1	\$95 \$105
	<b>8" Stainless steel outlet assembly for S-DGAS/AS 99 Series w/ 4" threaded nipple attached<sup>**</sup></b>	LF 99 SS LF 99 PS	Satin Stainless Polished Stainless Steel	2	\$545 \$595
	<b>Stainless steel joiner strip for S-AS 65 Series</b>	GJS 65	Stainless Steel	1 1/2 oz.	\$15
	<b>2" Stainless steel end section for S-AS 65 Series</b>	SE 65 SS SE 65 PS	Satin Stainless Polished Stainless Steel	3 1/2 oz.	\$50 \$60
	<b>Stainless steel angle joiner for 90° installation for SC/LC Channel<sup>+</sup></b>	SLA 65 SS SLA 65 PS	Satin Stainless Polished Stainless Steel	2 oz.	\$125 \$135
	<b>Threaded nipple for S-AS, S-TIF, FX Series</b>	TNAS		1 oz.	\$45

\*DA 65 + SA 65 grates share same dimensions both fit into SC/LC channel.

\*\*LF 99 is a high flow outlet assembly for S-DGAS 99/S-AS 99 series.

<sup>+</sup>requires two GJS 65 joiner strips

# Components | S-TIFAS 65\* + S-TIFAS 99\*




	Description	Model	Finish	Lbs	List
	<b>40" Tile Insert Frame for S-TIF 65/TIFAS 65 Series</b> (39 7/8" L x 2 1/2" W x 1 9/16" H)	TA 6540 SS TA 6540 PS	Satin Stainless Polished Stainless Steel	5	\$575 \$610
	<b>48" Tile Insert Frame for S-TIF 65/TIFAS 65 Series</b> (47 7/8" L x 2 1/2" W x 1 9/16" H)	TA 6548 SS TA 6548 PS	Satin Stainless Polished Stainless Steel	6 1/2	\$690 \$725
	<b>60" Tile Insert Frame for S-TIF 65/TIFAS 65 Series</b> (59 7/8" L x 2 1/2" W x 1 9/16" H)	TA 6560 SS TA 6560 PS	Satin Stainless Polished Stainless Steel	7	\$865 \$900
	<b>48" Grate for S-AG 65*</b> (47 7/8" L x 2 1/2" W x 1 9/16" H)	A 6548 SS A 6548 PS A 6548 ORB	Satin Stainless Polished Stainless Steel Lifetime Oil-Rubbed Bronze	6	\$780 \$925 \$925
	<b>60" Grate for S-AG 65*</b> (59 7/8" L x 2 1/2" W x 1 9/16" H)	A 6560 SS A 6560 PS A 6560 ORB	Satin Stainless Polished Stainless Steel Lifetime Oil-Rubbed Bronze	8	\$910 \$1010 \$1010
	<b>48" Stainless Open Ended Channel for S-TIFAS 65 Series</b> (48" L x 2 7/8" W x 1 5/8" H)	TC 6548 SS TC 6548 PS	Satin Stainless Polished Stainless Steel	5	\$285 \$345
	<b>96" Stainless Open Ended Channel for S-TIFAS 65 Series</b> (96" L x 2 7/8" W x 1 5/8" H)	TC 6596 SS TC 6596 PS	Satin Stainless Polished Stainless Steel	10	\$570 \$690
	<b>32" Stainless Closed Ended Channel for 40" S-TIFAS 65 Series</b> (32 1/4" L x 2 7/8" W x 1 5/8" H)	HC 6532 SS HC 6532 PS	Satin Stainless Polished Stainless Steel	4	\$225 \$325
	<b>40" Stainless Closed Ended Channel for 48" S-TIFAS 65 Series</b> (40 1/4" L x 2 7/8" W x 1 5/8" H)	HC 6540 SS HC 6540 PS	Satin Stainless Polished Stainless Steel	4	\$265 \$365
	<b>52" Stainless Closed Ended Channel for 60" S-TIFAS 65 Series</b> (52 1/4" L x 2 7/8" W x 1 5/8" H)	HC 6552 SS HC 6552 PS	Satin Stainless Polished Stainless Steel	6 1/2	\$340 \$440
	<b>72" Stainless Closed Ended Channel for 80" S-TIFAS 65 Series</b> (72 1/4" L x 2 7/8" W x 1 5/8" H)	HC 6572 SS HC 6572 PS	Satin Stainless Polished Stainless Steel	8	\$595 \$695
	<b>88" Stainless Closed Ended Channel for 96" S-TIFAS 65 Series</b> (88 1/4" L x 2 7/8" W x 1 5/8" H)	HC 6588 SS HC 6588 PS	Satin Stainless Polished Stainless Steel	10	\$645 \$745
	<b>8" Stainless steel outlet section for S-TIFAS 65 Series*</b>	HF 65 SS HF 65 PS	Satin Stainless Polished Stainless Steel	1	\$95 \$105
	<b>8" Stainless steel outlet assembly for S-TIFAS 99 Series w/ 4" threaded nipple attached*</b>	HF 99 SS HF 99 PS	Satin Stainless Polished Stainless Steel	2	\$545 \$595
	<b>Stainless steel joiner strip for S-TIFAS 65 Series</b>	TJS 65	Stainless Steel	2 oz.	\$60
	<b>2" Stainless steel end section for S-TIFAS 65 Series</b>	TE 65 SS TE 65 PS	Satin Stainless Polished Stainless Steel	5 oz.	\$60 \$70
	<b>Stainless steel angle joiner for 90° installation for TC/HC Channel*</b>	SHA 65 SS SHA 65 PS	Satin Stainless Polished Stainless Steel	2 oz.	\$125 \$135
	<b>Threaded nipple for S-AS, S-TIF, FX Series</b>	TNAS		1 oz.	\$45
	<b>TIF Plates</b>	TIF PL		1 oz.	\$40

\*TA 65 + A 65 grates share same dimensions both fit into TC/HC channel.

\*\*HF 99 is a high flow outlet assembly for 99 series.

\*requires two TJS 65 joiner strips




# Components | FXED 65\* + FXDG 65\* + FXMN 65\* + FXAS 65\*

	Description	Model	Finish	Lbs	List
 Integral Height Adjustment	<b>32" Grate for FXED 65 Series</b> (31 7/8" L x 2 1/2" W x 1" H)	EA 6532 SS EA 6532 PS EA 6532 ORB	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze	2	\$160 \$195 \$195
	<b>36" Grate for FXED 65 Series</b> (35 7/8" L x 2 1/2" W x 1" H)	EA 6536 SS EA 6536 PS EA 6536 ORB	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze	2	\$170 \$240 \$240
	<b>42" Grate for FXED 65 Series</b> (41 7/8" L x 2 1/2" W x 1" H)	EA 6542 SS EA 6542 PS EA 6542 ORB	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze	2 1/2	\$220 \$295 \$295
	<b>48" Grate for FXED 65 Series</b> (47 7/8" L x 2 1/2" W x 1" H)	EA 6548 SS EA 6548 PS EA 6548 ORB	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze	4	\$260 \$340 \$340
	<b>60" Grate for FXED 65 Series</b> (59 7/8" L x 2 1/2" W x 1" H)	EA 6560 SS EA 6560 PS EA 6560 ORB	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze	4	\$320 \$420 \$420
 Integral Height Adjustment	<b>32" Grate for FXDG 65 Series</b> (31 7/8" L x 2 1/2" W x 1" H)	DA 6532 SS DA 6532 PS	Satin Stainless Polished Stainless Steel	2	\$160 \$195
	<b>36" Grate for FXDG 65 Series</b> (35 7/8" L x 2 1/2" W x 1" H)	DA 6536 SS DA 6536 PS	Satin Stainless Polished Stainless Steel	2	\$170 \$240
	<b>42" Grate for FXDG 65 Series</b> (41 7/8" L x 2 1/2" W x 1" H)	DA 6542 SS DA 6542 PS	Satin Stainless Polished Stainless Steel	2 1/2	\$220 \$295
	<b>48" Grate for FXDG 65 Series</b> (47 7/8" L x 2 1/2" W x 1" H)	DA 6548 SS DA 6548 PS	Satin Stainless Polished Stainless Steel	2 1/2	\$260 \$340
	<b>60" Grate for FXDG 65 Series</b> (59 7/8" L x 2 1/2" W x 1" H)	DA 6560 SS DA 6560 PS	Satin Stainless Polished Stainless Steel	3	\$320 \$420
 Integral Height Adjustment	<b>32" Grate for FXMN 65 Series</b> (31 7/8" L x 2 1/2" W x 1" H)	MA 6532 SS MA 6532 PS MA 6532 ORB MA 6532 WH MA 6532 BK	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze Matte White Matte Black	2	\$285 \$435 \$435 \$435 \$435
	<b>36" Grate for FXMN 65 Series</b> (35 7/8" L x 2 1/2" W x 1" H)	MA 6536 SS MA 6536 PS MA 6536 ORB MA 6536 WH MA 6536 BK	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze Matte White Matte Black	2	\$320 \$470 \$470 \$470 \$470
	<b>42" Grate for FXMN 65 Series</b> (41 7/8" L x 2 1/2" W x 1" H)	MA 6542 SS MA 6542 PS MA 6542 ORB MA 6542 WH MA 6542 BK	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze Matte White Matte Black	2 1/2	\$375 \$525 \$525 \$525 \$525
	<b>48" Grate for FXMN 65 Series</b> (47 7/8" L x 2 1/2" W x 1" H)	MA 6548 SS MA 6548 PS MA 6548 ORB MA 6548 WH MA 6548 BK	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze Matte White Matte Black	2 1/2	\$425 \$605 \$605 \$605 \$605
	<b>60" Grate for FXMN 65 Series</b> (59 7/8" L x 2 1/2" W x 1" H)	MA 6560 SS MA 6560 PS MA 6560 ORB MA 6560 WH MA 6560 BK	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze Matte White Matte Black	3	\$605 \$755 \$755 \$755 \$755

\*EA 65, DA 65, SA 65 + MA 65 grates share same dimensions all fit into XC channel.




# Components | FXED 65\* + FXDG 65\* + FXMN 65\* + FXAS 65\*

(CONT.)




	Description	Model	Finish	Lbs	List
 <p>Integral Height Adjustment</p>	<b>32" Grate for FXAS 65 Series</b> (31 7/8" L x 2 1/2" W x 1" H)	SA 6532 SS SA 6532 PS SA 6532 WH SA 6532 BK	Satin Stainless Polished Stainless Steel Matte White Matte Black	4	\$555 \$705 \$705 \$705
	<b>36" Grate for FXAS Series</b> (35 7/8" L x 2 1/2" W x 1" H)	SA 6536 SS SA 6536 PS SA 6536 WH SA 6536 BK	Satin Stainless Polished Stainless Steel Matte White Matte Black	3	\$565 \$715 \$715 \$715
	<b>42" Grate for FXAS 65 Series</b> (41 7/8" L x 2 1/2" W x 1" H)	SA 6542 SS SA 6542 PS SA 6542 WH SA 6542 BK	Satin Stainless Polished Stainless Steel Matte White Matte Black	5½	\$660 \$810 \$810 \$810
	<b>48" Grate for FXAS 65 Series</b> (47 7/8" L x 2 1/2" W x 1" H)	SA 6548 SS SA 6548 PS SA 6548 WH SA 6548 BK	Satin Stainless Polished Stainless Steel Matte White Matte Black	5½	\$730 \$885 \$885 \$885
	<b>60" Grate for FXAS 65 Series</b> (59 7/8" L x 2 1/2" W x 1" H)	SA 6560 SS SA 6560 PS SA 6560 WH SA 6560 BK	Satin Stainless Polished Stainless Steel Matte White Matte Black	7	\$860 \$1005 \$1005 \$1005
	<b>32" Fixed Channel for FXED/ FXDG/FXMN/ FXAS 65 Series</b> (32 1/8" L x 2 7/8" W x 1" H)	XC 6532 SS XC 6532 PS XC 6532 WH XC 6532 BK XC 6532 ORB	Satin Stainless Polished Stainless Steel Matte White Matte Black Matte Black Lifetime Oil Rubbed Bronze	3	\$270 \$310 \$310 \$310 \$310
	<b>36" Fixed Channel for FXED/ FXDG/FXMN/ FXAS 65 Series</b> (36 1/8" L x 2 7/8" W x 1" H)	XC 6536 SS XC 6536 PS XC 6536 WH XC 6536 BK XC 6536 ORB	Satin Stainless Polished Stainless Steel Matte White Matte Black Matte Black Lifetime Oil Rubbed Bronze	3	\$290 \$340 \$340 \$340 \$340
	<b>42" Fixed Channel for FXED/ FXDG/FXMN/ FXAS 65 Series</b> (42 1/8" L x 2 7/8" W x 1" H)	XC 6542 SS XC 6542 PS XC 6542 WH XC 6542 BK XC 6542 ORB	Satin Stainless Polished Stainless Steel Matte White Matte Black Matte Black Lifetime Oil Rubbed Bronze	4	\$305 \$355 \$355 \$355 \$355
	<b>48" Fixed Channel for FXED/ FXDG/FXMN/ FXAS 65 Series</b> (48 1/8" L x 2 7/8" W x 1" H)	XC 6548 SS XC 6548 PS XC 6548 WH XC 6548 BK XC 6548 ORB	Satin Stainless Polished Stainless Steel Matte White Matte Black Matte Black Lifetime Oil Rubbed Bronze	4	\$325 \$385 \$385 \$385 \$385
	<b>60" Fixed Channel for FXED/ FXDG/FXMN/ FXAS 65 Series</b> (60 1/8" L x 2 7/8" W x 1" H)	XC 6560 SS XC 6560 PS XC 6560 WH XC 6560 BK XC 6560 ORB	Satin Stainless Polished Stainless Steel Matte White Matte Black Matte Black Lifetime Oil Rubbed Bronze	5	\$395 \$470 \$470 \$470 \$470
	<b>Threaded nipple for S-AS, S-TIF, FX Series</b>	TNAS		1 oz.	\$45

\*EA 65, DA 65, SA 65 + MA 65 grates share same dimensions all fit into XC channel.






# Components | FXTIF 65

	Description	Model	Finish	Lbs	List
	<b>20" Tile Insert Frame for S-TIF 65/S-TIFAS 65/FXTIF 65 Series</b> (19 7/8" L x 2 1/2" W x 1 9/16" H)	TA 6520 SS TA 6520 PS	Satin Stainless Polished Stainless Steel	3	\$340 \$375
	<b>40" Tile Insert Frame for S-TIF 65/S-TIFAS 65/FXTIF 65 Series</b> (39 7/8" L x 2 1/2" W x 1 9/16" H)	TA 6540 SS TA 6540 PS	Satin Stainless Polished Stainless Steel	5	\$575 \$610
	<b>48" Tile Insert Frame for S-TIF 65/S-TIFAS 65/FXTIF 65 Series</b> (47 7/8" L x 2 1/2" W x 1 9/16" H)	TA 6548 SS TA 6548 PS	Satin Stainless Polished Stainless Steel	6½	\$690 \$725
	<b>60" Tile Insert Frame for S-TIF 65/S-TIFAS 65/FXTIF 65 Series</b> (59 7/8" L x 2 1/2" W x 1 9/16" H)	TA 6560 SS TA 6560 PS	Satin Stainless Polished Stainless Steel	9	\$865 \$900
	<b>20" Fixed Channel for FXTIF</b> (20 1/8" L x 2 7/8" W x 1 5/8" H)	IC 6520 SS IC 6520 PS	Satin Stainless Polished Stainless Steel	2	\$110 \$145
	<b>40" Fixed Channel for FXTIF</b> (40 1/8" L x 2 7/8" W x 1 5/8" H)	IC 6540 SS IC 6540 PS	Satin Stainless Polished Stainless Steel	4	\$180 \$230
	<b>48" Fixed Channel for FXTIF</b> (48 1/8" L x 2 7/8" W x 1 5/8" H)	IC 6548 SS IC 6548 PS	Satin Stainless Polished Stainless Steel	5	\$195 \$255
	<b>60" Fixed Channel for FXTIF</b> (60 1/8" L x 2 7/8" W x 1 5/8" H)	IC 6560 SS IC 6560 PS	Satin Stainless Polished Stainless Steel	7	\$220 \$295
	<b>Threaded nipple for S-AS, S-TIF, FX Series</b>	TNAS		1 oz.	\$45

# Components | FXAS 125




	Description	Model	Finish	Lbs	List
 Integral Height Adjustment	<b>32" Grate for FXAS 125 Series</b> (31 7/8" L x 4 15/16" W x 1" H)	<b>SA 12532 SS</b> <b>SA 12532 PS</b>	Satin Stainless Polished Stainless Steel	5	\$795 \$1095
	<b>36" Grate for FXAS 125 Series</b> (35 7/8" L x 4 15/16" W x 1" H)	<b>SA 12536 SS</b> <b>SA 12536 PS</b>	Satin Stainless Polished Stainless Steel	6	\$895 \$1195
	<b>48" Grate for FXAS 125 Series</b> (47 7/8" L x 4 15/16" W x 1" H)	<b>SA 12548 SS</b> <b>SA 12548 PS</b>	Satin Stainless Polished Stainless Steel	6	\$995 \$1295
	<b>60" Grate for FXAS 125 Series</b> (59 7/8" L x 4 15/16" W x 1" H)	<b>SA 12560 SS</b> <b>SA 12560 PS</b>	Satin Stainless Polished Stainless Steel	8	\$1195 \$1495
	<b>32" Fixed Channel for FXAS 125 Series</b> (32 1/8" L x 5 3/8" W x 1" H)	<b>XC 12532 SS</b> <b>XC 12532 PS</b>	Satin Stainless Polished Stainless Steel	4	\$370 \$470
	<b>36" Fixed Channel for FXAS 125 Series</b> (36 1/8" L x 5 3/8" W x 1" H)	<b>XC 12536 SS</b> <b>XC 12536 PS</b>	Satin Stainless Polished Stainless Steel	4	\$390 \$490
	<b>48" Fixed Channel for FXAS 125 Series</b> (48 1/8" L x 5 3/8" W x 1" H)	<b>XC 12548 SS</b> <b>XC 12548 PS</b>	Satin Stainless Polished Stainless Steel	6	\$485 \$585
	<b>60" Fixed Channel for FXAS 125 Series</b> (60 1/8" L x 5 3/8" W x 1" H)	<b>XC 12560 SS</b> <b>XC 12560 PS</b>	Satin Stainless Polished Stainless Steel	6	\$510 \$610
	<b>4" Threaded nipple for FXAS 125 Series (fits 4" throat)</b>	<b>TN4A</b>		1 oz.	\$200

# Installation Options for FF and FT Series

Standard FF Installation	
	<p>Standard FF installation uses FC channel with 2" no hub connection via rubber coupling for down outlet installation.</p> <p>Components Example:  <b>EA 6536 SS – Grate</b>  <b>FC 6536 – Channel</b></p>
Option FCB 65 Channel	
	<p>FCB 65 Channel - Connection with standard clamping floor drain.</p> <p>For install with double waterproofing: liquid/fabric membrane <b>and</b> traditional waterproofing.</p> <p>Order by components specific to Series on pages 65-72.</p> <p>Components Example:  <b>EA 6536 SS – Grate</b>  <b>FCB 6536 – Channel includes TNAS (straight threaded nipple)</b>  <b>Drain body (pg 74-75) (order separately)</b></p>
Option FCH 65 Channel	
	<p>FCH 65 Channel - Connection with a threaded TAPERED nipple.</p> <p>For install with liquid/fabric waterproofing connecting to a female threaded waste line.</p> <p>Order by components specific to Series on pages 65-72.</p> <p>Components Example:  <b>EA 6536 SS – Grate</b>  <b>FCH 6536 – Channel includes TNAS-T (tapered threaded nipple)</b></p>
Standard FT Installation	
	<p>Standard FT installation uses OC channel with 2" no hub connection via rubber coupling for side outlet installation.</p> <p>Components Example:  <b>EA 6536 SS – Grate</b>  <b>OC 6536 – Channel</b></p>
Option OCH 65 Channel	
	<p>OCH 65 Channel - Side outlet connection with a threaded TAPERED nipple.</p> <p>For install with liquid/fabric waterproofing connecting to a female threaded waste line.</p> <p>Order by components specific to Series on pages 65-72.</p> <p>Components Example:  <b>EA 6536 SS – Grate</b>  <b>OCH 6536 – Channel (includes tapered nipple welded to outlet)</b></p>






# Components | FFED 25\* + FFDG 25\* + FFMN 25\* + FFAS 25\* + FTED 25\* + FTDG 25\* + FTMN 25\* + FTAS 25\*

	Description	Model	Finish	Lbs	List
 Integral height adjustment	<b>32" Grate for FFED/FTED 25 Series</b> (31 7/8" L x 3/4" W x 1" H)	EA 2532 SS EA 2532 PS	Satin Stainless Polished Stainless Steel	2	\$160 \$195
	<b>36" Grate for FFED/FTED 25 Series</b> (35 7/8" L x 3/4" W x 1" H)	EA 2536 SS EA 2536 PS	Satin Stainless Polished Stainless Steel	2 1/4	\$170 \$220
	<b>42" Grate for FFED/FTED 25 Series</b> (41 7/8" L x 3/4" W x 1" H)	EA 2542 SS EA 2542 PS	Satin Stainless Polished Stainless Steel	3 1/4	\$220 \$275
	<b>48" Grate for FFED/FTED 25 Series</b> (47 7/8" L x 3/4" W x 1" H)	EA 2548 SS EA 2548 PS	Satin Stainless Polished Stainless Steel	3 3/4	\$260 \$320
	<b>60" Grate for FFED/FTED 25 Series</b> (59 7/8" L x 3/4" W x 1" H)	EA 2560 SS EA 2560 PS	Satin Stainless Polished Stainless Steel	3 3/4	\$320 \$395
 Integral height adjustment	<b>32" Grate for FFDG/FTDG 25 Series</b> (31 7/8" L x 3/4" W x 1" H)	DA 2532 SS DA 2532 PS	Satin Stainless Polished Stainless Steel	2	\$160 \$195
	<b>36" Grate for FFDG/FTDG 25 Series</b> (35 7/8" L x 3/4" W x 1" H)	DA 2536 SS DA 2536 PS	Satin Stainless Polished Stainless Steel	2 1/4	\$170 \$220
	<b>42" Grate for FFDG/FTDG 25 Series</b> (41 7/8" L x 3/4" W x 1" H)	DA 2542 SS DA 2542 PS	Satin Stainless Polished Stainless Steel	3 1/4	\$220 \$275
	<b>48" Grate for FFDG/FTDG 25 Series</b> (47 7/8" L x 3/4" W x 1" H)	DA 2548 SS DA 2548 PS	Satin Stainless Polished Stainless Steel	3 3/4	\$260 \$320
	<b>60" Grate for FFDG/FTDG 25 Series</b> (59 7/8" L x 3/4" W x 1" H)	DA 2560 SS DA 2560 PS	Satin Stainless Polished Stainless Steel	3 3/4	\$320 \$395
 Integral height adjustment	<b>30" Grate for FFAS/FTAS 25 Series</b> For use in 60" Series (x2) (29 7/8" L x 3/4" W x 1" H)	SA 2530 SS SA 2530 PS SA 2530 WH SA 2530 BK	Satin Stainless Polished Stainless Steel Matte White Matte Black	2	\$445 \$590 \$590 \$590
	<b>32" Grate for FFAS/FTAS 25 Series</b> (31 7/8" L x 3/4" W x 1" H)	SA 2532 SS SA 2532 PS SA 2532 WH SA 2532 BK	Satin Stainless Polished Stainless Steel Matte White Matte Black	2	\$515 \$645 \$645 \$645
	<b>36" Grate for FFAS/FTAS 25 Series</b> (35 7/8" L x 3/4" W x 1" H)	SA 2536 SS SA 2536 PS SA 2536 WH SA 2536 BK	Satin Stainless Polished Stainless Steel Matte White Matte Black	2 1/4	\$690 \$790 \$790 \$790
	<b>42" Grate for FFAS/FTAS 25 Series</b> (41 7/8" L x 3/4" W x 1" H)	SA 2542 SS SA 2542 PS SA 2542 WH SA 2542 BK	Satin Stainless Polished Stainless Steel Matte White Matte Black	3 1/4	\$700 \$800 \$800 \$800
	<b>48" Grate for FFAS/FTAS 25 Series</b> (47 7/8" L x 3/4" W x 1" H)	SA 2548 SS SA 2548 PS SA 2548 WH SA 2548 BK	Satin Stainless Polished Stainless Steel Matte White Matte Black	3 3/4	\$710 \$810 \$810 \$810

\*EA 25, DA 25, SA 25 + MA 25 grates share same dimensions all fit into FC 65, FCB 65, FCH 65, OC 65, or OCH 65 channels with the CI 25 insert.

-See page 64 for channel installation options.

# Components | FFED 25\* + FFDG 25\* + FFMN 25\* + FFAS 25\* + FTED 25\* + FTDG 25\* + FTMN 25\* + FTAS 25\* (CONT.)



	Description	Model	Finish	Lbs	List
	<b>32" Grate for FFMN/FTMN 25 Series</b> (31 7/8" L x 3/4" W x 1" H)	MA 2532 SS MA 2532 PS MA 2532 ORB MA 2532 WH MA 2532 BK	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze Matte White Matte Black	2	\$285 \$320 \$320 \$320 \$320
	<b>36" Grate for FFMN/FTMN 25 Series</b> (35 7/8" L x 3/4" W x 1" H)	MA 2536 SS MA 2536 PS MA 2532 ORB MA 2532 WH MA 2532 BK	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze Matte White Matte Black	2 1/4	\$320 \$470 \$470 \$470 \$470
	<b>42" Grate for FFMN/FTMN 25 Series</b> (41 7/8" L x 3/4" W x 1" H)	MA 2542 SS MA 2542 PS MA 2542 ORB MA 2542 WH MA 2542 BK	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze Matte White Matte Black	3 1/4	\$375 \$525 \$525 \$525 \$525
	<b>48" Grate for FFMN/FTMN 25 Series</b> (47 7/8" L x 3/4" W x 1" H)	MA 2548 SS MA 2548 PS MA 2548 ORB MA 2548 WH MA 2548 BK	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze Matte White Matte Black	3 1/4	\$430 \$580 \$580 \$580 \$580
	<b>60" Grate for FFMN/FTMN 25 Series</b> (59 7/8" L x 3/4" W x 1" H)	MA 2560 SS MA 2560 PS MA 2560 ORB MA 2560 WH MA 2560 BK	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze Matte White Matte Black	3 1/4	\$535 \$685 \$685 \$685 \$685
Integral height adjustment					
	<b>32" Channel Insert for FF/FT 25 Series</b>	CI 2532	Stainless Steel	2	\$95
	<b>36" Channel Insert for FF/FT 25 Series</b>	CI 2536	Stainless Steel	2	\$120
	<b>42" Channel Insert for FF/FT 25 Series</b>	CI 2542	Stainless Steel	2	\$155
	<b>48" Channel Insert for FF/FT 25 Series</b>	CI 2548	Stainless Steel	2	\$200
	<b>60" Channel Insert for FF/FT 25 Series</b>	CI 2560	Stainless Steel	2	\$210
 Standard Channel Installation	<b>32" Fixed Flange Channel for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (34 1/8" L x 4 1/2" W x 3 3/4" H)	FC 6532 SS	Stainless Steel	4	\$375
	<b>36" Fixed Flange Channel for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (38 1/8" L x 4 1/2" W x 3 3/4" H)	FC 6536 SS	Stainless Steel	4	\$405
	<b>42" Fixed Flange Channel for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (44 1/8" L x 4 1/2" W x 3 3/4" H)	FC 6542 SS	Stainless Steel	6	\$415
	<b>48" Fixed Flange Channel for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (50 1/8" L x 4 1/2" W x 3 3/4" H)	FC 6548 SS	Stainless Steel	6	\$430
	<b>60" Fixed Flange Channel for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (62 1/8" L x 4 1/2" W x 3 3/4" H)	FC 6560 SS	Stainless Steel	7	\$520

\*EA 25, DA 25, SA 25 + MA 25 grates share same dimensions all fit into FC 65, FCB 65, FCH 65, OC 65, or OCH 65 channels with the CI 25 insert.

-See page 64 for channel installation options.



# Components

FFED 25\* + FFDG 25\* + FFMN 25\* + FFAS 25\* +  
FTED 25\* + FTDG 25\* + FTMN 25\* + FTAS 25\* (CONT.)

Description		Model	Finish	Lbs	List
 <p>*Comes with TNAS straight threaded nipple. Connects to clamp down drain bodies CDI 22, CDA 22, CDP 22 found on pg. 74.</p>	<b>32" Fixed Channel w/ TNAS for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (34 1/8" L x 4 1/2" W x 1 5/16" H)	FCB 6532 SS	Stainless Steel	4	\$420
	<b>36" Fixed Channel w/ TNAS for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (38 1/8" L x 4 1/2" W x 1 5/16" H)	FCB 6536 SS	Stainless Steel	5	\$450
	<b>42" Fixed Channel w/ TNAS for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (44 1/8" L x 4 1/2" W x 1 5/16" H)	FCB 6542 SS	Stainless Steel	6	\$460
	<b>48" Fixed Channel w/ TNAS for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (50 1/8" L x 4 1/2" W x 1 5/16" H)	FCB 6548 SS	Stainless Steel	6	\$475
	<b>60" Fixed Channel w/ TNAS for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (62 1/8" L x 4 1/2" W x 1 5/16" H)	FCB 6560 SS	Stainless Steel	7	\$565
 <p>*Comes with TNAS-T tapered threaded nipple.</p>	<b>32" Fixed Channel w/ tapered TNAST for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (34 1/8" L x 4 1/2" W x 1 5/16" H)	FCH 6532 SS	Stainless Steel	4	\$430
	<b>36" Fixed Channel w/ tapered TNAST for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (38 1/8" L x 4 1/2" W x 1 5/16" H)	FCH 6536 SS	Stainless Steel	4	\$460
	<b>42" Fixed Channel w/ tapered TNAST for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (44 1/8" L x 4 1/2" W x 1 5/16" H)	FCH 6542 SS	Stainless Steel	6	\$470
	<b>48" Fixed Channel w/ tapered TNAST for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (50 1/8" L x 4 1/2" W x 1 5/16" H)	FCH 6548 SS	Stainless Steel	6	\$485
	<b>60" Fixed Channel w/ tapered TNAST for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (62 1/8" L x 4 1/2" W x 1 5/16" H)	FCH 6560 SS	Stainless Steel	7	\$575

\*EA 25, DA 25, SA 25 + MA 25 grates share same dimensions. All fit into FC 65, FCB 65, FCH 65, OC 65, or OCH 65 channels with the CI 25 insert.  
-See page 64 for channel installation options.




# Components | FFED 25\* + FFDG 25\* + FFMN 25\* + FFAS 25\* + FTED 25\* + FTDG 25\* + FTMN 25\* + FTAS 25\* (CONT.)

	Description	Model	Finish	Lbs	List
 <p>Standard channel installation</p>	<b>32" Fixed Flange Channel for FTED/FTDG/FTMN/FTAS/FTTIF Series</b> (34 1/8" L x 4 1/2" W x 2 5/8" H)	OC 6532 SS	Stainless Steel	4	\$475
	<b>36" Fixed Flange Channel for FTED/FTDG/FTMN/FTAS/FTTIF Series</b> (38 1/8" L x 4 1/2" W x 2 5/8" H)	OC 6536 SS	Stainless Steel	5	\$505
	<b>42" Fixed Flange Channel for FTED/FTDG/FTMN/FTAS/FTTIF Series</b> (44 1/8" L x 4 1/2" W x 2 5/8" H)	OC 6542 SS	Stainless Steel	6	\$515
	<b>48" Fixed Flange Channel for FTED/FTDG/FTMN/FTAS/FTTIF Series</b> (50 1/8" L x 4 1/2" W x 2 5/8" H)	OC 6548 SS	Stainless Steel	6	\$530
	<b>60" Fixed Flange Channel for FTED/FTDG/FTMN/FTAS/FTTIF Series</b> (62 1/8" L x 4 1/2" W x 2 5/8" H)	OC 6560 SS	Stainless Steel	7	\$620
 <p>Installed with a tapered threaded connection</p>	<b>32" Fixed Channel w/ TNAST for FTED/FTDG/FTMN/FTAS/FTTIF Series</b> (34 1/8" L x 4 1/2" W x 2 5/8" H)	OCH 6532 SS	Stainless Steel	4	\$585
	<b>36" Fixed Channel w/ TNAST for FTED/FTDG/FTMN/FTAS/FTTIF Series</b> (38 1/8" L x 4 1/2" W x 2 5/8" H)	OCH 6536 SS	Stainless Steel	5	\$615
	<b>42" Fixed Channel w/ TNAST for FTED/FTDG/FTMN/FTAS/FTTIF Series</b> (44 1/8" L x 4 1/2" W x 2 5/8" H)	OCH 6542 SS	Stainless Steel	6	\$625
	<b>48" Fixed Channel w/ TNAST for FTED/FTDG/FTMN/FTAS/FTTIF Series</b> (50 1/8" L x 4 1/2" W x 2 5/8" H)	OCH 6548 SS	Stainless Steel	6	\$640
	<b>60" Fixed Channel w/ TNAST for FTED/FTDG/FTMN/FTAS/FTTIF Series</b> (62 1/8" L x 4 1/2" W x 2 5/8" H)	OCH 6560 SS	Stainless Steel	7	\$730

\*EA 25, DA 25, SA 25 + MA 25 grates share same dimensions. All fit into FC 65, FCB 65, FCH 65, OC 65, or OCH 65 channels with the CI 25 insert.  
-See page 64 for channel installation options.

# Components


FFED 65\* + FFDG 65\* + FFMN 65\* + FFAS 65\* + FFTIF 65\* +  
FTED 65\* + FTDG 65\* + FTMN 65\* + FTAS 65\* + FTTIF 65\*

	Description	Model	Finish	Lbs	List
	<b>24" Grate for FFED/FTED 65 Series</b> (23 7/8" L x 2 1/2" W x 1" H)	EA 6524 SS EA 6524 PS EA 6524 ORB	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze	2	\$95 \$160 \$160
	<b>32" Grate for FFED/FTED 65 Series</b> (31 7/8" L x 2 1/2" W x 1" H)	EA 6532 SS EA 6532 PS EA 6532 ORB	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze	2	\$160 \$195 \$195
	<b>36" Grate for FFED/FTED 65 Series</b> (35 7/8" L x 2 1/2" W x 1" H)	EA 6536 SS EA 6536 PS EA 6536 ORB	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze	2 1/4	\$170 \$240 \$240
	<b>42" Grate for FFED/FTED 65 Series</b> (41 7/8" L x 2 1/2" W x 1" H)	EA 6542 SS EA 6542 PS EA 6542 ORB	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze	3 1/4	\$220 \$295 \$295
	<b>48" Grate for FFED/FTED 65 Series</b> (47 7/8" L x 2 1/2" W x 1" H)	EA 6548 SS EA 6548 PS EA 6548 ORB	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze	4	\$260 \$340 \$340
	<b>60" Grate for FFED/FTED 65 Series</b> (59 7/8" L x 2 1/2" W x 1" H)	EA 6560 SS EA 6560 PS EA 6560 ORB	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze	4	\$320 \$420 \$420
Integral height adjustment					
	<b>32" Grate for FFDG/FTDG 65 Series</b> (31 7/8" L x 2 1/2" W x 1" H)	DA 6532 SS DA 6532 PS	Satin Stainless Polished Stainless Steel	2	\$160 \$195
	<b>36" Grate for FFDG/FTDG 65 Series</b> (35 7/8" L x 2 1/2" W x 1" H)	DA 6536 SS DA 6536 PS	Satin Stainless Polished Stainless Steel	2 1/4	\$170 \$240
	<b>42" Grate for FFDG/FTDG 65 Series</b> (41 7/8" L x 2 1/2" W x 1" H)	DA 6542 SS DA 6542 PS	Satin Stainless Polished Stainless Steel	3 1/4	\$220 \$295
	<b>48" Grate for FFDG/FTDG 65 Series</b> (47 7/8" L x 2 1/2" W x 1" H)	DA 6548 SS DA 6548 PS	Satin Stainless Polished Stainless Steel	3 1/4	\$260 \$340
	<b>60" Grate for FFDG/FTDG 65 Series</b> (59 7/8" L x 2 1/2" W x 1" H)	DA 6560 SS DA 6560 PS	Satin Stainless Polished Stainless Steel	3 1/4	\$320 \$420
Integral height adjustment					
	<b>24" Grate for FFAS/FTAS 65 Series</b> (23 7/8" L x 2 1/2" W x 1" H)	SA 6524 SS SA 6524 PS SA 6524 WH SA 6524 BK	Satin Stainless Polished Stainless Steel Matte White Matte Black	3	\$375 \$525 \$525 \$525
	<b>32" Grate for FFAS/FTAS 65 Series</b> (31 7/8" L x 2 1/2" W x 1" H)	SA 6532 SS SA 6532 PS SA 6532 WH SA 6532 BK	Satin Stainless Polished Stainless Steel Matte White Matte Black	4	\$555 \$705 \$705 \$705
	<b>36" Grate for FFAS/FTAS 65 Series</b> (35 7/8" L x 2 1/2" W x 1" H)	SA 6536 SS SA 6536 PS SA 6536 WH SA 6536 BK	Satin Stainless Polished Stainless Steel Matte White Matte Black	3	\$565 \$715 \$715 \$715
	<b>42" Grate for FFAS/FTAS 65 Series</b> (41 7/8" L x 2 1/2" W x 1" H)	SA 6542 SS SA 6542 PS SA 6542 WH SA 6542 BK	Satin Stainless Polished Stainless Steel Matte White Matte Black	6	\$660 \$810 \$810 \$810
	<b>48" Grate for FFAS/FTAS 65 Series</b> (47 7/8" L x 2 1/2" W x 1" H)	SA 6548 SS SA 6548 PS SA 6548 WH SA 6548 BK	Satin Stainless Polished Stainless Steel Matte White Matte Black	6	\$730 \$885 \$885 \$885
	<b>60" Grate for FFAS/FTAS 65 Series</b> (59 7/8" L x 2 1/2" W x 1" H)	SA 6560 SS SA 6560 PS SA 6560 WH SA 6560 BK	Satin Stainless Polished Stainless Steel Matte White Matte Black	7	\$860 \$1005 \$1005 \$1005
Integral height adjustment					

\*EA 65, DA 65, SA 65, MA 65 + LA 65 grates share same dimensions. All fit into FC 65, FCB 65, FCH 65, OC 65, or OCH 65 channels.

-See page 64 for channel installation options.




# Components | FFED 65\* + FFDG 65\* + FFMN 65\* + FFAS 65\* + FFTIF 65\* + FTED 65\* + FTDG 65\* + FTMN 65\* + FTAS 65\* + FTTIF 65\* (CONT.)

	Description	Model	Finish	Lbs	List
 <p>Integral height adjustment</p>	<b>32" Grate for FFMN/FTMN 65 Series</b> (31 7/8" L x 2 1/2" W x 1" H)	MA 6532 SS MA 6532 PS MA 6532 ORB MA 6532 WH MA 6532 BK	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze Matte White Matte Black	3	\$285 \$435 \$435 \$435 \$435
	<b>36" Grate for FFMN/FTMN 65 Series</b> (35 7/8" L x 2 1/2" W x 1" H)	MA 6536 SS MA 6536 PS MA 6532 ORB MA 6532 WH MA 6532 BK	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze Matte White Matte Black	3	\$320 \$470 \$470 \$470 \$470
	<b>42" Grate for FFMN/FTMN 65 Series</b> (41 7/8" L x 2 1/2" W x 1" H)	MA 6542 SS MA 6542 PS MA 6542 ORB MA 6542 WH MA 6542 BK	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze Matte White Matte Black	4	\$375 \$525 \$525 \$525 \$525
	<b>48" Grate for FFMN/FTMN 65 Series</b> (47 7/8" L x 2 1/2" W x 1" H)	MA 6548 SS MA 6548 PS MA 6548 ORB MA 6548 WH MA 6548 BK	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze Matte White Matte Black	4	\$425 \$605 \$605 \$605 \$605
	<b>60" Grate for FFMN/FTMN 65 Series</b> (59 7/8" L x 2 1/2" W x 1" H)	MA 6560 SS MA 6560 PS MA 6560 ORB MA 6560 WH MA 6560 BK	Satin Stainless Polished Stainless Steel Lifetime Oil Rubbed Bronze Matte White Matte Black	5	\$605 \$755 \$755 \$755 \$755
	<b>24" Tile Insert Frame for FFTIF/FTTIF 65 Series</b> (23 7/8" L x 2 1/2" W x 1 1/8" H)	LA 6524 SS LA 6524 PS	Satin Stainless Polished Stainless Steel	3	\$205 \$220
	<b>32" Tile Insert Frame for FFTIF/FTTIF 65 Series</b> (31 7/8" L x 2 1/2" W x 1 1/8" H)	LA 6532 SS LA 6532 PS	Satin Stainless Polished Stainless Steel	3	\$280 \$295
	<b>36" Tile Insert Frame for FFTIF/FTTIF 65 Series</b> (35 7/8" L x 2 1/2" W x 1 1/8" H)	LA 6536 SS LA 6536 PS	Satin Stainless Polished Stainless Steel	4	\$330 \$340
	<b>42" Tile Insert Frame for FFTIF/FTTIF 65 Series</b> (41 7/8" L x 2 1/2" W x 1 1/8" H)	LA 6542 SS LA 6542 PS	Satin Stainless Polished Stainless Steel	4	\$360 \$370
	<b>48" Tile Insert Frame for FFTIF/FTTIF 65 Series</b> (47 7/8" L x 2 1/2" W x 1 1/8" H)	LA 6548 SS LA 6548 PS	Satin Stainless Polished Stainless Steel	5	\$435 \$445
	<b>60" Tile Insert Frame for FFTIF/FTTIF 65 Series</b> (59 7/8" L x 2 1/2" W x 1 1/8" H)	LA 6560 SS LA 6560 PS	Satin Stainless Polished Stainless Steel	5	\$475 \$500

\*EA 65, DA 65, SA 65, MA 65 + LA 65 grates share same dimensions. All fit into FC 65, FCB 65, FCH 65, OC 65, or OCH 65 channels.



-See page 64 for channel installation options.

# Components | FFED 65\* + FFDG 65\* + FFMN 65\* + FFAS 65\* + FFTIF 65\* + FTED 65\* + FTDG 65\* + FTMN 65\* + FTAS 65\* + FTTIF 65\* (CONT.)

	Description	Model	Finish	Lbs	List
 <p>Standard Channel Installation</p>	<b>24" Fixed Flange Channel for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (26 1/8" L x 4 1/2" W x 3 3/4" H)	FC 6524 SS	Stainless Steel	4	\$285
	<b>32" Fixed Flange Channel for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (34 1/8" L x 4 1/2" W x 3 3/4" H)	FC 6532 SS	Stainless Steel	4	\$375
	<b>36" Fixed Flange Channel for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (38 1/8" L x 4 1/2" W x 3 3/4" H)	FC 6536 SS	Stainless Steel	5	\$405
	<b>42" Fixed Flange Channel for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (44 1/8" L x 4 1/2" W x 3 3/4" H)	FC 6542 SS	Stainless Steel	6	\$415
	<b>48" Fixed Flange Channel for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (50 1/8" L x 4 1/2" W x 3 3/4" H)	FC 6548 SS	Stainless Steel	6	\$430
	<b>60" Fixed Flange Channel for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (62 1/8" L x 4 1/2" W x 3 3/4" H)	FC 6560 SS	Stainless Steel	7	\$520
 <p>*Comes with TNAS straight threaded nipple. Connects to clamp down drain bodies CDI 22, CDA 22, CDP 22 found on pg 74.</p>	<b>24" Fixed Channel w/ TNAS for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (26 1/8" L x 4 1/2" W x 1 5/16" H)	FCB 6524 SS	Stainless Steel	4	\$330
	<b>32" Fixed Channel w/ TNAS for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (34 1/8" L x 4 1/2" W x 1 5/16" H)	FCB 6532 SS	Stainless Steel	4	\$420
	<b>36" Fixed Channel w/ TNAS for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (38 1/8" L x 4 1/2" W x 1 5/16" H)	FCB 6536 SS	Stainless Steel	5	\$450
	<b>42" Fixed Channel w/ TNAS for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (44 1/8" L x 4 1/2" W x 1 5/16" H)	FCB 6542 SS	Stainless Steel	6	\$460
	<b>48" Fixed Channel w/ TNAS for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (50 1/8" L x 4 1/2" W x 1 5/16" H)	FCB 6548 SS	Stainless Steel	6	\$475
	<b>60" Fixed Channel w/ TNAS for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (62 1/8" L x 4 1/2" W x 1 5/16" H)	FCB 6560 SS	Stainless Steel	7	\$565
 <p>*Comes with TNAS-T tapered threaded nipple.</p>	<b>24" Fixed Channel w/ tapered TNAS-T for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (26 1/8" L x 4 1/2" W x 1 5/16" H)	FCH 6524 SS	Stainless Steel	4	\$340
	<b>32" Fixed Channel w/ tapered TNAS-T for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (34 1/8" L x 4 1/2" W x 1 5/16" H)	FCH 6532 SS	Stainless Steel	4	\$430
	<b>36" Fixed Channel w/ tapered TNAS-T for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (38 1/8" L x 4 1/2" W x 1 5/16" H)	FCH 6536 SS	Stainless Steel	5	\$460
	<b>42" Fixed Channel w/ tapered TNAS-T for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (44 1/8" L x 4 1/2" W x 1 5/16" H)	FCH 6542 SS	Stainless Steel	6	\$470
	<b>48" Fixed Channel w/ tapered TNAS-T for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (50 1/8" L x 4 1/2" W x 1 5/16" H)	FCH 6548 SS	Stainless Steel	6	\$485
	<b>60" Fixed Channel w/ tapered TNAS-T for FFED/FFDG/FFMN/FFAS/FFTIF Series</b> (62 1/8" L x 4 1/2" W x 1 5/16" H)	FCH 6560 SS	Stainless Steel	7	\$575



\*EA 65, DA 65, SA 65, MA 65 + LA 65 grates share same dimensions. All fit into FC 65, FCB 65, FCH 65, OC 65, or OCH 65 channels.  
-See page 64 for channel installation options.

# Components | FFED 65\* + FFDG 65\* + FFMN 65\* + FFAS 65\* + FFTIF 65\* + FTED 65\* + FTDG 65\* + FTMN 65\* + FTAS 65\* + FTTIF 65\* (CONT.)


	Description	Model	Finish	Lbs	List
 <p>Standard Channel Installation</p>	<b>24" Fixed Flange Channel for FTED/FTDG/FTMN/FTAS/FTTIF Series</b> (26 1/8" L x 4 1/2" W x 2 5/8" H)	OC 6524 SS	Stainless Steel	4	\$385
	<b>32" Fixed Flange Channel for FTED/FTDG/FTMN/FTAS/FTTIF Series</b> (34 1/8" L x 4 1/2" W x 2 5/8" H)	OC 6532 SS	Stainless Steel	4	\$475
	<b>36" Fixed Flange Channel for FTED/FTDG/FTMN/FTAS/FTTIF Series</b> (38 1/8" L x 4 1/2" W x 2 5/8" H)	OC 6536 SS	Stainless Steel	5	\$505
	<b>42" Fixed Flange Channel for FTED/FTDG/FTMN/FTAS/FTTIF Series</b> (44 1/8" L x 4 1/2" W x 2 5/8" H)	OC 6542 SS	Stainless Steel	6	\$515
	<b>48" Fixed Flange Channel for FTED/FTDG/FTMN/FTAS/FTTIF Series</b> (50 1/8" L x 4 1/2" W x 2 5/8" H)	OC 6548 SS	Stainless Steel	6	\$530
	<b>60" Fixed Flange Channel for FTED/FTDG/FTMN/FTAS/FTTIF Series</b> (62 1/8" L x 4 1/2" W x 2 5/8" H)	OC 6560 SS	Stainless Steel	7	\$620
 <p>Installed with a tapered threaded connection</p>	<b>24" Fixed Channel w/ TNAS-T for FTED/FTDG/FTMN/FTAS/FTTIF Series</b> (26 1/8" L x 4 1/2" W x 2 5/8" H)	OCH 6524 SS	Stainless Steel	4	\$485
	<b>32" Fixed Channel w/ TNAS-T for FTED/FTDG/FTMN/FTAS/FTTIF Series</b> (34 1/8" L x 4 1/2" W x 2 5/8" H)	OCH 6532 SS	Stainless Steel	4	\$585
	<b>36" Fixed Channel w/ TNAS-T for FTED/FTDG/FTMN/FTAS/FTTIF Series</b> (38 1/8" L x 4 1/2" W x 2 5/8" H)	OCH 6536 SS	Stainless Steel	5	\$615
	<b>42" Fixed Channel w/ TNAS-T for FTED/FTDG/FTMN/FTAS/FTTIF Series</b> (44 1/8" L x 4 1/2" W x 2 5/8" H)	OCH 6542 SS	Stainless Steel	6	\$625
	<b>48" Fixed Channel w/ TNAS-T for FTED/FTDG/FTMN/FTAS/FTTIF Series</b> (50 1/8" L x 4 1/2" W x 2 5/8" H)	OCH 6548 SS	Stainless Steel	6	\$640
	<b>60" Fixed Channel w/ TNAS-T for FTED/FTDG/FTMN/FTAS/FTTIF Series</b> (62 1/8" L x 4 1/2" W x 2 5/8" H)	OCH 6560 SS	Stainless Steel	7	\$730

\*EA 65, DA 65, SA 65, MA 65 + LA 65 grates share same dimensions. All fit into FC 65, FCB 65, FCH 65, OC 65, or OCH 65 channels.  
-See page 64 for channel installation options.



	Description	Model	Finish	Lbs	List
 Integral height adjustment	<b>32" Grate for FFAS 125 Series</b> (31 7/8" L x 4 15/16" W x 1" H)	SA 12532 SS SA 12532 PS	Satin Stainless Polished Stainless Steel	5	\$795 \$1095
	<b>36" Grate for FXAS 125 Series</b> (35 7/8" L x 4 15/16" W x 1" H)	SA 12536 SS SA 12536 PS	Satin Stainless Polished Stainless Steel	5	\$895 \$1195
	<b>42" Grate for FXAS 125 Series</b> (41 7/8" L x 4 15/16" W x 1" H)	SA 12542 SS SA 12542 PS	Satin Stainless Polished Stainless Steel	6	\$945 \$1245
	<b>48" Grate for FXAS 125 Series</b> (47 7/8" L x 4 15/16" W x 1" H)	SA 12548 SS SA 12548 PS	Satin Stainless Polished Stainless Steel	7	\$995 \$1295
	<b>60" Grate for FXAS 125 Series</b> (59 7/8" L x 4 15/16" W x 1" H)	SA 12560 SS SA 12560 PS	Satin Stainless Polished Stainless Steel	8	\$1195 \$1495
	<b>32" Fixed Flange Channel for FFAS 125 Series</b> (34 1/8" L x 7" W x 3 3/4" H)	FC 12532 SS	Stainless Steel	4	\$430
	<b>36" Fixed Flange Channel for FFAS 125 Series</b> (38 1/8" L x 7" W x 3 3/4" H)	FC 12536 SS	Stainless Steel	5	\$460
	<b>42" Fixed Flange Channel for FFAS 125 Series</b> (44 1/8" L x 7" W x 3 3/4" H)	FC 12542 SS	Stainless Steel	6	\$495
	<b>48" Fixed Flange Channel for FFAS 125 Series</b> (50 1/8" L x 7" W x 3 3/4" H)	FC 12548 SS	Stainless Steel	6	\$545
	<b>60" Fixed Flange Channel for FFAS 125 Series</b> (62 1/8" L x 7" W x 3 3/4" H)	FC 12560 SS	Stainless Steel	7	\$585

## Clamp Down Sku Explanation



# Drains | Clamp Down & Bonded Flange

	Model	Description	List
	CDI 22	Clamp Down Drain, <b>Cast Iron</b> , No Hub 2" Throat, 2" No Hub Outlet, 6 1/2" overall diameter	\$65
	CDI 42	Clamp Down Drain, <b>Cast Iron</b> , 4" Throat, 2" No Hub Outlet, 8" overall diameter	\$100
	CDI 43	Clamp Down Drain, <b>Cast Iron</b> , 4" Throat, 3" No Hub Outlet, 8" overall diameter	\$110
	CDA 22	Clamp Down Drain, <b>ABS</b> , 2" Throat, 2" Outlet, 6 1/2" overall diameter	\$50
	CDA 42	Clamp Down Drain, <b>ABS</b> , 4" Throat, 2" Outlet, 8" overall diameter	\$125
	CDA 43	Clamp Down Drain, <b>ABS</b> , 4" Throat, 3" Outlet, 8" overall diameter	\$130
	CDP 22	Clamp Down Drain, <b>PVC</b> , 2" Throat, 2" Outlet, 6 1/2" overall diameter	\$50
	CDP 42	Clamp Down Drain, <b>PVC</b> , 4" Throat, 2" Outlet, 8" overall diameter	\$125
	CDP 43	Clamp Down Drain, <b>PVC</b> , 4" Throat, 3" Outlet, 8" overall diameter	\$130
	CDIT 22	Clamp Down Drain, <b>Cast Iron</b> , 2" Throat, 2" threaded outlet, 6 1/2" overall diameter	\$65
	CDIT 42	Clamp Down Drain, <b>Cast Iron</b> , 4" Throat, 2" threaded outlet, 8" overall diameter	\$100
	CDIT 43	Clamp Down Drain, <b>Cast Iron</b> , 4" Throat, 3" threaded outlet, 8" overall diameter	\$110















-See page 81 for information on connection types.

# Drains | Clamp Down & Bonded Flange

	Model	Description	List
	CDIC 22	Clamp Down Drain, <b>Cast Iron</b> , 2" Throat, 2" Inside Caulk Outlet, 6 1/2" overall diameter	\$65
	CDIC 42	Clamp Down Drain, <b>Cast Iron</b> , 4" Throat, 2" Inside Caulk Outlet, 8" overall diameter	\$100
	CDIC 43	Clamp Down Drain, <b>Cast Iron</b> , 4" Throat, 3" Inside Caulk Outlet, 8" overall diameter	\$110
	CDIS 22	Clamp Down Drain, <b>Cast Iron</b> , Integral Trap 2" Throat, 2" Threaded Side Outlet, 6 3/4" overall diameter, overall height of Drain body 5 3/16"	\$110
	CDIS 42	Clamp Down Drain, <b>Cast Iron</b> , Integral Trap 4" Throat, 2" Threaded Side Outlet, 8" overall diameter, overall height of Drain body 5 3/16"	\$275
	CDIQ 42	Clamp Down Drain, <b>Cast Iron</b> , Side Outlet No trap 4" Throat, 2" Outlet, 8" overall diameter	\$200
	BFA 22	Bonded Flange, <b>ABS</b> Drain, 2" Throat fits 2", 3", and 4" Outlet, 12" overall diameter	\$100
	BFA 42	Bonded Flange, <b>ABS</b> Drain, 4" Throat fits 2", 3", and 4" Outlet, 12" overall diameter	\$100
	BFP 22	Bonded Flange, <b>PVC</b> Drain, 2" Throat fits 2", 3", and 4" Outlet, 12" overall diameter	\$100
	BFP 42	Bonded Flange, <b>PVC</b> Drain, 4" Throat, fits 2", 3", and 4" Outlet, 12" overall diameter	\$100

-See page 81 for information on connection types.


# Parts

	Model	Description	List
	UCP 2	Universal 2" Clamping Plate, 6 1/2" overall diameter x 2" throat. Allows adaptation to hot mop type drain bodies; Oatey 151, E2 test, and Frank Pattern Instant Set. Works with 2" threaded nipples TNAS + S50 in S series + FX series products (except FX 125).	\$95
	UCP 4	Universal 4" Clamping Plate, 8" overall diameter x 4" throat. Allows adaptation to Zurn, Smith, Wade, Watts, Mifab, and Josam type 8" diameter clamping drain bodies for TD 15 +TD 20.	\$150
	ERB	Eccentric Reducer Bushing 4"x 2". Allows adaptation from 4" throat to 2" with use of UCP4.	\$95
	TNAS	2" Threaded Nipple - Straight Thread. Threaded nipple all stainless steel standard 2" diameter nipple for S-AS 65, S-DGAS 65, S-TIFAS 65 and all FX series except FX 125.	\$45
	TNAS-T	2" Threaded Nipple - Tapered Thread. Threaded nipple all stainless steel standard 2" diameter nipple to fit into FIP pipe.	\$55
	TNRN	2" Threaded Nipple - Straight threaded rescue nipple. Stainless steel 3" extension for S-AS 65, S-DGAS 65, S-TIFAS 65 and all FX series except FX 125.	\$75
	TNRN-P	PVC Thread Nipple extends 2 3/8" to the S50 or TNAS nipple.	\$40
	TN4A	4" Thread Nipple - Straight Thread. All stainless steel, 4" diameter for FX 125 series	\$200
	TKEY	Lift-out key for S-TIF, S-TIFAS, FXTIF, TD 15, TD 20, TD 50 Series	\$5
	ST 65	Placement Brackets - Allows FF + FT 65 series products to recess 3/4" into subfloor.	\$50
	ST 125	Placement Brackets - Allows FF 125 series products to recess 1" into subfloor.	\$55
	ME 96 SS ME 96 PS	Tile Edge Profile for FF + FT installations. 3/8 x 5/8 x 96"	\$75 \$85
	HS 2	2" Hair Strainer for all S + F series	\$12
	HF 2	2" Hair Strainer for FF series	\$12
	HS 4	4" Hair Strainer for TD series	\$20


# Tub to Shower Conversion Complete System





- Pre-pitched floor system easily converts standard 60" x 32" tub to shower.
- Kit includes 32" Linear Drain, Pre-pitched 66"x 32" Floor, Curb, Sealant, and 1 Gallon of Laticrete. Hydroban waterproofing. Floor length can be cut on site.
- Complete system saves installation time.
- Lightweight high density polystyrene pre-installed with waterproofing.
- Approved shower receptor per IAPMO PS-46 waterproofing ANSI 118.10.

## Complete Kit (tile not included)



## Installation Illustration



Description	Model	Finish	Lbs	List
 <b>Complete Kit Includes:</b> 1 - 66" x 34" Pre-Pitched Shower Pan 1 - FFED 2532 Linear Drain Assembly 1 - 66" x 4" x 4" Curb & Adhesive 1 - 1 Gallon Hydro Ban Waterproofing (50 sqft.)	<b>PED 2532 SS</b> <b>PED 2532 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	11	\$1560 \$1610
 <b>Complete Kit Includes:</b> 1 - 66" x 34" Pre-Pitched Shower Pan 1 - FFAS 6532 Linear Drain Assembly 1 - 66" x 4" x 4" Curb & Adhesive 1 - 1 Gallon Hydro Ban Waterproofing (50 sqft.)	<b>PED 6532 SS</b> <b>PED 6532 PS</b> <b>PED 6532 ORB</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless Oil Rubbed Bronze	11	\$1525 \$1620 \$1620
 <b>Complete Kit Includes:</b> 1 - 66" x 34" Pre-Pitched Shower Pan 1 - FFAS 2532 Linear Drain Assembly 1 - 66" x 4" x 4" Curb & Adhesive 1 - 1 Gallon Hydro Ban Waterproofing (50 sqft.)	<b>PAS 2532 SS</b> <b>PAS 2532 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	12	\$1900 \$2000
 <b>Complete Kit Includes:</b> 1 - 66" x 34" Pre-Pitched Shower Pan 1 - FFTIF 6532 Linear Drain Assembly 1 - 66" x 4" x 4" Curb & Adhesive 1 - 1 Gallon Hydro Ban Waterproofing (50 sqft.)	<b>PTIF 6532 SS</b> <b>PTIF 6532 PS</b>  9 GPM PER OUTLET*	Satin Stainless Polished Stainless	12	\$1595 \$1625

\*See page 82 for information on flow rates. For other grates contact Infinity Drain directly.

# Waterproofing & Adhesive

Infinity Drain's Site Sizeable (S), Fixed (FX) and Tile Drain (TD) Series work with traditional waterproofing products (i.e. PVC Vinyl Liner, CPE Membrane, Lead Pan and Hot Mop) and install with a standard clamp down shower drain assembly.

Infinity Drain's Fixed Flange (FF), Side Outlet (FT) and Tile Drain Bonded Flange (TDB) Series include a bonded flange and install per IGC. 195-2010. For these installations, we offer the Hydroban™ waterproofing system, by Laticrete®, available in 1 and 5 Gallon containers.



- 1 Gallon covers 50 square feet of waterproofing (2 coats)

- 5 Gallons covers 250 square feet of waterproofing (2 coats)



Waterproofing/Anti-Fracture Membrane Fabric is used on coves and wall transitions.

See pages 82 and 83 for more information on waterproofing.






Please visit [www.laticrete.com](http://www.laticrete.com) for additional information and to view installation video.

NET PRICING					
Waterproofing	Kits	Model	Size	Lbs	Net
	Hydroban™ Waterproofing*	Z LAT 1	1 Gallon Pail (covers 50 sq. ft)	15	\$75 Net
		Z LAT 5	5 Gallon Pail (covers 250 sq. ft)	59	\$275 Net
*Non-hazardous material					
	Waterproofing/ Anti-Fracture Membrane Fabric	Z LAT F	6" x 75' Roll	8 oz.	\$20 Net
		For coves, corners, and wall/floor transitions greater than 1/8" (3mm)			

Adhesive used for Stainless Steel to Stainless Steel Assemblies: S-AS 65, S-AS 99, S-TIFAS 65, S-TIFAS 99 and All FX Series.

Adhesive	Adhesive & Sealant	Model	Size	Lbs	Net
 *	Sikaflex 1a Construction Sealant* (Limestone color to match stainless steel)	<b>Z SIKA</b>  * Non-Hazardous Material	10.1 fl oz tube	1	\$14 Net
	*Non-hazardous material				

# Displays

Display Options	Description	Model	Lbs	Net
	Full Display Board 32"w x 48"h	IDFB	55	\$550 Net
	Half Display Board 32"w x 18"h	IDHB	30	\$295 Net
	10" Sample Kit with PVC Clamp Down	ID 10	5	\$100 Net
	Tile Drain Sample TILED with Cast Iron Clamp Down Drain Body	ID TD 15 (5" x 5")	12	\$150 Net
		ID TD 20 (7 7/8" x 7 7/8")	15	\$200 Net
	LT5-2 Tile Drain Sample TILED (Strainer only)	ID LT5-2 (5" x 5")	5	\$45 Net

# Appendix

## Linear Drain Anatomy:

See Glossary for definition of terms.




Fig. 1

## Mechanical "Clamp Down" Drain Body Anatomy:




Fig. 2

**Residential Clamping Floor drains:** The manufacturers of this type of drain, including Oatey™, Sioux Chief™, Jones Stevens™, and Pro Flo™ share a common 2" drain & throat and four-bolt pattern. Infinity Drain makes the UCP 2 to adapt to a three-bolt pattern for hot mop type drain bodies. (see pg 76)

**Commercial Floor Drains:** Manufacturers Zurn™, Smith™, Watts™, and Wade™ DO NOT share a common drain throat or bolt pattern. For retro fitting the TD Series to an existing drain body, Infinity Drain makes the UCP 4 to adapt. (see pg 76)

### Drain Material:

Infinity Drain uses 304 and 316 type Stainless Steel for all grates. Wedge Wire is 316 Stainless Steel and most perforated grates are 304 Stainless Steel, 16 gauge. All channels are stainless steel, except the following series, which use PVC Channels:

PVC Channel Series- All other series are 100% stainless steel.

S-AG 38	S-DG 38	S-TIF 65
S-AG 65	S-DG 65	S-AG 100



## Drain Connections:

Infinity Drain's Site Sizeable (S) and Fixed (FX) Series install with a clamp down floor drain made of PVC, ABS, or Cast Iron material. PVC and ABS connections are "slip fit." Most common cast iron connections are "No Hub." Infinity Drain's Fixed Flange (FF) and Side Outlet (FT) are a "No Hub" installation. Some installs may require a specialty connection, i.e. threaded, inside caulk, or side outlet. Outdoor connections are generally direct (no hub or slip) to the waste pipe.

## Connection Types:






	<p><b>No Hub (Mechanical Joint):</b> The same pipe diameter connects to exactly the same pipe diameter. The two pipes are connected by a rubber coupling (Fernco™).</p>
	<p><b>Threaded or FIP (female iron pipe):</b> Female threaded drain body connects to a male threaded pipe (NPT - National Pipe Thread Taper).</p>
	<p><b>Inside Caulk</b> The drain outlet fits over the waste pipe. It is then packed with an oakum, which is further sealed using molten lead.</p>
	<p><b>Slip Fit or Socket Fit:</b> A "solvent weld" for PVC and ABS. The drain and waste are primed (cleaned) then glued together using a material specific glue. It is called a solvent weld because the actual molecular structure changes and becomes one piece of material. Code usually requires PVC to PVC or ABS to ABS only. <b>This is a common connection for plastic fittings.</b></p>
	<p><b>Side Outlets</b> A drain body with a horizontal side connection. ID offers the FT Side Outlet series and a clamp down floor drain version with and without an integral trap. (See page 75)</p>

Fig. 3

# Appendix

---

## Flow Rates:

There are many variables that influence flow rates and how drains perform. Our listed GPM (gallons per minute) on Infinity Drain products are based on having a "head of water" that is traveling a ½" high. Different head heights will change flow rate. Without calculating a specific install, use our flow rate as a **general** guideline. The following variables below should be considered when choosing and locating a linear drain.

### Variables to consider:

- What is flow rate of the shower valve? (i.e. how much water is being drained?)
- Are there multiple shower valves?
- What is the water pressure or PSI of the site location?
- How many water features? (i.e. showerheads, hand shower, body sprays, etc.?)
- Will the fixtures operate at the local plumbing code's legal gallons per minute?
- Will the flow restrictors be removed from the fixtures?

The answers to the above questions fall into the equation of determining the proper type of drain, outlets necessary, and location of the drain. These variables can vary drastically from installation to installation, and because of this, it is difficult to have an absolute flow rate. Most US residential installations use a 2" waste line, which has an average capacity of 9 GPM at ½" head of water, assuming proper venting. Adding additional 2" outlets and tying them to a 3" waste line will significantly increase the flow rate to 21 GPM. Infinity Drain's 3" outlet products have an average capacity of 21 GPM.

Infinity Drain products that achieve a higher flow rate without adding a second outlet:

<b>S-DGAS 99</b>	<b>S-TIF AS 99</b>	<b>S- AS 99</b>
<b>FX 125</b>	<b>FF 125</b>	<b>TD 20-3</b>





## Outlets:

Infinity Drain products are intended for both indoor and outdoor use. For indoor installations, we recommend an outlet every 30". For example, on a 60" length drain, if the outlet is centered, it is considered to have 30" on either side. In the same example, if the outlet is offset 5" to one side, we would recommend a secondary outlet, especially for a threshold installation. Our 72", 80", and 96" kits come standard with two outlet assemblies. Site Sizeable (S) Series can add additional outlet components to the kit. We can custom fabricate the FX, FF, and FT linear drain series with multiple outlets. Outdoor installations: Outlet frequency is dependent on drain application and geographic location. Please contact us with questions regarding your specific installation.

## Waterproofing:

The type of waterproofing can help determine which linear drain series (S, FX, FF, FT) to specify. If using a traditional type of waterproofing, the professional will typically build a shower pan (wet waterproofed area) with PVC, Vinyl, Lead, Hot Mop, Copper or Fiberglass material. Infinity Drain's S, FX, and TD Series are recommended. If using a modern type of waterproofing such as liquid or a fabric install, the professional can more easily waterproof over a greater floor area to build a barrier free or zero threshold installation. Infinity Drain's FF, FT, and TDB Series are recommended for this type of waterproofing.

## Common methods using a clamp down floor drain (Fig. 12 to 17):

	<p><b>PVC Membrane/Vinyl Liner (Polyvinyl Chloride):</b> A plastic sheet available at most plumbing suppliers and sold in rolls of 4', 5' and 6'. The membrane is layered between mortar beds and the corners are folded to create the shower pan liner. If the shower pan area is larger than the roll dimension, it must be seamed or joined together. Tile cannot bond directly to this type of waterproofing.</p>
	<p><b>Lead Pan/Copper Pan:</b> A metal sheet that is formed to create the shower pan area. The membrane is layered between mortar beds and the corners are folded to create the shower pan liner. If the shower pan area is larger than the sheet dimension, the lead material must be welded together. This install is more common in metropolitan areas where code may require a metal pan. Tile cannot bond directly waterproofing.</p>
	<p><b>CPE Membrane (Chlorinated Polyethylene):</b> A rubber sheet available at most plumbing suppliers and sold in rolls 4', 5' and 6'. The membrane is layered between mortar beds and corners are folded to create the shower pan liner. If the shower pan area is larger than the roll dimension, it must be seamed or joined together. Tile cannot bond directly to waterproofing. CPE Membrane is also branded as Chloraloy™ by Noble.</p>
	<p><b>Hot Mop (Tar):</b> Heated liquid tar is applied or "mopped" on the shower area to create the shower pan and is similar to waterproofing a roof with tar. This installation is most common in California. Similar to fiberglass waterproofing.</p>

## Methods using a bonded flange (Fig. 18 and 19):



	<p><b>Liquid:</b> Roll or paint-on liquid membrane that can be applied on floors, walls, and ceilings and bonds directly to the drain flange. The total install time is shorter than traditional waterproofing methods and typically saves 2 to 3 days. Infinity Drain recommends and offers Hydroban™ waterproofing by Laticrete™. Hydroban™ is a self-curing product that is ready for flood testing in 2 to 5 hours. Tile can bond directly to waterproofing.</p>
	<p><b>Fabric Sheet:</b> Sheet membrane that bonds directly to the drain flange with an adhesive and is sold in most tile suppliers. Corners (in and out) are available to avoid folding. If the shower pan area is larger than the roll dimensions, it must be seamed or joined together. Tile can bond directly to waterproofing.</p>

Fig. 4

# Appendix

## Care & Maintenance:

Infinity Drain's stainless steel linear drain top grates are made of 304 or 316 stainless steel depending on components and Series. This material is non-porous, hygienic, rust-free and extremely durable. Bar Keepers Friend® and Soft Scrub® are commonly available products that can be used to protect and clean your Satin Stainless drain cover. For Polished Stainless, Matte White, Matte Black, and Oil Rubbed Bronze we recommend a mild soap and a soft cloth for cleaning. DO NOT use any abrasive cleaners, scrub pads or allow household cleaning agents, such as bleach, sit on your drain cover for a long period of time. Stainless steel does not rust. External factors may have caused "surface" rust which can be removed using Barkeepers Friend® or Soft Scrub® with Bleach. Always follow the directions on the bottle.




Fig. 5

## IMPORTANT NOTE:

The particulars of any drain installation depend on a number of variables: site conditions, waterproofing, and type of install. Whether it is a barrier threshold (curb), or barrier free (curbless/zero threshold) installation, Infinity Drain has provided general guidelines below to assist in determining the correct product choice for your project. Always use a licensed professional when installing our products. Please contact us with questions regarding your specific installation.

## Site Conditions:

Whether it is a renovation or new construction, choosing where to locate a linear drain is contingent on the waste line location, which may be predetermined or already installed. Moving a waste line may be possible, depending on site conditions. Infinity Drain's Site Sizeable (S) Series provides flexibility during the installation process by allowing the outlet to be placed anywhere along the channel run. Always consult with a licensed professional.

## Locating Linear Drains

A linear drain allows for the use of larger format floor tile and the ability to pitch the floor in one direction. This offers an advantage from the traditional center drain installation, where the floor must slope in four directions in order to properly drain the water.

## TYPE OF INSTALL:

### Wall-to-Wall (Fig 6 and 7)

One way to ensure proper drainage is to install the linear drain from wall-to-wall. The challenge of this installation is that it requires an exact dimension. Infinity Drain offers a solution to this issue with the Site Sizeable (S) Series, which allows for "site sizing" the length of the drain by cutting the grate and channel to the exact finished wall-to-wall dimension. Infinity Drain's FX, FF, & FT series can be custom fabricated for the exact desired length and outlet location.

### Against a Wall (length of drain) (Fig 8)

Infinity Drain's Fixed Flange (FF, bottom outlet and Side Outlet FT, horizontal or side outlet) Series are designed for flush *against the wall* installations. These series are intended for use with liquid or fabric type waterproofing to tie into the wall board. They are available with a center outlet location and in set lengths of 24", 32", 36", 42", 48", and 60." Custom sizes and outlet locations are available. See fig 18 and fig 19 on page 90 for installation details.

The (S) Site Sizeable and Fixed (FX) Series require a traditional clamping drain body for PVC Liner, Chloroloy, Lead Pan, Copper, Fiberglass, and Hot Mop type waterproofing. The diameter of the clamp down drain body creates a challenge for flush *against the wall* installations. If using these series Infinity Drain recommends three options to help properly achieve *against the wall* installations:

1. Install a strip of flooring material between the drain and wall (See fig. 12, pg. 87).
2. Build out the back wall with a double layer of wall board (See fig. 13, pg. 87 and fig. 14, pg. 88).
3. Use the FF or FT series for exact against the wall installation (See fig 18 and fig 19 pg. 90).

### Curb or Curbless (Fig 8, 9, and 10)

Deciding between a barrier threshold (curb) or barrier free (curbless) installation is critical when a linear drain is being considered. Please consult a licensed professional when determining which installation is possible. Please see Barrier Free on next page for more information.



**Fig 6**

S-AS 65 finished wall-to-wall with build out. See fig. 14 pg. 88 for installation details.



**Fig 7**

S-AG 38 installed NOT wall-to-wall. If the drain does not finish wall-to-wall the remaining area must have flooring material on either side and have pitch back to the drain.



**Fig 8**

Against the wall installation with the FFAS 65 series, (fig 18 pg. 90).

# Appendix

## Threshold Installation (Fig 9 and 10)

For threshold installs, we recommend the drain run exactly wall-to-wall to block any water from leaving the shower or wet area. We do not recommend thinner or tile-in type drains for threshold installations due to the lack of channel width needed to sufficiently catch the water.

Infinity Drain Series that are

**NOT recommended** for threshold installation:

- |              |            |
|--------------|------------|
| • S-AG 38    | • FFDG 25  |
| • S-DG 38    | • FFAS 25  |
| • S-TIFAS 65 | • FFTIF 65 |
| • S-TIF 65   | • FTED 25  |
| • S-TIFAS 99 | • FTDG 25  |
| • FXTIF 65   | • FTAS 25  |
| • FFED 25    | • FTTIF 65 |

## Barrier Free Installation (Fig 9 and 10)

Installing a shower drain without a curb, barrier, or threshold creates a seamless look with easy accessibility to the wet area. To achieve an ideal installation, floor heights should be equal between the shower area (wet area), outside the shower (dry area), and next room. Specific conditions will determine what is involved. The FF and FT offer the lowest overall heights (1 1/16" and 1 3/16"). In addition, we offer a product (ST 65 - pg 76) to allow channel to recess into subfloor an additional 3/4" leaving total height at 5/16". The dry side of the shower should have a slight pitch towards the linear system to ensure proper drainage. The entire wet and dry floor area should be waterproofed. Infinity Drain recommends working with a licensed professional who is familiar with local codes and installation requirements.

## Center Pitch Installation (Fig 11)

A center pitch installation places the drain in the middle of the wet area. The floor is pitched in four directions towards the drain. The type of waterproofing used is either the traditional method with a clamp down floor drain, like Infinity Drain's TD Series or a liquid/fabric sheet membrane with a Bonded Flange drain body, like Infinity Drain's TDB Series.



**Fig 9**

Threshold installation using the S-AS 65 demonstrates an exact wall-to-wall barrier free installation.



**Fig 10**

Threshold Installation FFED 65 where the entire bathroom is waterproofed. The dry side is slightly pitched towards the linear drain.



**Fig 11**

Tile Drain Series: Center Pitch Installation

S-AG 38 Series (No Build Out)

Installation (S) Site Sizeable  
S-AG38 shown- Standard Waterproofing




Fig. 12

S-AG 38 Series (Wall Build Out)




Fig. 13

# Appendix

## S-AS 65 Series (Wall Build Out)




Fig. 14

## S-AS 65 Series with Side Outlet (Wall Build Out)




Fig. 15



## FXED 65 (Threshold Installation)




Fig. 16

## TD 15 (Center Pitch Installation)




Fig. 17

# Appendix

## FFED 65 (Against Wall)




Fig. 18

## FTED 65 (Against Wall)




Fig. 19

# Glossary

<b>ABS</b>	Type of plastic used for waste and drain fittings. Acrylonitrile butadiene styrene, commonly abbreviated ABS. Usually black in color.
<b>ABS Primer / Glue</b>	Primer - Substance used to prep or clean pipe prior to gluing (see solvent weld). ABS Glue is specifically used for ABS to ABS connections.
<b>ADA Shower</b>	A shower that meets requirements set by the Americans with Disabilities Act. Specific standard to floor drains requires the threshold or barrier transition to be no greater than 1/2" high.
<b>Barrier Free Shower</b>	A shower area without a curb or threshold to step over. Also called curbless.
<b>Bolt Pattern</b>	Top ring of a clamp down floor drain. Bolt patterns can vary by drain manufacturer. ID makes universal clamping plates to accomodate exsisting clamping floor drains. (see UCP 2 and UCP 4 pg 76)
<b>Bonded Flange</b>	A drain body used for liquid membrane or fabric sheet waterproofing.
<b>Cast Iron</b>	A ferrous type of iron used in plumbing for waste pipes and drain bodies.
<b>Center Pitch (4-Way Pitch)</b>	Traditional tiled shower floors are pitched towards the center in four directions to allow proper drainage. If not pitched properly, water pools in areas of the shower.
<b>Channel</b>	The bottom portion of a linear drain. Also called trench, trough, channel body.
<b>Clamp Down Floor Drain</b>	Type of mechanically fastening floor drain that allows you to "clamp down" a PVC liner, Chloraloy liner, Lead Pan, Copper Pan, Fiberglass, or Hot Mop waterproofing methods.
<b>Curb</b>	Dam built to contain a shower area. Code specifies a minimum of 2" and a maximum 9" above the elevation of the finished drain.
<b>Drain Connection Types</b>	Method in which the drain body connects to waste line. (see No Hub, FIP, Inside Caulk and Slip Fit Connection)
<b>End Caps</b>	Component used to close the end of a channel assembly. PVC for S-AG, S-DG, and S-TIF Series. Stainless Steel for S-AS, S-DGAS, and S-TIFAS Series.
<b>FIP</b>	Female Iron Pipe - A female iron connection with a tapered thread that thins out to the end of the pipe. When tightened, the ever-decreasing thread depth makes the connection watertight.
<b>Fixed (FX)</b>	ID product series that is "Fixed" with a straight edge channel. Fixed models cannot be modified on site. This product uses "Traditional" waterproofing methods.
<b>Fixed Flange (FF)</b>	ID product series that is "Fixed" with a "Flanged" channel and bottom outlet. Fixed models cannot be modified on site. This product uses "Modern" waterproofing methods.
<b>Fixed Tunnel (FT)</b>	ID product series that is "Fixed" with a "Flanged" channel and side outlet. Fixed models cannot be modified on site. This product uses "Modern" waterproofing methods.
<b>Floor Pitch / Slope</b>	Floor height change to allow proper drainage. Standard pitch is 1/4" (2% slope) per foot and not more than 1/2" (4% slope) per foot towards the drain. International pitch 1/8" (1%) per foot.
<b>Flow Rate</b>	Amount of water that passes the through the drain at the outlet. Calculated in gallons per minute (GPM).

# Glossary

---

<b>GPM</b>	Gallons Per Minute
<b>Grate</b>	The decorative top portion of a linear drain. Also called top grate, strainer, top grid, drain cover.
<b>Grate Free Area (GFA)</b>	Total area not covered by the grate. Calculated by determining area of opening on the top grate/strainer multiplied by the number of openings.
<b>Head of water</b>	The total energy at a given point in a fluid. Expressed in units of height.
<b>Hot Mop</b>	Waterproofing technique using liquid hot tar that cools to become a waterproof shower pan.
<b>Inside Caulk</b>	Type of floor drain connection that fits over the waste pipe. It is packed with an oakum and is further sealed using molten lead.
<b>Joiners</b>	Straight or 90 degree joiners used to connect channel lengths together. PVC for S-AG, S-DG, and S-TIF Series. Stainless Steel for S-AS, S-DGAS, and S-TIFAS Series.
<b>Modern Waterproofing</b>	Liquid membrane or fabric sheet waterproofing methods. Waterproofing is attached or painted onto the flange. Fixed Flange (FF), Flange Tunnel (FT), or Bonded Flange center drain.
<b>No Hub</b>	Type of floor drain connection where two pipes are connected with a rubber coupling (Fernco™).
<b>NPS</b>	Nominal Pipe Size (NPS) - North American set of standard sizes for pipes. Pipe size is specified with two non-dimensional numbers: diameter based on inches and a schedule (Sched. or Sch.) for pipe wall thickness.
<b>NPT</b>	National Pipe Thread Taper (NPT) - A U.S. standard for tapered threads used on threaded pipes and fittings.
<b>Outlet</b>	Open area where water exits the drain or channel.
<b>Outlet Section</b>	Component section of channel with a punch for the outlet. Specific to the S-AG 38, S-DG 38, S-AS 65, S-DGAS 65, and S-TIFAS 65 Series.
<b>Outlet Assembly</b>	Component section of channel that includes the outlet section welded to the threaded nipple for connection to the clamp down floor drain. Specific to the S-DGAS 99, S-AS 99, and S-TIFAS 99.
<b>PVC</b>	A type of plastic used for waste and drain fittings. Polyvinyl chloride, commonly abbreviated PVC. Usually white or gray in color.
<b>PVC Primer/ Glue</b>	Primer - Substance used to prep or clean pipe prior to gluing (see solvent weld). PVC Glue is specifically used for PVC to PVC connections.
<b>Rescue Nipple</b>	A longer version of the Threaded Nipple (3" vs. 2") used when the clamp down floor drain body is too deep in the subfloor.
<b>Rubber Coupling</b>	A tubular flexible rubber device that joins two pipes together by tightening fastening clamps to create a watertight connection. Used to make a "No Hub" connection. Also known as a Fernco™.
<b>Shower Pan</b>	Waterproofed area in a shower enclosure.

# Glossary

<b>Side Outlet</b>	An outlet that is horizontal going parallel to the floor. Used to move waste lines with limited flexibility on site.
<b>Single Plane Pitch</b>	Shower floors pitched in one plane towards the linear drain channel. Used instead of a four-way pitch, common for a center drain.
<b>Site Sizeable (S)</b>	ID product series that can be cut to length on site as well as locate the outlet anywhere on the channel run.
<b>Slip Fit Connection</b>	Type of floor drain connection for PVC and ABS fittings. One piece “slips” into the other snugly and is sealed (solvent weld) using appropriate glue type (ABS Glue or PVC Glue).
<b>Solvent Weld</b>	A molecular bond that fuses plastic to create a watertight seal. The fitting is primed (cleaned) then glued (welded) together using a material specific glue (ABS Glue or PVC Glue).
<b>Stainless Steel</b>	A steel alloy used to make Infinity Drain grates and channels. Defined as a steel alloy with a minimum of 10.5% to 11% chromium content by mass.
<b>Strainer</b>	The decorative top portion of a drain. The overall dimension and shape may vary. The critical dimension to connect to the drain body is the strainer throat size.
<b>Strainer Throat</b>	A threaded male connection from the strainer. Threads into a drain body.
<b>Sub-Floor</b>	The material below a finished floor. Generally plywood or concrete.
<b>Threaded Nipple</b>	A threaded cylinder used to connect the linear drain channel to the clamp down floor drain.
<b>TIF</b>	Tile Insert Frame - A decorative grate that has an open area to add finished flooring material. Water drains into the channel via a 1/4” gap on all sides.
<b>TIF Plates</b>	A set of stainless steel plates used to reconnect shortened segments of a tile insert frame grate. Included in Site Sizeable S-TIF and S-TIFAS Series complete kits.
<b>Tile Drain</b>	ID center pitch drain that allows tile to be placed inside the center frame. TD, TDB, LTD, RTD Series.
<b>Top Ring/ Drain Throat</b>	A threaded female connection top ring that bolts to body of clamp down floor drain. Infinity Drain offers universal clamping plates to accommodate existing floor drains. (see UCP 2 and UCP 4 pg 75)
<b>Traditional Waterproofing</b>	PVC liner, Chloraloy liner, Lead Pan, Copper Pan, Fiberglass or Hot Mop waterproofing methods with a clamp down floor drain.
<b>Wall Build-Out</b>	Adding additional backer board and/or packing out a wall with additional material to create a flush against the wall installation for the Site Sizeable (S) and Fixed (FX) Series. (See Fig 13 + 14)
<b>Wedge Wire</b>	A high grade 316 stainless steel, welded, longitudinal decorative grid grate used on the S-AS, S-AG, FXAS, FFAS, and FTAS Series.
<b>Weep Holes</b>	Holes on a clamp down floor drain intended to “weep” away water below a tiled floor. During installation it is important these do not get clogged by mortar or thinset.

# Terms & Conditions

---

<b>Currency</b>	Unless otherwise indicated, all dollar amounts referred to in these terms and conditions are in United States funds for sales in North America.
<b>Limited Lifetime Warranty</b>	This Limited Lifetime Warranty is extended only to the original purchaser of the unit under warranty and is valid only when bought through and registered by an authorized Infinity Drain retailer.
<b>Exclusions</b>	The above-stated limited lifetime warranty applies as long as damage is not caused by an accident, abuse, misuse, fire, insects, use of abrasive products or an act of God. Transport, handling or installation damages are also excluded. Any part that must be changed during the warranty period will be covered by the original warranty or for a two (2) year period following replacement, according to the first contingency.
<b>Procedure</b>	Any defect involving the manufacturer's liability shall be reported to Infinity Drain within ten (10) days of its occurrence. Drains claimed to be defective shall be held until inspected by an authorized representative of Infinity Drain, and upon their specific instructions, drains found to be defective will be repaired and replaced at Infinity Drain's choice. The liability of Infinity Drain with respect to the sale of this drain shall be limited to repair or replacement by a similar product as provided above and does not include any cost of removal, reinstallation, transport of defective product, loss of time, salary or any other expenses as well as any consequential damages of any kind. Infinity Drain and its representatives shall not be held liable for any injury, loss, cost or other damage, whether consequential or incidental, that arise from any defect covered under this limited warranty, even if Infinity Drain has been advised of the possibility of such damage.
<b>Limitations</b>	This Limited Lifetime Warranty replaces all other warranties, expressed or implied, in face or at law, including implied warranties of merchantability and fitness for a particular purpose. The terms of this limited warranty cannot be modified or extended in any way whatsoever by any agent, dealer, distributor, service company or other party other than Infinity Drain.
<b>Legal Rights</b>	This Limited Warranty gives specific legal rights and is not applicable if it interferes with any law or regulation in any state, province or country.
<b>Claims and Returns</b>	All claims for damages and shortages must be reported to Infinity Drain in writing within 5 days after delivery. Returned goods will not be accepted without written authorization. Returns will not be accepted unless an RGA number from Infinity Drain is clearly marked on each box. RGA numbers are valid for 30 days from issue date. All items will be subject to inspection. All items must be returned in original condition. A minimum of 25% or \$25.00 (whichever is greater) will be imposed as a restocking charge. All returned goods must be shipped freight prepaid.
<b>Modifications</b>	Infinity Drain reserves the right to change, without notice, the models, the specifications and the price of its products.

# Terms & Conditions

---

<b>Payment Terms</b>	The Payment Terms are net thirty (30) days from the date of issuance of the invoice. Interest charges of one point five percent (1.5%) per month, eighteen percent (18%) per year, will be charged on all past due accounts. Administrative fees of fifteen percent (15%) will be added to the interest charges on all overdue accounts when payment is obtained through a collection agency.
<b>Merchandise Ownership</b>	Infinity Drain will remain the owner of all products sold to Dealer until full and final payment of the invoice is received by Infinity Drain. Until such time that an invoice is paid in full, the Dealer must take reasonable care of the Infinity Drain merchandise and will be held responsible for all losses and damages when in possession of the merchandise so long as Dealer is solvent. Upon request of Infinity Drain, the Dealer must provide proof of insurance to Infinity Drain. In the event that one of the parties files for bankruptcy, standard security interest priorities will apply.
<b>Advising Obligations</b>	Dealer agrees to advise Infinity Drain, without delay, of all seizures, losses or damages that involve any Infinity Drain products in Dealer's inventory for which Infinity Drain has not been paid in full.
<b>Intellectual Property Rights</b>	Dealer acknowledges that all intellectual property rights regarding Infinity Drain's business, activities, products, and promotional material, and any technology pertaining thereto, are the sole property of Infinity Drain. Dealer agrees to limit its use of Infinity Drain's intellectual property rights to only those uses expressly authorized by Infinity Drain. Dealer agrees to promptly and fully inform Infinity Drain of any infringement or alleged infringement of any Infinity Drain intellectual property right by any person, including any competitor of Infinity Drain, of which Dealer may become aware.
<b>Restocking Charges</b>	Merchandise may not be returned for any reason without prior written consent from Infinity Drain. Infinity Drain reserves the right to refuse a return on a non-standard drain. Products returned for any reason other than Infinity Drain's error will be subject to a twenty-five percent (25%) restocking and handling charge on the Dealer's base net price, in addition to all applicable charges for labor, materials and/or freight. Product may be returned up to 90 days from date of receipt. Product must be received within 30 days from the RGA date of issue.
<b>Collection Charges</b>	In the event that any payment due to Infinity Drain hereunder is collected at law through and attorney-at-law, or under advice there from, or through a collection agency, Dealer agrees to pay all costs of collection, including, without limitation, all court costs, reasonable attorney's fees and/or collection agency fees.
<b>Freight Charges</b>	Freight charges apply to drains, as well as residential, commercial and construction site drop shipments. Other shipping charges such as re-consignment, redelivery and storage charges may apply when requested by a dealer or customer. Please contact Infinity Drain order desk for applicable fees.

# Price Sheet

SKU	LIST	SKU	LIST	SKU	LIST
A 10048 PS.....	\$1145	CI 2560 .....	\$210	EA 6524 ORB.....	\$160
A 10048 SS.....	\$845	D 3848 ORB .....	\$415	EA 6524 PS.....	\$160
A 3836 ORB.....	\$660	D 3848 PS.....	\$415	EA 6524 SS.....	\$95
A 3836 PS.....	\$660	D 3848 SS.....	\$265	EA 6532 ORB .....	\$195
A 3836 SS.....	\$530	D 3860 ORB .....	\$515	EA 6532 PS.....	\$195
A 3848 ORB.....	\$705	D 3860 PS.....	\$515	EA 6532 SS.....	\$160
A 3848 PS.....	\$705	D 3860 SS.....	\$365	EA 6536 ORB .....	\$240
A 3848 SS.....	\$555	D 6548 ORB .....	\$460	EA 6536 PS.....	\$240
A 3860 ORB.....	\$855	D 6548 PS.....	\$460	EA 6536 SS.....	\$170
A 3860 PS.....	\$855	D 6548 SS.....	\$305	EA 6542 ORB .....	\$295
A 3860 SS.....	\$710	D 6560 ORB .....	\$625	EA 6542 PS.....	\$295
A 6536 ORB.....	\$880	D 6560 PS.....	\$625	EA 6542 SS.....	\$220
A 6536 PS.....	\$880	D 6560 SS.....	\$430	EA 6548 ORB .....	\$340
A 6536 SS.....	\$730	DA 2532 PS .....	\$195	EA 6548 PS.....	\$340
A 6548 ORB.....	\$925	DA 2532 SS.....	\$160	EA 6548 SS.....	\$260
A 6548 PS.....	\$925	DA 2536 PS .....	\$220	EA 6560 ORB .....	\$420
A 6548 SS.....	\$780	DA 2536 SS.....	\$170	EA 6560 PS.....	\$420
A 6560 ORB.....	\$1010	DA 2542 PS .....	\$275	EA 6560 SS.....	\$320
A 6560 PS.....	\$1010	DA 2542 SS.....	\$220	ERB.....	\$95
A 6560 SS.....	\$910	DA 2548 PS .....	\$320	F 100.....	\$10
BFA 22.....	\$100	DA 2548 SS.....	\$260	F 65.....	\$7.50
BFA 42.....	\$100	DA 2560 PS .....	\$395	FC 12532 SS .....	\$430
BFP 22.....	\$100	DA 2560 SS.....	\$320	FC 12536 SS .....	\$460
BFP 42.....	\$100	DA 6532 PS .....	\$195	FC 12542 SS .....	\$495
CDA 22.....	\$50	DA 6532 SS.....	\$160	FC 12548 SS .....	\$545
CDA 42.....	\$125	DA 6536 PS .....	\$240	FC 12560 SS .....	\$585
CDA 43.....	\$130	DA 6536 SS.....	\$170	FC 6524 SS.....	\$285
CDI 22.....	\$65	DA 6542 PS .....	\$295	FC 6532 SS .....	\$375
CDI 42.....	\$100	DA 6542 SS.....	\$220	FC 6536 SS.....	\$405
CDI 43.....	\$110	DA 6548 PS .....	\$340	FC 6542 SS.....	\$415
CDIC 22.....	\$65	DA 6548 SS .....	\$260	FC 6548 SS.....	\$430
CDIC 42.....	\$100	DA 6560 PS .....	\$420	FC 6560 SS.....	\$520
CDIC 43.....	\$110	DA 6560 SS .....	\$320	FCB 6524 SS.....	\$330
CDIQ 42.....	\$200	E 100 .....	\$5	FCB 6532 SS.....	\$420
CDIS 22.....	\$110	E 38 .....	\$3.75	FCB 6536 SS.....	\$450
CDIS 42.....	\$275	E 65 .....	\$3.75	FCB 6542 SS.....	\$460
CDIT 22.....	\$65	EA 2532 PS.....	\$195	FCB 6548 SS.....	\$475
CDIT 42.....	\$100	EA 2532 SS.....	\$160	FCB 6560 SS.....	\$565
CDIT 43.....	\$110	EA 2536 PS.....	\$220	FCH 6524 SS.....	\$340
CDP 22.....	\$50	EA 2536 SS.....	\$170	FCH 6532 SS.....	\$430
CDP 42.....	\$125	EA 2542 PS.....	\$275	FCH 6536 SS.....	\$460
CDP 43.....	\$130	EA 2542 SS.....	\$220	FCH 6542 SS.....	\$470
CI 2532.....	\$95	EA 2548 PS.....	\$320	FCH 6548 SS .....	\$485
CI 2536.....	\$120	EA 2548 SS.....	\$260	FCH 6560 SS .....	\$575
CI 2542.....	\$155	EA 2560 PS.....	\$395	FFAS 12532 PS .....	\$1525
CI 2548.....	\$200	EA 2560 SS.....	\$320	FFAS 12532 SS .....	\$1225



# Price Sheet

SKU	LIST	SKU	LIST	SKU	LIST
FFAS 12536 PS .....	\$1655	FFAS 6548 SS .....	\$1145	FFED 6542 ORB .....	\$710
FFAS 12536 SS .....	\$1355	FFAS 6548 WH .....	\$1295	FFED 6542 PS .....	\$710
FFAS 12542 PS .....	\$2040	FFAS 6560 BK .....	\$1495	FFED 6542 SS .....	\$635
FFAS 12542 SS .....	\$1740	FFAS 6560 PS .....	\$1495	FFED 6548 ORB .....	\$770
FFAS 12548 PS .....	\$1840	FFAS 6560 SS .....	\$1345	FFED 6548 PS .....	\$770
FFAS 12548 SS .....	\$1540	FFAS 6560 WH .....	\$1495	FFED 6548 SS .....	\$690
FFAS 12560 PS .....	\$2305	FFC .....	Call	FFED 6560 ORB .....	\$940
FFAS 12560 SS .....	\$1780	FFDG 2532 PS .....	\$665	FFED 6560 PS .....	\$940
FFAS 2532 BK .....	\$1040	FFDG 2532 SS .....	\$630	FFED 6560 SS .....	\$840
FFAS 2532 PS .....	\$1040	FFDG 2536 PS .....	\$745	FFMN 2532 BK .....	\$790
FFAS 2532 SS .....	\$895	FFDG 2536 SS .....	\$695	FFMN 2532 ORB .....	\$790
FFAS 2532 WH .....	\$1040	FFDG 2542 PS .....	\$845	FFMN 2532 PS .....	\$790
FFAS 2536 BK .....	\$1125	FFDG 2542 SS .....	\$790	FFMN 2532 SS .....	\$755
FFAS 2536 PS .....	\$1125	FFDG 2548 PS .....	\$950	FFMN 2532 WH .....	\$790
FFAS 2536 SS .....	\$995	FFDG 2548 SS .....	\$890	FFMN 2536 BK .....	\$995
FFAS 2536 WH .....	\$1125	FFDG 2560 PS .....	\$1125	FFMN 2536 ORB .....	\$995
FFAS 2542 BK .....	\$1295	FFDG 2560 SS .....	\$1050	FFMN 2536 PS .....	\$995
FFAS 2542 PS .....	\$1295	FFDG 6532 PS .....	\$570	FFMN 2536 SS .....	\$845
FFAS 2542 SS .....	\$1195	FFDG 6532 SS .....	\$535	FFMN 2536 WH .....	\$995
FFAS 2542 WH .....	\$1295	FFDG 6536 PS .....	\$645	FFMN 2542 BK .....	\$1095
FFAS 2548 BK .....	\$1345	FFDG 6536 SS .....	\$575	FFMN 2542 ORB .....	\$1095
FFAS 2548 PS .....	\$1345	FFDG 6542 PS .....	\$710	FFMN 2542 PS .....	\$1095
FFAS 2548 SS .....	\$1245	FFDG 6542 SS .....	\$635	FFMN 2542 SS .....	\$945
FFAS 2548 WH .....	\$1345	FFDG 6548 PS .....	\$770	FFMN 2542 WH .....	\$1095
FFAS 2560 BK .....	\$1545	FFDG 6548 SS .....	\$690	FFMN 2548 BK .....	\$1210
FFAS 2560 PS .....	\$1545	FFDG 6560 PS .....	\$940	FFMN 2548 ORB .....	\$1210
FFAS 2560 SS .....	\$1395	FFDG 6560 SS .....	\$840	FFMN 2548 PS .....	\$1210
FFAS 2560 WH .....	\$1545	FFED 2532 PS .....	\$665	FFMN 2548 SS .....	\$1060
FFAS 6524 BK .....	\$895	FFED 2532 SS .....	\$630	FFMN 2548 WH .....	\$1210
FFAS 6524 PS .....	\$895	FFED 2536 PS .....	\$745	FFMN 2560 BK .....	\$1415
FFAS 6524 SS .....	\$755	FFED 2536 SS .....	\$695	FFMN 2560 ORB .....	\$1415
FFAS 6524 WH .....	\$895	FFED 2542 PS .....	\$845	FFMN 2560 PS .....	\$1415
FFAS 6532 BK .....	\$995	FFED 2542 SS .....	\$790	FFMN 2560 SS .....	\$1265
FFAS 6532 PS .....	\$995	FFED 2548 PS .....	\$950	FFMN 2560 WH .....	\$1415
FFAS 6532 SS .....	\$855	FFED 2548 SS .....	\$890	FFMN 6532 BK .....	\$810
FFAS 6532 WH .....	\$995	FFED 2560 PS .....	\$1125	FFMN 6532 ORB .....	\$810
FFAS 6536 BK .....	\$1095	FFED 2560 SS .....	\$1050	FFMN 6532 PS .....	\$810
FFAS 6536 PS .....	\$1095	FFED 6524 ORB .....	\$445	FFMN 6532 SS .....	\$660
FFAS 6536 SS .....	\$955	FFED 6524 PS .....	\$445	FFMN 6532 WH .....	\$810
FFAS 6536 WH .....	\$1095	FFED 6524 SS .....	\$380	FFMN 6536 BK .....	\$875
FFAS 6542 BK .....	\$1195	FFED 6532 ORB .....	\$570	FFMN 6536 ORB .....	\$875
FFAS 6542 PS .....	\$1195	FFED 6532 PS .....	\$570	FFMN 6536 PS .....	\$875
FFAS 6542 SS .....	\$1055	FFED 6532 SS .....	\$535	FFMN 6536 SS .....	\$725
FFAS 6542 WH .....	\$1195	FFED 6536 ORB .....	\$645	FFMN 6536 WH .....	\$875
FFAS 6548 BK .....	\$1295	FFED 6536 PS .....	\$645	FFMN 6542 BK .....	\$940
FFAS 6548 PS .....	\$1295	FFED 6536 SS .....	\$575	FFMN 6542 ORB .....	\$940

# Price Sheet

SKU	LIST	SKU	LIST	SKU	LIST
FFMN 6542 PS .....	\$940	FTAS 6524 PS .....	\$995	FTED 2536 PS.....	\$845
FFMN 6542 SS.....	\$790	FTAS 6524 SS .....	\$855	FTED 2536 SS.....	\$795
FFMN 6542 WH.....	\$940	FTAS 6524 WH .....	\$995	FTED 2542 PS.....	\$945
FFMN 6548 BK.....	\$1035	FTAS 6532 BK.....	\$1095	FTED 2542 SS.....	\$890
FFMN 6548 ORB .....	\$1035	FTAS 6532 PS .....	\$1095	FTED 2548 PS .....	\$1050
FFMN 6548 PS .....	\$1035	FTAS 6532 SS .....	\$955	FTED 2548 SS.....	\$990
FFMN 6548 SS.....	\$885	FTAS 6532 WH .....	\$1095	FTED 2560 PS .....	\$1225
FFMN 6548 WH.....	\$1035	FTAS 6536 BK.....	\$1195	FTED 2560 SS.....	\$1150
FFMN 6560 BK.....	\$1275	FTAS 6536 PS .....	\$1195	FTED 6524 ORB .....	\$545
FFMN 6560 ORB .....	\$1275	FTAS 6536 SS .....	\$1055	FTED 6524 PS.....	\$545
FFMN 6560 PS .....	\$1275	FTAS 6536 WH .....	\$1195	FTED 6524 SS.....	\$480
FFMN 6560 SS.....	\$1125	FTAS 6542 BK.....	\$1295	FTED 6532 ORB .....	\$670
FFMN 6560 WH.....	\$1275	FTAS 6542 PS .....	\$1295	FTED 6532 PS.....	\$670
FFTIF 6524 PS .....	\$495	FTAS 6542 SS .....	\$1155	FTED 6532 SS.....	\$635
FFTIF 6524 SS.....	\$475	FTAS 6542 WH .....	\$1295	FTED 6536 ORB .....	\$760
FFTIF 6532 PS .....	\$670	FTAS 6548 BK .....	\$1395	FTED 6536 PS .....	\$760
FFTIF 6532 SS .....	\$635	FTAS 6548 PS.....	\$1395	FTED 6536 SS.....	\$675
FFTIF 6536 PS .....	\$725	FTAS 6548 SS.....	\$1245	FTED 6542 ORB .....	\$810
FFTIF 6536 SS .....	\$675	FTAS 6548 WH.....	\$1395	FTED 6542 PS.....	\$810
FFTIF 6542 PS .....	\$800	FTAS 6560 BK.....	\$1595	FTED 6542 SS.....	\$735
FFTIF 6542 SS .....	\$750	FTAS 6560 PS.....	\$1595	FTED 6548 ORB .....	\$870
FFTIF 6548 PS .....	\$875	FTAS 6560 SS .....	\$1445	FTED 6548 PS .....	\$870
FFTIF 6548 SS .....	\$825	FTAS 6560 WH.....	\$1595	FTED 6548 SS.....	\$790
FFTIF 6560 PS .....	\$975	FTC.....	Call	FTED 6560 ORB .....	\$1040
FFTIF 6560 SS .....	\$925	FTDG 2532 PS.....	\$765	FTED 6560 PS .....	\$1040
FTAS 2532 BK.....	\$1140	FTDG 2532 SS .....	\$730	FTED 6560 SS.....	\$940
FTAS 2532 PS.....	\$1140	FTDG 2536 PS.....	\$845	FTMN 2532 BK.....	\$890
FTAS 2532 SS .....	\$945	FTDG 2536 SS.....	\$795	FTMN 2532 ORB .....	\$890
FTAS 2532 WH .....	\$1140	FTDG 2542 PS.....	\$945	FTMN 2532 PS .....	\$890
FTAS 2536 BK.....	\$1225	FTDG 2542 SS .....	\$890	FTMN 2532 SS .....	\$855
FTAS 2536 PS.....	\$1225	FTDG 2548 PS.....	\$1050	FTMN 2532 WH .....	\$890
FTAS 2536 SS .....	\$1095	FTDG 2548 SS.....	\$990	FTMN 2536 BK.....	\$1095
FTAS 2536 WH .....	\$1225	FTDG 2560 PS.....	\$1225	FTMN 2536 ORB .....	\$1095
FTAS 2542 BK.....	\$1395	FTDG 2560 SS.....	\$1150	FTMN 2536 PS .....	\$1095
FTAS 2542 PS.....	\$1395	FTDG 6532 PS.....	\$670	FTMN 2536 SS .....	\$945
FTAS 2542 SS .....	\$1295	FTDG 6532 SS .....	\$635	FTMN 2536 WH .....	\$1095
FTAS 2542 WH .....	\$1395	FTDG 6536 PS.....	\$760	FTMN 2542 BK.....	\$1195
FTAS 2548 BK.....	\$1445	FTDG 6536 SS.....	\$675	FTMN 2542 ORB .....	\$1195
FTAS 2548 PS.....	\$1445	FTDG 6542 PS.....	\$825	FTMN 2542 PS .....	\$1195
FTAS 2548 SS .....	\$1345	FTDG 6542 SS.....	\$735	FTMN 2542 SS .....	\$1045
FTAS 2548 WH .....	\$1445	FTDG 6548 PS.....	\$890	FTMN 2542 WH .....	\$1195
FTAS 2560 BK.....	\$1645	FTDG 6548 SS.....	\$790	FTMN 2548 BK.....	\$1310
FTAS 2560 PS.....	\$1645	FTDG 6560 PS.....	\$1065	FTMN 2548 ORB .....	\$1310
FTAS 2560 SS .....	\$1495	FTDG 6560 SS.....	\$940	FTMN 2548 PS .....	\$1310
FTAS 2560 WH .....	\$1645	FTED 2532 PS.....	\$765	FTMN 2548 SS .....	\$1160
FTAS 6524 BK.....	\$995	FTED 2532 SS.....	\$730	FTMN 2548 WH .....	\$1310

# Price Sheet

SKU	LIST	SKU	LIST	SKU	LIST
FTMN 2560 BK.....	\$1515	FXAS 12542 PS.....	\$1945	FXED 6548 ORB.....	\$730
FTMN 2560 ORB.....	\$1515	FXAS 12542 SS.....	\$1585	FXED 6548 PS.....	\$730
FTMN 2560 PS.....	\$1515	FXAS 12548 PS.....	\$2080	FXED 6548 SS.....	\$610
FTMN 2560 SS.....	\$1365	FXAS 12548 SS.....	\$1680	FXED 6560 ORB.....	\$890
FTMN 2560 WH.....	\$1515	FXAS 12560 PS.....	\$2305	FXED 6560 PS.....	\$890
FTMN 6532 BK.....	\$910	FXAS 12560 SS.....	\$1995	FXED 6560-SS.....	\$740
FTMN 6532 ORB.....	\$910	FXAS 6532 BK.....	\$955	FXMN 6532 BK.....	\$695
FTMN 6532 PS.....	\$910	FXAS 6532 PS.....	\$955	FXMN 6532 ORB.....	\$695
FTMN 6532 SS.....	\$760	FXAS 6532 SS.....	\$815	FXMN 6532 PS.....	\$695
FTMN 6532 WH.....	\$910	FXAS 6532 WH.....	\$955	FXMN 6532 SS.....	\$555
FTMN 6536 BK.....	\$975	FXAS 6536 BK.....	\$995	FXMN 6532 WH.....	\$695
FTMN 6536 ORB.....	\$975	FXAS 6536 PS.....	\$995	FXMN 6536 BK.....	\$760
FTMN 6536 PS.....	\$975	FXAS 6536 SS.....	\$845	FXMN 6536 ORB.....	\$760
FTMN 6536 SS.....	\$825	FXAS 6536 WH.....	\$995	FXMN 6536 PS.....	\$760
FTMN 6536 WH.....	\$975	FXAS 6542 BK.....	\$1195	FXMN 6536 SS.....	\$610
FTMN 6542 BK.....	\$1040	FXAS 6542 PS.....	\$1195	FXMN 6536 WH.....	\$760
FTMN 6542 ORB.....	\$1040	FXAS 6542 SS.....	\$1045	FXMN 6542 BK.....	\$830
FTMN 6542 PS.....	\$1040	FXAS 6542 WH.....	\$1195	FXMN 6542 ORB.....	\$830
FTMN 6542 SS.....	\$890	FXAS 6548 BK.....	\$1265	FXMN 6542 PS.....	\$830
FTMN 6542 WH.....	\$1040	FXAS 6548 PS.....	\$1265	FXMN 6542 SS.....	\$680
FTMN 6548 BK.....	\$1135	FXAS 6548 SS.....	\$1095	FXMN 6542 WH.....	\$830
FTMN 6548 ORB.....	\$1135	FXAS 6548 WH.....	\$1265	FXMN 6548 BK.....	\$900
FTMN 6548 PS.....	\$1135	FXAS 6560 BK.....	\$1445	FXMN 6548 ORB.....	\$900
FTMN 6548 SS.....	\$985	FXAS 6560 PS.....	\$1445	FXMN 6548 PS.....	\$900
FTMN 6548 WH.....	\$1135	FXAS 6560 SS.....	\$1295	FXMN 6548 SS.....	\$750
FTMN 6560 BK.....	\$1375	FXAS 6560 WH.....	\$1445	FXMN 6548 WH.....	\$900
FTMN 6560 ORB.....	\$1375	FXC.....	Call	FXMN 6560 BK.....	\$1275
FTMN 6560 PS.....	\$1375	FXDG 6532 PS.....	\$530	FXMN 6560 ORB.....	\$1275
FTMN 6560 SS.....	\$1225	FXDG 6532 SS.....	\$455	FXMN 6560 PS.....	\$1275
FTMN 6560 WH.....	\$1375	FXDG 6536 PS.....	\$585	FXMN 6560 SS.....	\$1065
FTTIF 6524 PS.....	\$630	FXDG 6536 SS.....	\$485	FXMN 6560 WH.....	\$1275
FTTIF 6524 SS.....	\$590	FXDG 6542 PS.....	\$655	FXTIF 6520 PS.....	\$510
FTTIF 6532 PS.....	\$795	FXDG 6542 SS.....	\$550	FXTIF 6520 SS.....	\$475
FTTIF 6532 SS.....	\$755	FXDG 6548 PS.....	\$730	FXTIF 6540 PS.....	\$830
FTTIF 6536 PS.....	\$885	FXDG 6548 SS.....	\$610	FXTIF 6540 SS.....	\$780
FTTIF 6536 SS.....	\$835	FXDG 6560 PS.....	\$890	FXTIF 6548 PS.....	\$995
FTTIF 6542 PS.....	\$925	FXDG 6560 SS.....	\$740	FXTIF 6548 SS.....	\$910
FTTIF 6542 SS.....	\$875	FXED 6532 ORB.....	\$530	FXTIF 6560 PS.....	\$1220
FTTIF 6548 PS.....	\$1015	FXED 6532 PS.....	\$530	FXTIF 6560 SS.....	\$1110
FTTIF 6548 SS.....	\$965	FXED 6532 SS.....	\$455	G 100108.....	\$140
FTTIF 6560 PS.....	\$1145	FXED 6536 ORB.....	\$585	G 10048.....	\$65
FTTIF 6560 SS.....	\$1095	FXED 6536 PS.....	\$585	G 10096.....	\$130
FXAS 12532 PS.....	\$1765	FXED 6536 SS.....	\$485	G 38108.....	\$110
FXAS 12532 SS.....	\$1365	FXED 6542 ORB.....	\$655	G 3836.....	\$45
FXAS 12536 PS.....	\$1885	FXED 6542 PS.....	\$655	G 3848.....	\$50
FXAS 12536 SS.....	\$1485	FXED 6542 SS.....	\$550	G 3860.....	\$70

# Price Sheet

SKU	LIST	SKU	LIST	SKU	LIST
G 3896.....	\$100	ID TDB 20.....	\$200NET	MA 2532 ORB .....	\$320
G 65108.....	\$120	IDFB.....	\$550NET	MA 2532 PS.....	\$320
G 6536.....	\$50	IDHB.....	\$295NET	MA 2532 SS.....	\$285
G 6540.....	\$55	LA 6524 PS.....	\$220	MA 2532 WH.....	\$320
G 6548.....	\$60	LA 6524 SS.....	\$205	MA 2536 BK .....	\$470
G 6560.....	\$80	LA 6532 PS.....	\$295	MA 2536 ORB .....	\$470
G 6580.....	\$100	LA 6532 SS.....	\$280	MA 2536 PS.....	\$470
G 6596.....	\$110	LA 6536 PS.....	\$340	MA 2536 SS.....	\$320
GA 100.....	\$25	LA 6536 SS.....	\$330	MA 2536 WH.....	\$470
GAM 38.....	\$25	LA 6542 PS.....	\$370	MA 2542 BK .....	\$525
GAM 65.....	\$25	LA 6542 SS.....	\$360	MA 2542 ORB .....	\$525
GJ 100.....	\$5	LA 6548 PS.....	\$445	MA 2542 PS.....	\$525
GJC 38.....	\$16	LA 6548 SS.....	\$435	MA 2542 SS.....	\$375
GJC 65.....	\$16	LA 6560 PS.....	\$500	MA 2542 WH.....	\$525
GJS 65.....	\$15	LA 6560 SS.....	\$475	MA 2548 BK .....	\$580
HC 6532 PS .....	\$325	LC 6528 PS .....	\$315	MA 2548 ORB .....	\$580
HC 6532 SS.....	\$225	LC 6528 SS .....	\$215	MA 2548 PS.....	\$580
HC 6540 PS .....	\$365	LC 6540 PS .....	\$350	MA 2548 SS.....	\$430
HC 6540 SS .....	\$265	LC 6540 SS .....	\$250	MA 2548 WH.....	\$580
HC 6552 PS .....	\$440	LC 6552 PS .....	\$420	MA 2560 BK .....	\$685
HC 6552 SS.....	\$340	LC 6552 SS .....	\$320	MA 2560 ORB .....	\$685
HC 6572 PS .....	\$695	LC 6564 PS .....	\$625	MA 2560 PS.....	\$685
HC 6572 SS.....	\$595	LC 6564 SS .....	\$525	MA 2560 SS.....	\$535
HC 6588 PS .....	\$745	LC 6588 PS .....	\$695	MA 2560 WH.....	\$685
HC 6588 SS .....	\$645	LC 6588 SS .....	\$595	MA 6532 BK .....	\$435
HF 2.....	\$12	LF 65 PS.....	\$105	MA 6532 ORB .....	\$435
HF 65 PS.....	\$105	LF 65 SS.....	\$95	MA 6532 PS.....	\$435
HF 65 SS.....	\$95	LF 99 PS.....	\$595	MA 6532 SS.....	\$285
HF 99 PS.....	\$595	LF 99 SS.....	\$545	MA 6532 WH.....	\$435
HF 99 SS.....	\$545	LT5-2 PS.....	\$145	MA 6536 BK .....	\$470
HS 2.....	\$12	LT5-2 SS.....	\$95	MA 6536 ORB .....	\$470
HS 4.....	\$20	LT5-2 PS-C24.....	\$3480	MA 6536 PS.....	\$470
IC 6520 PS.....	\$145	LT5-2 SS-C24.....	\$2280	MA 6536 SS.....	\$320
IC 6520 SS.....	\$110	LTD5-2A PS .....	\$195	MA 6536 WH.....	\$470
IC 6540 PS.....	\$230	LTD5-2A SS .....	\$145	MA 6542 BK .....	\$525
IC 6540 SS.....	\$180	LTD5-2I PS.....	\$210	MA 6542 ORB .....	\$525
IC 6548 PS.....	\$255	LTD5-2I SS .....	\$160	MA 6542 PS.....	\$525
IC 6548 SS.....	\$195	LTD5-2IS PS.....	\$255	MA 6542 SS.....	\$375
IC 6560 PS.....	\$295	LTD5-2IS SS.....	\$205	MA 6542 WH.....	\$525
IC 6560 SS.....	\$220	LTD5-2P PS.....	\$195	MA 6548 BK .....	\$605
ID 10 .....	\$100NET	LTD5-2P SS.....	\$145	MA 6548 ORB .....	\$605
ID 10S.....	\$150NET	LTD5-BA PS.....	\$245	MA 6548 PS.....	\$605
ID LT5 .....	\$45 NET	LTD5-BA SS .....	\$195	MA 6548 SS.....	\$425
ID TD 15 .....	\$150NET	LTD5-BP PS .....	\$245	MA 6548 WH.....	\$605
ID TD 20 .....	\$200NET	LTD5-BP SS .....	\$195	MA 6560 BK .....	\$755
ID TDB 15.....	\$150NET	MA 2532 BK .....	\$320	MA 6560 ORB .....	\$755

# Price Sheet

SKU	LIST	SKU	LIST	SKU	LIST
MA 6560 PS.....	\$755	SA 12532 SS .....	\$795	SA 6548 PS.....	\$885
MA 6560 SS.....	\$605	SA 12536 PS .....	\$1195	SA 6548 SS .....	\$730
MA 6560 WH.....	\$755	SA 12536 SS .....	\$895	SA 6548 WT .....	\$885
ME 96 PS .....	\$85	SA 12542 PS .....	\$1245	SA 6560 BK.....	\$1005
ME 96 SS .....	\$75	SA 12542 SS .....	\$945	SA 6560 PS.....	\$1005
OC 6524 SS .....	\$385	SA 12548 PS .....	\$1295	SA 6560 SS .....	\$860
OC 6532 SS .....	\$475	SA 12548 SS .....	\$995	SA 6560 WT .....	\$1005
OC 6536 SS .....	\$505	SA 12560 PS .....	\$1495	SAG 10048 PS .....	\$1225
OC 6542 SS .....	\$515	SA 12560 SS .....	\$1195	SAG 10048 SS .....	\$925
OC 6548 SS .....	\$530	SA 2530 BK.....	\$590	SAG 10096 PS .....	\$2450
OC 6560 SS .....	\$620	SA 2530 PS.....	\$590	SAG 10096 SS .....	\$1850
OCH 6524 SS.....	\$485	SA 2530 SS .....	\$445	SAG 3836 ORB.....	\$725
OCH 6532 SS.....	\$585	SA 2530 WH .....	\$590	SAG 3836 PS .....	\$725
OCH 6536 SS.....	\$615	SA 2532 BK.....	\$645	SAG 3836 SS .....	\$595
OCH 6542 SS.....	\$625	SA 2532 PS.....	\$645	SAG 3848 ORB.....	\$775
OCH 6548 SS .....	\$640	SA 2532 SS .....	\$515	SAG 3848 PS .....	\$775
OCH 6560 SS .....	\$730	SA 2532 WH .....	\$645	SAG 3848 SS .....	\$625
PAN 3466 .....	\$885	SA 2536 BK.....	\$790	SAG 3860 ORB.....	\$945
PAS 2532 PS.....	\$2000	SA 2536 PS.....	\$790	SAG 3860 PS .....	\$945
PAS 2532 SS .....	\$1900	SA 2536 SS .....	\$690	SAG 3860 SS .....	\$800
PED 2532 PS.....	\$1610	SA 2536 WH .....	\$790	SAG 3896 ORB.....	\$1535
PED 2532 SS.....	\$1560	SA 2542 BK.....	\$800	SAG 3896 PS .....	\$1535
PED 6532 ORB .....	\$1620	SA 2542 PS.....	\$800	SAG 3896 SS .....	\$1235
PED 6532 PS.....	\$1620	SA 2542 SS .....	\$700	SAG 6536 ORB.....	\$945
PED 6532 SS.....	\$1525	SA 2542 WH .....	\$800	SAG 6536 PS .....	\$945
PTIF 6532 PS .....	\$1625	SA 2548 BK.....	\$810	SAG 6536 SS .....	\$795
PTIF 6532 SS .....	\$1595	SA 2548 PS.....	\$810	SAG 6548 ORB.....	\$995
RT 15 (A).....	\$445	SA 2548 SS .....	\$710	SAG 6548 PS .....	\$995
RT 15 (B) .....	\$445	SA 2548 WH .....	\$810	SAG 6548 SS .....	\$845
RTD 15-2A PS.....	\$575	SA 6524 BK.....	\$525	SAG 6560 ORB.....	\$1095
RTD 15-2C PS.....	\$575	SA 6524 PS .....	\$525	SAG 6560 PS .....	\$1095
RTD 15-2I PS .....	\$575	SA 6524 SS .....	\$375	SAG 6560 SS .....	\$995
RTD 15-2P PS .....	\$575	SA 6524 WT.....	\$525	SAG 6596 ORB .....	\$1980
RTD 15-2Q PS .....	\$695	SA 6532 BK.....	\$705	SAG 6596 PS .....	\$1980
RTD 15-2S PS .....	\$770	SA 6532 PS .....	\$705	SAG 6596 SS.....	\$1690
RTD 15-2T PS .....	\$595	SA 6532 SS .....	\$555	SAS 6536 PS.....	\$1195
RTD 15-3A PS.....	\$595	SA 6532 WT .....	\$705	SAS 6536 SS .....	\$995
RTD 15-3C PS.....	\$595	SA 6536 BK.....	\$715	SAS 6548 PS.....	\$1395
RTD 15-3I PS .....	\$595	SA 6536 PS.....	\$715	SAS 6548 SS .....	\$1195
RTD 15-3P PS .....	\$595	SA 6536 SS .....	\$565	SAS 6560 PS.....	\$1595
RTD 15-3T PS .....	\$595	SA 6536 WT .....	\$715	SAS 6560 SS.....	\$1395
RTDB 15-A PS.....	\$525	SA 6542 BK.....	\$810	SAS 6572 PS.....	\$2295
RTDB 15-P PS.....	\$525	SA 6542 PS .....	\$810	SAS 6572 SS .....	\$1895
S 32.....	\$7.50	SA 6542 SS .....	\$660	SAS 6596 PS.....	\$2695
S 50.....	\$7.50	SA 6542 WT .....	\$810	SAS 6596 SS .....	\$2295
SA 12532 PS .....	\$1095	SA 6548 BK.....	\$885	SAS 9936 PS.....	\$1350

# Price Sheet

SKU	LIST	SKU	LIST	SKU	LIST
SAS 9936 SS.....	\$1200	SDGAS 9960 SS.....	\$1275	T 15 B PS.....	\$395
SAS 9948 PS.....	\$1520	SDGAS 9972 PS.....	\$1815	T 15 B SS.....	\$345
SAS 9948 SS.....	\$1365	SDGAS 9972 SS.....	\$1615	T 20 A PS.....	\$485
SAS 9960 PS.....	\$1815	SDGAS 9996 PS.....	\$2075	T 20 A SS.....	\$440
SAS 9960 SS.....	\$1645	SDGAS 9996 SS.....	\$1865	T 20 B PS.....	\$525
SAS 9972 PS.....	\$2805	SE 65 PS.....	\$60	T 20 B SS.....	\$495
SAS 9972 SS.....	\$2405	SE 65 SS.....	\$50	TA 6520 PS.....	\$375
SAS 9996 PS.....	\$3205	SHA 65 PS.....	\$135	TA 6520 SS.....	\$340
SAS 9996 SS.....	\$2805	SHA 65 SS.....	\$125	TA 6540 PS.....	\$610
SC 6548 PS.....	\$220	SLA 65 PS.....	\$135	TA 6540 SS.....	\$575
SC 6548 SS.....	\$160	SLA 65 SS.....	\$125	TA 6548 PS.....	\$725
SC 6596 PS.....	\$440	SM 65.....	\$85	TA 6548 SS.....	\$690
SC 6596 SS.....	\$320	ST 125.....	\$55	TA 6560 PS.....	\$900
SDG 3848 ORB.....	\$485	ST 65.....	\$50	TA 6560 SS.....	\$865
SDG 3848 PS.....	\$485	STIF 6540 PS.....	\$720	TC 6548 PS.....	\$345
SDG 3848 SS.....	\$335	STIF 6540 SS.....	\$645	TC 6548 SS.....	\$285
SDG 3860 ORB.....	\$605	STIF 6548 PS.....	\$840	TC 6596 PS.....	\$690
SDG 3860 PS.....	\$605	STIF 6548 SS.....	\$765	TC 6596 SS.....	\$570
SDG 3860 SS.....	\$455	STIF 6560 PS.....	\$1035	TD 15-2A PS.....	\$565
SDG 3896 ORB.....	\$980	STIF 6560 SS.....	\$960	TD 15-2A SS.....	\$505
SDG 3896 PS.....	\$980	STIF 6580 PS.....	\$1425	TD 15-2C PS.....	\$565
SDG 3896 SS.....	\$665	STIF 6580 SS.....	\$1275	TD 15-2C SS.....	\$505
SDG 6548 ORB.....	\$530	STIF 6596 PS.....	\$1670	TD 15-2I PS.....	\$565
SDG 6548 PS.....	\$530	STIF 6596 SS.....	\$1520	TD 15-2I SS.....	\$505
SDG 6548 SS.....	\$390	STIF AS 6540 PS.....	\$1025	TD 15-2P PS.....	\$565
SDG 6560 ORB.....	\$710	STIF AS 6540 SS.....	\$950	TD 15-2P SS.....	\$505
SDG 6560 PS.....	\$710	STIF AS 6548 PS.....	\$1175	TD 15-2Q PS.....	\$685
SDG 6560 SS.....	\$515	STIF AS 6548 SS.....	\$1050	TD 15-2Q SS.....	\$570
SDG 6596 ORB.....	\$995	STIF AS 6560 PS.....	\$1325	TD 15-2S PS.....	\$760
SDG 6596 PS.....	\$995	STIF AS 6560 SS.....	\$1250	TD 15-2S SS.....	\$645
SDG 6596 SS.....	\$745	STIF AS 6580 PS.....	\$1900	TD 15-2T PS.....	\$585
SDGAS 6536 PS.....	\$690	STIF AS 6580 SS.....	\$1750	TD 15-2T SS.....	\$470
SDGAS 6536 SS.....	\$575	STIF AS 6596 PS.....	\$2145	TD 15-3A PS.....	\$585
SDGAS 6548 PS.....	\$775	STIF AS 6596 SS.....	\$1995	TD 15-3A SS.....	\$525
SDGAS 6548 SS.....	\$700	STIF AS 9940 PS.....	\$1585	TD 15-3C PS.....	\$585
SDGAS 6560 PS.....	\$840	STIF AS 9940 SS.....	\$1515	TD 15-3C SS.....	\$535
SDGAS 6560 SS.....	\$750	STIF AS 9948 PS.....	\$1785	TD 15-3I PS.....	\$585
SDGAS 6572 PS.....	\$1195	STIF AS 9948 SS.....	\$1670	TD 15-3I SS.....	\$525
SDGAS 6572 SS.....	\$995	STIF AS 9960 PS.....	\$2050	TD 15-3P PS.....	\$585
SDGAS 6596 PS.....	\$1495	STIF AS 9960 SS.....	\$1920	TD 15-3P SS.....	\$525
SDGAS 6596 SS.....	\$1295	STIF AS 9980 PS.....	\$2690	TD 15-3T PS.....	\$585
SDGAS 9936 PS.....	\$1115	STIF AS 9980 SS.....	\$2570	TD 15-3T SS.....	\$470
SDGAS 9936 SS.....	\$1025	STIF AS 9996 PS.....	\$3040	TD 20-2A PS.....	\$610
SDGAS 9948 PS.....	\$1245	STIF AS 9996 SS.....	\$2850	TD 20-2A SS.....	\$565
SDGAS 9948 SS.....	\$1145	T 15 A PS.....	\$460	TD 20-2C PS.....	\$610
SDGAS 9960 PS.....	\$1395	T 15 A SS.....	\$345	TD 20-2C SS.....	\$565

# Price Sheet

SKU	LIST	SKU	LIST
TD 20-2I PS .....	\$610	W5-SS.....	\$445
TD 20-2I SS.....	\$565	WW5-2A-PS .....	\$565
TD 20-2P PS .....	\$610	WW5-2A-SS .....	\$515
TD 20-2P SS .....	\$565	WW5-2I PS .....	\$580
TD 20-2T PS .....	\$610	WW5-2I SS .....	\$530
TD 20-2T SS .....	\$560	WW5-2P PS .....	\$565
TD 20-3A PS.....	\$620	WW5--2P SS.....	\$515
TD 20-3A SS.....	\$570	XC 12532 PS .....	\$470
TD 20-3C PS.....	\$620	XC 12532 SS .....	\$370
TD 20-3C SS.....	\$570	XC 12536 PS .....	\$490
TD 20-3I PS .....	\$620	XC 12536 SS .....	\$390
TD 20-3I SS .....	\$570	XC 12542 PS .....	\$510
TD 20-3P PS .....	\$620	XC 12542 SS .....	\$410
TD 20-3P SS .....	\$570	XC 12548 PS .....	\$585
TD 20-3T PS .....	\$610	XC 12548 SS .....	\$485
TD 20-3T SS .....	\$565	XC 12560 PS .....	\$610
TD 50-2A PS.....	\$595	XC 12560 SS .....	\$510
TD 50-2A SS.....	\$560	XC 6532 BK .....	\$310
TD 50-2I PS .....	\$595	XC 6532 ORB .....	\$310
TD 50-2I SS.....	\$560	XC 6532 PS.....	\$310
TD 50-2P PS .....	\$595	XC 6532 SS.....	\$270
TD 50-2P SS .....	\$560	XC 6532 WT .....	\$310
TDB 15-A PS.....	\$515	XC 6536 BK .....	\$340
TDB 15-A SS.....	\$470	XC 6536 ORB .....	\$340
TDB 15-P PS .....	\$515	XC 6536 PS.....	\$340
TDB 15-P SS .....	\$470	XC 6536 SS.....	\$290
TDB 20-A PS.....	\$665	XC 6536 WH.....	\$340
TDB 20-A SS.....	\$615	XC 6542 BK .....	\$355
TDB 20-P PS.....	\$665	XC 6542 ORB .....	\$355
TDB 20-P SS.....	\$615	XC 6542 PS.....	\$355
TE 65 PS .....	\$70	XC 6542 SS .....	\$305
TE 65 SS .....	\$60	XC 6542 WH.....	\$355
TF 65 PS .....	\$120	XC 6548 BK .....	\$385
TF 65 SS.....	\$110	XC 6548 ORB .....	\$385
TIF PL.....	\$40	XC 6548 PS.....	\$385
TJS 65.....	\$20	XC 6548 SS.....	\$325
TKEY.....	\$5	XC 6548 WH.....	\$385
TN4A .....	\$200	XC 6560 BK .....	\$470
TN4B .....	\$200	XC 6560 ORB .....	\$470
TNAS .....	\$45	XC 6560 PS.....	\$470
TNAS-T.....	\$55	XC 6560 SS.....	\$395
TNRN.....	\$75	XC 6560 WH.....	\$470
TNRN-P .....	\$40	ZLAT 1 .....	\$75 NET
UCP 2 .....	\$95	ZLAT 5 .....	\$275 NET
UCP 4 .....	\$150	ZLAT F.....	\$20 NET
W5-PS.....	\$495	ZSika.....	\$14 NET



# Notes

---





# Notes

---