## FFTIF 65 Series

# ID Infinity Drain

### FFTIF 65 | Fixed Length

- 16 gauge 304 Stainless Steel grate and channel
- Pre-pitched channel with "Fixed" lengths and "Fixed" center vertical (down) outlet location
- Not site sizeable
- Indoor or outdoor use
- Bonded "Flange" installation for flush against the wall.
- Lowest height for curbless installations
- Uses Liquid and Fabric Sheet Membrane waterproofing
- Grate can be removed completely for cleaning
- Flow rate 9 GPM per outlet\*
   \*Flow rate measured at outlet only. Measurement does not account for water in channel or sheeting on shower floor.




#### Complete Kits:

FFTIF 6524 24" Complete Kit FFTIF 6532 32" Complete Kit FFTIF 6536 36" Complete Kit FFTIF 6542 42" Complete Kit FFTIF 6548 48" Complete Kit FFTIF 6560 60" Complete Kit

#### Components:

LA 6524 24" Stainless Steel Grate
LA 6532 32" Stainless Steel Grate
LA 6536 36" Stainless Steel Grate
LA 6542 42" Stainless Steel Grate
LA 6548 48" Stainless Steel Grate
LA 6560 60" Stainless Steel Grate
FC 6524 24" Stainless Steel Fixed Channel
FC 6536 36" Stainless Steel Fixed Channel
FC 6542 42" Stainless Steel Fixed Channel
FC 6542 42" Stainless Steel Fixed Channel
FC 6548 48" Stainless Steel Fixed Channel
FC 6560 60" Stainless Steel Fixed Channel

### Installation (FF) Fixed Flange



#### Infinity Drain

18 Secatoag Avenue Port Washington, NY 11050 Phone: 516.767.6786 Fax: 516.740.3066 www.InfinityDrain.com




CANADA - CSA B 125.2 USA - ASME A112.18.2




**Note:** Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer.

# FFTIF 6542 Specifications







#### **Infinity Drain**

18 Secatoag Avenue Port Washington, NY 11050 Phone: 516.767.6786 Fax: 516.740.3066 www.InfinityDrain.com



ID INFINITY DRAIN

CANADA - CSA B 125.2

USA - ASME A112.18.2



**Note:** Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer.

Page 2 of 2