
FTMN 65 Series

ID Infinity Drain


FTMN 65 | Fixed Length

- 14 gauge 304 Stainless Steel grate
- 16 gauge 304 Stainless Steel channel
- Pre-pitched channel with "Fixed" lengths and "Fixed" center side "tunnel" outlet location
- Not site sizeable
- Indoor or outdoor use
- Bonded "Flange" installation for flush against the wall
- Allows waste line to connect horizontally to save floor height and waste line relocation
- Lowest height for curbless installations
- Uses Liquid and Fabric Sheet Membrane waterproofing
- Grate can be removed completely for cleaning
- Flow rate 9 GPM per outlet*

 *Flow rate measured at outlet only. Measurement does not account for water in channel or sheeting on shower floor.



Installation (FT) Flange Tunnel



Complete Kits:

FTMN 6532 32" Complete Kit FTMN 6536 36" Complete Kit FTMN 6542 42" Complete Kit FTMN 6548 48" Complete Kit FTMN 6560 60" Complete Kit

Components:

MA 6532 32" Stainless Steel Grate MA 6536 36" Stainless Steel Grate MA 6542 42" Stainless Steel Grate MA 6548 48" Stainless Steel Grate MA 6560 60" Stainless Steel Grate OC 6532 32" Fixed Flange Channel OC 6536 36" Fixed Flange Channel OC 6542 42" Fixed Flange Channel OC 6548 48" Fixed Flange Channel OC 6560 60" Fixed Flange Channel OC 6560 60" Fixed Flange Channel

Infinity Drain

18 Secatoag Avenue Port Washington, NY 11050 Phone: 516.767.6786 Fax: 516.740.3066 www.InfinityDrain.com




ID INFINITY DRAIN CANADA - CSA B 125.2 USA - ASME A112.18.2




Note: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer.

FTMN 6560 Specifications







- 1 MA 6560 Grate
- 1 OC 6560 Fixed Flange Channel

Infinity Drain

18 Secatoag Avenue Port Washington, NY 11050 Phone: 516.767.6786 Fax: 516.740.3066 www.InfinityDrain.com



INFINITY DRAIN USA - ASME A112.18.2



Note: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer.

Page 2 of 2