



ID Infinity Drain

Architectural Drainage Solutions



Where **Art**
Meets **Science**



About Us

We exist to elevate the everyday through our architectural drainage solutions. Whether it's a calming shower, an exciting rooftop bar or a relaxing backyard pool oasis, our drainage solutions provide function and beauty to elevate any space.

For us, elevating the everyday also means caring for our local community. Our nonprofit, Mission Belly Full, is committed to the fight against food insecurity and prepares over 500 meals a week in our on site kitchen to support ten local organizations.

Our Brand

We pioneered linear drains in the USA over 15 years ago and we continue to innovate. Each one of our drainage solutions is developed by our engineering team with optimal performance and beautiful design in mind. The result is a product line with an unparalleled number of grate styles and finishes that are compatible with any type of installation for the ultimate flexibility of design. From our expert technology team to our responsive customer service team, we are committed to the success of every project.


Made in the USA

We source all our raw materials from US suppliers and manufacture all our products at our facility on Long Island, New York. Our commitment to being American made means limitless custom capabilities, fast turnaround times, and a personal approach to quality. Transparency and sustainability are the other anchors of our production philosophy, and we love giving factory tours.


NEW & FEATURED PRODUCTS



NEW Tile in Disco-rectangle pages 6-7



Adhesion Linear Drain page 8



Unlacquered Brass page 9



Updated Next Day Custom Program page 11

FEATURED PRODUCTS



Linear Drains pages 12-18



Elevator Drains page 10



Custom Programs pages 19



Schlüter®-KERDI Compatible Drains pages 20-21



Center Drains pages 22-23

NEW PRODUCTS

NEW Tile-In Disco-rectangle



NEW PRODUCTS

NEW Tile-In Disco-rectangle

Disco-rectangle emphasizes a fluid, organic aesthetic with smooth, curved contours. This design moves away from sharp angles while maintaining the structural integrity and performance of the product. Available in 10 designer finishes crafted to match other fixtures in the bathroom, it offers flexible solutions to fit any design. This tile insert drain seamlessly integrates with the surrounding shower or wet room floor for a clean visual that is simultaneously vintage yet modern.

FX Fixed Length

FXDTIF 65

FF Fixed Flange

FFDTIF 65

FCS Flange with Schluter®-KERDI

FCSDTIF 65

Disco-rectangle

[DIS-koh REK-tang-gul] (noun)

A two-dimensional geometric shape constructed of a rectangle with semicircles at a pair of opposite sides.

FEATURED PRODUCTS

Product Design
Consultant

Gensler

Adhesion Linear Drain

The Adhesion linear drain is inspired by the science of adhesion, where water droplets stick to a variety of surfaces to form unique patterns. To develop this abstract aquatic visual, the Gensler design team started by pouring water on a selection of luxurious surfaces to observe how the droplets moved and gathered. The modern pattern that evolved from this exploration has an even distribution of irregularity to create a look that's at once random and precise. While the connected dots are present throughout the pattern, the repeat is masked to prevent a tiling effect.

S Site Sizable

S-LGR 65
S-GRAS 65
S-GRAS 99

FX Fixed Length

FXGR 65

FF Fixed Flange

FFGR 65

FCS Flange with Schluter®-KERDI

FCSGR 65

UNLACQUERED BRASS

Living Finish


What are Living Finishes?

Living finishes are metal surfaces that are left untreated, allowing them to react naturally with the environment over time. Unlike traditional finishes that remain static, living finishes evolve and develop a patina, gaining character as they age.

Developing a Patina

Color Changes: The brass surface transitions from golden to darker shades of brown, bronze, or amber. In humid or salty environments, it may develop hints of green or blue, called verdigris (copper carbonate compounds).

Texture: The patina often has an uneven, organic texture, adding depth and character to the surface.



MATERIAL LIVING FINISH

Drains are crafted from authentic unlacquered brass sheets. This approach ensures a true living finish that will naturally age and develop a patina over time.

The following series can be fabricated from unlacquered brass sheets:

- Linear Drains with Adhesion, Circle, Offset Slotted, Slotted, and Solid grate styles
- Center Drain Pro-Series (All styles)

PLATED LIVING FINISH

Drains with a stainless steel core with a high-quality unlacquered brass plating, delivering both durability and the luxurious patina effect of a living finish.

The following series can be plated with unlacquered brass:

- Linear Drains with Wedge Wire grates and Tile Insert Frames
- Premium Center Drains (All styles)

It is important to note that while both the solid sheets and plated finishes of Unlacquered Brass will develop a patina over time, there are some key differences:

Rate of Patina Development: Plated finishes may develop a patina more gradually compared to solid brass, as the layer of metal is thinner. The depth and character of the patina may vary based on the thickness of the plating and the specific environmental conditions.

Durability: Plated finishes offer the aesthetic appeal of brass combined with the strength of stainless steel. However, because plating is a surface treatment, heavy abrasion or scratches could potentially reveal the underlying stainless steel. Despite this, with regular exposure to the elements and proper care, the plating will still achieve the desired aged look.

Custom Order Forms



Contact quotes@infinitydrain.com for pricing and lead time.

FEATURED PRODUCTS

Elevator Drains

- 316L stainless steel 3mm Wedge Wire grate
- 16 gauge, 304L stainless steel channel
- 4" centered outlet
- Channel height: 3"
- Channel width: 12"

Prevents water from entering elevator shafts in the event of a fire or when the sprinkler system is triggered. It is typically positioned in front of the elevator door or elevator bank.


- Complies with SFFC Code, Section 511.1 for a 100 GPM flow rate
- Meets ADA and heel-proof requirements. IAPMO tested and certified to a 100 GPM flow rate
- Complies with California Building Code 3007.3 and 3008.3 and NYS Building Code 3007.3 and 3008.3
- Available in 36", 42" and 48" kits in Satin Stainless and Polished Stainless finishes
- Custom sizes available
- Elevator drain grates are removable for accessible cleaning and maintenance
- Tamper resistant fasteners and mounting anchors options available



NEXT DAY CUSTOM FABRICATION UPDATE

Next Day Custom Linear Drains are available in six grate styles, ten finishes and five installation types in lengths up to 96".

Grate Style



Standard Finishes

- Satin Stainless
- Polished Stainless
- Satin Bronze
- Oil Rubbed Bronze
- Matte Black

NEW Specialty Finishes

- Gunmetal
- Satin Champagne
- Polished Brass
- Polished Gold
- Matte White

Installation Types



LINEAR DRAIN GRATE STYLES

GRATE STYLES



Tile
Insert
Frame



Disco-
Rectangle



Wedge
Wire



Adhesion



Offset
Slotted



Slot Drain



Solid




S Site Sizable	FX Fixed Length	FF Fixed Flange	FCS Flange with Schluter®-KERDI
Traditional Waterproofing		Liquid / Fabric Waterproofing	
S-TIF 65 S-LTIF 65 S-TIFAS 65 S-LTIFAS 65 S-LTIFAS 99	FXTIF 65 FXLTIF 65	FFTIF 65 FFTAF 65	FCSTIF 65 FCSTAF 65
	FXDTIF 65	FFDTIF 65	FCSDTIF 65
S-LAG 38 S-AS 38	FXAS 38	FFAS 38	FCSAS 38
S-LAG 65 S-AS 65 S-AS 99	FXAS 65	FFAS 65	FCSAS 65
S-AG 100	FXAS 100	FFAS 100	FCSAS 100
S-LGR 65 S-GRAS 65 S-GRAS 99	FXGR 65	FFGR 65	FCSGR 65
S-LT 38 S-LTAS 38	FXLT 38	FFLT 38	FCSLT 38
S-LT 65 S-LTAS 65	FXLT 65	FFLT 65	FCSLT 65
		FFST	FCSST
S-LSD 65 S-SDAS 65	FXSD 65	FFSD 65	FCSSD 65

KIT & COMPONENT OPTIONS


S Site Sizable

Traditional Waterproofing




FX Fixed Length

Traditional Waterproofing




FF Fixed Flange

Liquid/Fabric Waterproofing



FCS Flange with Schluter®-KERDI

Schluter®-KERDI Waterproofing



COMPONENT OPTIONS

Outdoor Options:

S Site Sizable PVC

3mm Wedge Wire, Circle Pattern, and Tile Insert Frame

S Site Sizable Stainless Steel

2mm Wedge Wire, Adhesion, Solid, Offset Slotted, and Tile Insert Frame

Additional Channel Options:

U Universal

Traditional **or** Liquid/Fabric Waterproofing

FCB Double Waterproofing

Traditional **and** Liquid/Fabric Waterproofing

FCBS Double Waterproofing with Schluter®-KERDI

Traditional **and** Liquid/Fabric Waterproofing

FCH Tapered Threaded

Liquid/Fabric Waterproofing

FT Side Outlet

Liquid/Fabric Waterproofing

FTS Side Outlet with Schluter®-KERDI

Liquid/Fabric Waterproofing

OCH Side Outlet with Tapered Threaded

Liquid/Fabric Waterproofing

CUSTOM OPTIONS

NDC Next Day Custom

Standard Custom

Sink Drain

Shower Bases

Tile Insert Frame

S Site Sizable

S-TIF 65
S-LTIF 65
S-TIFAS 65
S-TIFAS 99
S-LTIFAS 65
S-LTIFAS 99

FX Fixed Length

FXTIF 65
FXTIF 65

FF Fixed Flange




FFTIF 65
FFTAF 65


FCS Flange with Schluter®-KERDI

FCSTIF 65
FCSTAF 65



Wedge Wire

	S Site Sizable	FX Fixed Length	FF Fixed Flange	FCS Flange with Schluter®-KERDI
	S-LAG 38 S-AS 38	FXAS 38	FFAS 38	FCSAS 38
	S-LAG 65 S-AS 65 S-AS 99	FXAS 65	FFAS 65	FCSAS 65
	S-AG 100	FXAS 100	FFAS 100	FCSAS 100



NEW Solid Grate

S Site Sizable

S-LSD 65
S-SDAS 65

FX Fixed Length

FXSD 65

FF Fixed Flange

FFSD 65

FCS Flange with Schluter®-KERDI

FCSSD 65

Introducing our newly redesigned Solid Grate, crafted from 16 gauge 304L stainless steel. The solid grate design provides a sleek, modern look, while ensuring excellent water flow and preventing clogs.



Offset Slotted Pattern

S Site Sizable

S-LT 38
S-LTAS 38
S-LT 65
S-LTAS 65

FX Fixed Length


FXLT 38
FXLT 65

FF Fixed Flange

FFLT 38
FFLT 65

FCS Flange with Schluter®-KERDI

FCSLT 38
FCSLT 65




SLOT DRAIN

FF Fixed Flange

FFST

FCS Flange with Schluter®-KERDI

FCSST



CUSTOM STAINLESS STEEL SHOWER BASE

Infinity Drain's Custom Stainless Steel Shower Bases simplify shower installation and save time on the job-site. Backed by a lifetime waterproofing guarantee, each base is flood-tested in our Amityville, NY facility and comes primed ready to tile. Available with drain options in multiple finishes.




**Covers labor, removal,
replacement and restoration**



- Lifetime guarantee against waterproofing failure
- 304L 16 Gauge Stainless Steel
- Ability to install and flood test same day
- Ensures exact wall-to-wall and flush against the wall installation
- Available with curb or barrier free (curbless)
- Drains are available in multiple styles and finishes



CUSTOM FABRICATION

If you can imagine it, we can manufacture it. Infinity Drain offers a variety of customized drainage solutions to your exact specification. Customize length, outlets, configuration, styles, and finishes. Please call or email quotes@infinitydrain.com for pricing and availability.





Next Day Custom

- Purchase orders and sign offs received by 10am ET will ship the following business day
- Completed custom form must accompany purchase order
- Straight configuration and custom lengths up to 96"
- Grate Styles: Wedge Wire, Offset Slotted, Tile Insert Frame
- Installation types: Fixed (FX), Fixed Flange (FF), Flanged with Schluter®-KERDI (FCS), and Double Water-proofing (FCB)
- Custom outlet placement for multiple outlets
- Available in all 10 finishes



Standard Custom

- Purchase orders and sign offs received by 10am ET will ship within 15 business days
- Completed custom form must accompany purchase order
- Straight configuration and custom lengths up to 96"
- Any standard grate style options
- Installation types: Fixed (FX), Fixed Flange (FF), Flanged with Schluter®-KERDI (FCS), and Double Water-proofing (FCB), Tapered Threaded (FCH), Side Outlet (FT), Side Outlet with Schluter®-KERDI (FTS), and Side Outlet Tapered Threaded (OCH)
- Custom outlet placement for multiple outlets
- Available in all ten finishes



Custom-Custom

- Specialty installation options (Sink drain, Elevator drain, Threshold drain, Vinyl Clamp drain, etc.)
- Any shape and configuration
- Any installation type
- Any outlet type
- Any finish or specialty material (ex. unlacquered brass). Standard finishes and color match finish options available.
- Length up to 300"
- For quotation, lead time, and drawings contact us at quotes@infinitydrain.com

Custom curved drain




Mitered 90°



Custom patterns




Custom colors (Royal Blue shown)



Schluter®-KERDI COMPLIANT

Universal Ring (UCR 2) Adapts to Schluter®-KERDI Drain Flange.
For use with Infinity Drain Center Drains

Infinity Drain 4" square & 5" round center drains thread into the UCR 2 in place of Schluter's height adjustment collar



UCR 2: Universal 2" Ring in ABS

- 5 7/8" diameter x 2" threaded throat
- Adapts to Schluter®-KERDI drain flange
- For use with 4" square (Pro Series and Premium Series) & 5" round center drains

4" x 4" Premium Center Drains




KD 4 - Link



MD 4 - Moor




ND 4 - Lines



QD 4 - Squares



VD 4 - Weave



WD 4 - Wedge Wire



XD 4 - Criss Cross



TD 4 - Tile Drain

5" Round Premium Center Drains



KD 5 - Link



MD 5 - Moor



ND 5 - Lines



QD 5 - Squares



VD 5 - Weave



WD 5 - Wedge Wire


4" x 4" Center Drain Pro Series



LTD 4 - Tile Drain



LND 4 - Slotted






LQD 4 - Squares



LSD 4 - Solid

Tile Drain with Schluter®-KERDI Waterproofing

Stainless steel tile drain with factory applied Schluter®-KERDI fabric
Available in two heights (for use with 3/8" and 3/4" flooring material)



Center Drain with Schluter®-KERDI Waterproofing

Stainless Steel Square Bonded Flange with Schluter®-KERDI fabric and 2" No Hub Outlet

Schluter®-KERDI Compliant

FCS Series - Fixed Flange Linear Drains with Schluter®-KERDI Waterproofing



Pitched stainless steel channel with factory applied Schluter®-KERDI fabric in set lengths and center outlet location. 2" No-hub connection.

Standard kit sizes or custom fabrication available.

FCS series linear drains are compliant with Schluter®-KERDI shower system warranty. Warranty backed by Infinity Drain.

Linear Drain with Schluter®-KERDI Waterproofing:



Tile Insert
FCSTIF 65
FCSDTIF 65
FCSTAF 65



Wedge Wire
FCSAS 38
FCSAS 65
FCSAS 100



Offset Slotted
FCSLT 38
FCSLT 65



Adhesion
FCSGR 65




Solid
FCSSD 65



Slot
FCSST




½" Flanged Channel with Schluter®-KERDI available for Next Day Custom Exactly Wall to Wall, Flush Against the Wall®



Next Day Custom Linear Drain with Schluter®-KERDI Waterproofing

CENTER DRAIN GRATE STYLES



Tile Drain
Satin Stainless

Criss-Cross
Oil Rubbed Bronze

Link
Polished Stainless

Wedge Wire
Satin Stainless



























Squares
Satin Stainless

Weave
Matte Black

Lines
Matte Black

Moor
Satin Bronze

CENTER DRAIN STYLES

Tile Drain Available in 4"x4" & 5"x5" 4"x4" & 5"x5" is also available in the Center Drain Pro Series	 
Squares Available in 4"x4", 5"x5" & 5" Round 4"x4" & 5"x5" is also available in the Center Drain Pro Series	  
Moor Available in 4"x4", 5"x5" & 5" Round	  
Weave Available in 4"x4", 5"x5" & 5" Round	  
Link Available in 4"x4", 5"x5" & 5" Round	  
Lines Available in 4"x4", 5"x5" & 5" Round	  
Wedge Wire Available in 4"x4", 5"x5" & 5" Round	  
Criss Cross Available in 4"x4" & 5"x5"	 
Solid Available in 4"x4" & 5"x5" - only in Center Drain Pro Series	 
Slotted Available in 4"x4" & 5"x5" - only in Center Drain Pro Series	 



145 Dixon Avenue, Amityville, New York 11701

Phone 516.767.6786 ~ Fax 516.740.3066

www.infinitydrain.com

LT029-01-25



Infinity Drain is made in the USA