

**ID** Infinity Drain®


**Schluter®-KERDI Compliant Drains**





## FCS Series


### Fixed Flange with Schluter®-KERDI


























































#### Features:

- FCS series linear drains are compliant with the Schluter®-Kerdi shower system warranty and backed by the Infinity Drain warranty
- Channel provided with factory applied Schluter®-KERDI
- 16 gauge, 304L stainless steel pre-pitched channel
- Available in 24", 32", 36", 42", 48" & 60" lengths
- Available in all grate styles & ten finishes

### Linear Drain with Schluter®-KERDI Waterproofing:



	Tile Insert <b>FCSSTIF 65</b>				
	Adhesion <b>FCSGR 65</b>				
	2MM Wedge Wire <b>FCSAS 65</b>				
	Solid <b>FCSST 65</b>				
	Offset Slotted <b>FCSLT 65</b>				
	Tile Insert <b>FCSSTAF 65</b>				
	2MM Wedge Wire <b>FCSAS 38</b>				
	Offset Slotted <b>FCSLT 38</b>				
	Tile Insert <b>FCSSTIF 65</b>				
	Slot <b>FCSST</b>				
	2MM Wedge Wire <b>FCSAS 100</b>				

### Icon Explanation:



Compliant with Schluter®-KERDI shower system warranty. Warranty backed by Infinity Drain.



Available for custom fabrication (length and outlet location) and will ship the following day



Available for custom fabrication, ships within 15 business days



Drains that have an overall lower height.



High flow drains are designed to connect to a 3" waste line. These drains are rated at 21 GPM

All Infinity Drain products are available in ten finishes

#### Standard Finishes


- Satin Stainless - SS
- Polished Stainless - PS
- Satin Bronze - SB
- Oil Rubbed Bronze - ORB
- Matte Black - BK

#### Specialty Finishes

- Matte White - MW
- Gunmetal - GM
- Satin Champagne - SC
- Polished Gold - PG
- Polished Brass - PB


## Custom FCS Channel

### Fixed Flange Channel with Schluter®-KERDI Waterproofing




**Custom FCS Channel** with Schluter® KERDI Waterproofing - Comes with KERDI membrane factory applied to the channel for use with the Schluter KERDI system. Uses a 2" No-Hub Outlet. The overall inside length of channel (**A**) is the finished length of the drain, with a flange on all four sides to accept the waterproofing membrane. All outlet locations (**B**) are measured from the right inside channel edge. For this type of installation a mortar bed or equal is created up to and around the drain with the appropriate slope towards the drain. The waterproofing is applied over the mortar bed and the flange of the channel. Tile or stone is applied directly to the waterproofing for a low profile installation.


FCS Custom Channel available with a **1" or 1/2" Flange** and compatible with all linear drain grate styles



1" Flange  
FCS 65C




1/2" Flange  
NDC FCS 65C



#### Features:

- 1/2" flange ideal for wall-to-wall and flush against the wall installations
- Available in lengths up to 96"
- Available in all grate styles & ten finishes




## UCR 2

### Adapts to Schluter®-KERDI Drain Flange

#### Universal Ring (UCR 2) Adapts to Schluter®-KERDI Drain Flange For use with Infinity Drain Center Drains

Infinity Drain 4" square & 5" round center drains thread into the UCR 2 in place of Schluter's height adjustment collar



##### UCR 2: Universal 2" Ring in ABS

- 5 7/8" diameter x 2" threaded throat
- Adapts to Schluter®-KERDI drain flange
- For use with 4" square (Pro Series and Premium Series) & 5" round center drains

#### 4" x 4" Premium Center Drains




KD 4 - Link




MD 4 - Moor



ND 4 - Lines



QD 4 - Squares



VD 4 - Weave



WD 4 - Wedge Wire



XD 4 - Criss Cross



TD 4 - Tile Drain

#### 5" Round Premium Center Drains



RKD 5 - Link



RMD 5 - Moor



RND 5 - Lines



RQD 5 - Squares



RVD 5 - Weave



RWD 5 - Wedge Wire


#### 4" x 4" Center Drain Pro Series



LTD 4 - Tile Drain



LND 4 - Slotted




LQD 4 - Squares




LSD 4 - Solid


## 5" x 5" Tile Drains with Schluter®-KERDI Waterproofing




Stainless steel tile drains with factory applied Schluter®-KERDI fabric  
Available in two heights (for use with 3/8" and 3/4" flooring material)




TLSR 5



TSR 5



TDLFS 5



TDFS 5

#### Features:

- TLSR 5 & TSR 5 drains connect directly to a standard 2" waste line using a no hub connection
- TDFS 5 & TDLFS 5 drains allow for double waterproofing
- Throats are provided with factory applied Schluter®-KERDI

Learn more about our  
Schluter® compliant drains

145 Dixon Avenue, Amityville, New York 11701  
Phone 516.767.6786 ~ Fax 516.740.3066  
[www.infinitydrain.com](http://www.infinitydrain.com)

**LT027-01-25**



Infinity Drain is made in the USA

