



**ID** Infinity Drain<sup>®</sup>

Architectural Drainage Solutions



Where **Art**  
Meets **Science**



## **About Us**

We exist to elevate the everyday through our architectural drainage solutions. Whether it's a calming shower, an exciting rooftop bar or a relaxing backyard pool oasis, our drainage solutions provide function and beauty to elevate any space.

For us, elevating the everyday also means caring for our local community. Our nonprofit, Mission Belly Full, is committed to the fight against food insecurity and prepares over 600 meals a week in our on site kitchen to support several local organizations.

## **Our Brand**

We pioneered linear drains in the USA over 15 years ago and we continue to innovate. Each one of our drainage solutions is developed by our engineering team with optimal performance and beautiful design in mind. The result is a product line with an unparalleled number of grate styles and finishes that are compatible with any type of installation for the ultimate flexibility of design. From our expert technology team to our responsive customer service team, we are committed to the success of every project.

## **Proudly Made in the USA**

We source all our raw materials from US suppliers and manufacture all our products at our facility on Long Island, New York. Our commitment to being American made means limitless custom capabilities, fast turnaround times, and a personal approach to quality. Transparency and sustainability are the other anchors of our production philosophy, and we love giving factory tours.

# NEW & FEATURED PRODUCTS



**NEW** Site Sizable Slot Drain page 6



**NEW** FX Slot Drain page 7



**NEW** Sink Slot Drain page 8




**NEW** Satin Brass Finish page 9



**Tile-In Disco-Rectangle** page 10



**Solid Grate** page 11



**Adhesion Grate** page 12



**Finishes** page 13

# FEATURED PRODUCTS




**Linear Drains** page 14 - 18



**Stainless Steel Shower Base** page 19



**Custom Fabrication** page 20 - 21



**Schluter Kerdi Compatible** page 22 - 23



**Center Drains** page 24 - 25



**ADA Accessible Shower Drains** page 26



**Elevator Drain Expansion** page 27

# NEW PRODUCTS

## **NEW** Site Sizable® Slot Drain

The Site Sizable Slot Drain brings the clean, refined look of a slot drain to any project. Its field adjustable design allows installers to precisely cut and assemble the drain to exact site conditions, ensuring a perfect fit every time. Compatible with traditional waterproofing and a variety of flooring materials, the Site Sizable Slot Drain provides the flexibility and precision that modern design demands.

**S** Site Sizable

S-SLOTAS

**FX** Fixed Length

FXST

**FF** Fixed Flange

FFST

**FCS** Flange with Schluter®-KERDI

FCSST



# NEW PRODUCTS

## **NEW** FX Slot Drain

The FX Slot Drain captures the essence of modern minimalism. With its fixed-length, factory made channel and precision-machined slot opening, it delivers a sleek, uniform aesthetic ideal for contemporary spaces. Engineered for traditional waterproofing installations, the FX Slot Drain offers the elegance of a concealed linear drain with the reliability of a single-piece stainless steel construction.



# NEW PRODUCTS

## **NEW** Slot Sink Drain

The Slot Sink Drain creates a clean, continuous opening that disappears into the sink design. The slim linear slot integrates directly into stone, quartz, or solid-surface sink constructions. Crafted from stainless steel, the Slot Sink Drain delivers consistent flow performance while maintaining a seamless architectural look and is compatible with standard sink plumbing.



# NEW FINISH

## **NEW** Satin Brass Finish



Satin Brass brings a warm, elevated look to modern and traditional spaces alike. This finish features a soft, brushed surface that delivers a refined golden tone without the glare of polished brass. The muted sheen highlights the clean lines of our grates. Now available across all linear and center drains.



# FEATURED PRODUCTS

## Tile-In Disco-rectangle

Disco-rectangle emphasizes a fluid, organic aesthetic with smooth, curved contours. This design moves away from sharp angles while maintaining the structural integrity and performance of the product. Available in eleven finishes crafted to match other fixtures in the bathroom, it offers flexible solutions to fit any design. This tile insert drain seamlessly integrates with the surrounding shower or wet room floor for a clean visual that is simultaneously vintage yet modern.

**FX Fixed Length**   **FF Fixed Flange**   **FCS Flange with Schluter®-KERDI**

FXDTIF 65

FFDTIF 65

FCSDTIF 65



### Disco-rectangle

[DIS-koh REK-tang-gul] (noun)

A two-dimensional geometric shape constructed of a rectangle with semicircles at a pair of opposite sides.

# FEATURED PRODUCTS

## Solid Grate

Our redesigned Solid Grate is crafted from 16 gauge 304L stainless steel. The solid grate design provides a sleek, modern look, while ensuring excellent water flow and preventing clogs.

**S** Site Sizable   **FX** Fixed Length   **FF** Fixed Flange   **FCS** Flange with Schluter®-KERDI

S-LSD 65  
S-SDAS 65

FXSD 65

FFSD 65

FCSSD 65



# FEATURED PRODUCTS

Product Design  
Consultant

**Gensler**

## Adhesion Linear Drain

The Adhesion linear drain is inspired by the science of adhesion, where water droplets stick to a variety of surfaces to form unique patterns. To develop this abstract aquatic visual, the Gensler design team started by pouring water on a selection of luxurious surfaces to observe how the droplets moved and gathered. The modern pattern that evolved from this exploration has an even distribution of irregularity to create a look that's at once random and precise.

**S Site Sizable**

S-LGR 65  
S-GRAS 65  
S-GRAS 99

**FX Fixed Length**

FXGR 65

**FF Fixed Flange**

FFGR 65

**FCS Flange with Schluter®-KERDI**

FCSGR 65



# FINISHES



Satin Stainless    Polished Stainless    Satin Bronze    Oil Rubbed Bronze    Matte Black



Matte White    Gunmetal    Satin Champagne    Polished Gold    Polished Brass

## **NEW** Satin Brass Finish


Satin Brass brings a warm, elevated look to modern and traditional spaces alike. This finish features a soft, brushed surface that delivers a refined golden tone without the glare of polished brass. The muted sheen highlights the clean lines of our grates.



Satin Brass

## Unlacquered Brass

Our Unlacquered Brass finish is a living finish, which are metal surfaces that are left untreated, allowing them to react naturally with the environment over time. Unlike traditional finishes that remain static, living finishes evolve and develop a patina, gaining character as they age.



# LINEAR DRAIN STYLE REFERENCE CHART

## GRATE STYLES

Tile  
Insert  
Frame



Disco-  
Rectangle



Wedge  
Wire



Adhesion  
Product Design  
Consultant  
Gensler



Offset  
Slotted



Slot Drain



Solid



| S<br>Site<br>Sizable | FX<br>Fixed<br>Length | FF<br>Fixed<br>Flange | FCS<br>Flange with<br>Schluter®-KERDI |
|----------------------|-----------------------|-----------------------|---------------------------------------|
|----------------------|-----------------------|-----------------------|---------------------------------------|

Traditional  
Waterproofing

Liquid / Fabric  
Waterproofing

|   |                       |                      |                        |
|---|-----------------------|----------------------|------------------------|
| S-TIF 65<br>S-LTIF 65<br>S-TIFAS 65<br>S-TIFAS 99<br>S-LTIFAS 65<br>S-LTIFAS 99 | FXTIF 65<br>FXLTIF 65 | FFTIF 65<br>FFTAF 65 | FCSTIF 65<br>FCSTAF 65 |
|   | FXDITF 65             | FFDITF 65            | FCSITF 65              |
| S-LAG 38<br>S-AS 38   | FXAS 38               | FFAS 38              | FCSAS 38               |
| S-LAG 65<br>S-AS 65<br>S-AS 99  | FXAS 65               | FFAS 65              | FCSAS 65               |
| S-AG 100  | FXAS 100              | FFAS 100             | FCSAS 100              |
| S-LGR 65<br>S-GRAS 65<br>S-GRAS 99  | FXGR 65               | FFGR 65              | FCSGR 65               |
| S-LT 38<br>S-LTAS 38  | FXLT 38               | FFLT 38              | FCSLT 38               |
| S-LT 65<br>S-LTAS 65  | FXLT 65               | FFLT 65              | FCSLT 65               |
| S-SLOTAS  | FXST                  | FFST                 | FCSST                  |
| S-LSD 65<br>S-SDAS 65   | FXSD 65               | FFSD 65              | FCSSD 65               |

## LINEAR DRAIN KITS

### S Site Sizable


Traditional Waterproofing



S

### FX Fixed Length


Traditional Waterproofing



FX

### FF Fixed Flange


Liquid/Fabric Waterproofing



FF

### FCS Flange with Schluter®-KERDI

Schluter®-KERDI Waterproofing



FCS

## LINEAR DRAIN OPTIONS

Additional Channel Options:

### FCB Double Waterproofing

Traditional **and** Liquid/Fabric Waterproofing

### FCBS Double Waterproofing with Schluter®-KERDI

Traditional **and** Liquid/Fabric Waterproofing

### FCH Tapered Threaded

Liquid/Fabric Waterproofing

### FT Side Outlet

Liquid/Fabric Waterproofing

### FTS Side Outlet with Schluter®-KERDI

Liquid/Fabric Waterproofing

### OCH Side Outlet with Tapered Threaded

Liquid/Fabric Waterproofing

Custom Options:

### NDC Next Day Custom

### Standard Custom

### Custom Sink Drain

### Custom Shower Bases

## CENTER DRAIN KITS

### Premium Center Drains

### Pro Series Center Drains

# Tile Insert Frame

**S** Site Sizable **FX** Fixed Length **FF** Fixed Flange **FCS** Flange with Schluter®-KERDI

S-TIF 65  
S-LTIF 65  
S-TIFAS 65  
S-TIFAS 99  
S-LTIFAS 65  
S-LTIFAS 99

FXTIF 65  
FXLTIF 65

FFTIF 65  
FFTAF 65

FCSTIF 65  
FCSTAF 65



# Wedge Wire

**S** Site Sizable   **FX** Fixed Length   **FF** Fixed Flange   **FCS** Flange with Schluter®-KERDI

S-LAG 38  
S-AS 38  
S-LAG 65  
S-AS 65  
S-AS 99  
S-AG 100

FXAS 38  
FXAS 65  
FXAS 100

FFAS 38  
FFAS 65  
FFAS 100

FCSAS 38  
FCSAS 65  
FCSAS 100



# Offset Slotted Pattern

**S** Site Sizable   **FX** Fixed Length   **FF** Fixed Flange   **FCS** Flange with Schluter®-KERDI

S-LT 38  
S-LTAS 38  
S-LT 65  
S-LTAS 65

FXLT 38  
FXLT 65

FFLT 38  
FFLT 65

FCSLT 38  
FCSLT 65



# STAINLESS STEEL SHOWER BASE

Infinity Drain's Custom Stainless Steel Shower Bases simplify shower installation and save time on the job-site. Backed by a lifetime waterproofing guarantee, each base is flood-tested in our Amityville, NY facility and comes primed ready to tile. Available with drain options in multiple finishes.



**Covers labor, removal, replacement and restoration**



- Lifetime guarantee against waterproofing failure
- 304L 16 Gauge Stainless Steel
- Ability to install and flood test same day
- Ensures exact wall-to-wall and flush against the wall installation
- Available with curb or barrier free (curbless)
- Drains are available in multiple styles and finishes



# CUSTOM FABRICATION



Custom Slot Drain

# CUSTOM FABRICATION

If you can imagine it, we can manufacture it. Infinity Drain offers a variety of customized drainage solutions to your exact specification. Customize length, outlets, configuration, styles, and finishes. Please call or email [quotes@infinitydrain.com](mailto:quotes@infinitydrain.com) for pricing and availability.

## Next Day Custom



- Purchase orders and sign offs received by 10am ET will ship the following business day
- Completed custom form must accompany purchase order
- Straight configuration and custom lengths up to 96"
- Grate Styles: Wedge Wire, Offset Slotted, Tile Insert Frame, Adhesion, and Solid
- Installation types: Fixed (FX), Site Sizable PVC (S), Fixed Flange (FF), Flanged with Schluter®-KERDI (FCS), and Double Waterproofing (FCB)
- Custom outlet placement for multiple outlets
- Finishes: Satin Stainless, Polished Stainless, Oil Rubbed Bronze, Satin Bronze, Matte Black, Gunmetal, Matte White, Polished Brass, Polished Gold, Satin Champagne, and Satin Brass.

## Standard Custom



- Purchase orders and sign offs received by 10am ET will ship within 15 business days
- Completed custom form must accompany purchase order
- Straight configuration and custom lengths up to 96"
- Any standard grate style options
- Installation types: Fixed (FX), Fixed Flange (FF), Flanged with Schluter®-KERDI (FCS), and Double Waterproofing (FCB), Tapered Threaded (FCH), Side Outlet (FT), Side Outlet with Schluter®-KERDI (FTS), and Side Outlet Tapered Threaded (OCH)
- Custom outlet placement for multiple outlets
- Finishes: Satin Stainless, Polished Stainless, Oil Rubbed Bronze, Satin Bronze, Matte Black, Gunmetal, Matte White, Polished Brass, Polished Gold, Satin Champagne, and Satin Brass.

## Custom-Custom



- Specialty installation options (Sink drain, Elevator drain, Threshold drain, Vinyl Clamp drain, etc.)
- Any shape and configuration
- Any installation type
- Any outlet type
- Any finish. Standard finishes and color match finish options available.
- Length up to 300"
- **For quotation, lead time, and drawings contact us at [quotes@infinitydrain.com](mailto:quotes@infinitydrain.com)**

Custom curved drain



Mitered 90°



Custom patterns



Custom colors (Royal Blue shown)




# Schluter®-KERDI Compliant




Universal Ring (UCR 2) Adapts to Schluter®-KERDI Drain Flange.  
For use with Infinity Drain's Center Drains

Infinity Drain's 4" x 4" and 5" round center drains thread into the UCR 2 in place of Schluter's height adjustment collar



- UCR 2: Universal 2" Ring**
- Material: ABS
  - 5 7/8" Diameter x 2" Threaded Throat
  - Adapts to Schluter®-KERDI Drain Flange
  - For use with 4" x 4" and 5" round center drains (Pro Series and Premium Series)


## 4" x 4" Premium Center Drains:




KD 4 - Link




MD 4 - Moor




ND 4 - Lines



QD 4 - Squares



VD 4 - Weave



WD 4 - Wedge Wire



XD 4 - Criss Cross




TD 4 - Tile Drain

## 5" Round Premium Center Drains:




RKD 5 - Link



RMD 5 - Moor




RND 5 - Lines



RQD 5 - Squares



RVD 5 - Weave



RWD 5 - Wedge Wire


## 4" x 4" Center Drain Pro Series:



LTD 4 - Tile Drain



LND 4 - Slotted




LQD 4 - Squares




LSD 4 - Solid

## Center Tile Drain with Schluter®-KERDI Waterproofing



Stainless steel tile drain with factory applied Schluter®-KERDI fabric.  
Available in two heights (for use with 3/8" and 3/4" flooring material).




## Center Drain with Schluter®-KERDI Waterproofing

Stainless Steel Square Bonded Flange with Schluter®-KERDI fabric and 2" No Hub Outlet.

## Double Waterproofing Center Drain with Schluter®-KERDI Waterproofing

# Schluter®-KERDI Compliant



## FCS Series - Fixed Flange Linear Drains with Schluter®-KERDI Waterproofing



Pitched stainless steel channel with factory applied Schluter®-KERDI fabric in set lengths and center outlet location. 2" No-hub connection.

Standard kit sizes or custom fabrication available.

**FCS series linear drains are compliant with Schluter®-KERDI shower system warranty. Warranty backed by Infinity Drain.**

### Linear Drain with Schluter®-KERDI Waterproofing:




Tile Insert  
**FCSTIF 65**  
**FCSDTIF 65**  
**FCSTAF 65**



Wedge Wire  
**FCSAS 38**  
**FCSAS 65**  
**FCSAS 100**



Offset Slotted  
**FCSLT 38**  
**FCSLT 65**



Adhesion  
**FCSGR 65**




Solid  
**FCSSD 65**



Slot  
**FCSST**









1/2" Flanged Channel with Schluter®-KERDI available for Next Day Custom Exactly Wall to Wall, Flush Against the Wall®



### Next Day Custom Linear Drain with Schluter®-KERDI Waterproofing



# CENTER DRAIN STYLES


|   |  |
|---|--|
| <p><b>Tile Drain</b><br/>Available in 4"x4" &amp; 5"x5"<br/>4"x4" &amp; 5"x5" is also available in the Center Drain Pro Series</p>        |                                |
| <p><b>Squares</b><br/>Available in 4"x4", 5"x5" &amp; 5" Round<br/>4"x4" &amp; 5"x5" is also available in the Center Drain Pro Series</p> |             |
| <p><b>Moor</b><br/>Available in 4"x4", 5"x5" &amp; 5" Round</p>   |             |
| <p><b>Weave</b><br/>Available in 4"x4", 5"x5" &amp; 5" Round</p>  |            |
| <p><b>Link</b><br/>Available in 4"x4", 5"x5" &amp; 5" Round</p>   |            |
| <p><b>Lines</b><br/>Available in 4"x4", 5"x5" &amp; 5" Round</p>  |          |
| <p><b>Wedge Wire</b><br/>Available in 4"x4", 5"x5" &amp; 5" Round</p>   |  |
| <p><b>Criss Cross</b><br/>Available in 4"x4" &amp; 5"x5"</p>  |                              |
| <p><b>Solid</b><br/>Available in 4"x4" &amp; 5"x5" - only in Center Drain Pro Series</p>  |                              |
| <p><b>Slotted</b><br/>Available in 4"x4" &amp; 5"x5" - only in Center Drain Pro Series</p>  |                              |

# ACCESSIBLE SOLUTIONS



A leader in barrier free design, Infinity Drain products are all ASME A112.6.3 certified and ADA compliant, ensuring universal safe access for all levels of mobility. Whether installed in barrier free patient bathrooms, ensuring a safe, accessible patient experience or outdoor facilities, walkways and parking lots, our architectural drains elevate healthcare environments through innovative design, seamless accessibility, and long-term performance.

Infinity Drain products are featured in several leading healthcare facilities across the country, including Valley Hospital (NJ), Mohawk Valley Health (NY), Good Shepard Hospital (PA), Atrium Healthcare (NC), Madonna Rehabilitation Facility (NE), Indiana University Health (ID), Dartmouth Hitchcock Medical Center (NH), and more.



# ELEVATOR DRAIN EXPANSION

**NEW ELVAS 230:** 9" x 3" 100 GPM

**NEW ELVLAS 300:** 12" x 2" 75 GPM

**ELVAS 300:** 12" x 3" 100 GPM

## Evacuates water at 75 & 100 GPM


- 316L stainless steel 3mm Wedge Wire grate
- 16 gauge, 304L stainless steel channel
- 4" centered outlet

## Keep The Path Clear For Fire Safety Professionals

Prevents water from entering elevator shafts in the event of a fire or when the sprinkler system is triggered. It is typically positioned in front of the elevator door or elevator bank.

### ELVAS 230 & 300

- Complies with SFFC Code, Section 511.1 for a 100 GPM flow rate
- Meets ADA and heel-proof requirements. IAPMO tested and certified to a 100 GPM flow rate
- Complies with California Building Code 3007.3 and 3008.3 and NYS Building Code 3007.3 and 3008.3
- Available in 36", 42" and 48" kits in Satin Stainless and Polished Stainless finishes
- Custom sizes available
- Elevator drain grates are removable for accessible cleaning and maintenance
- Tamper resistant fasteners and mounting anchors options available





145 Dixon Avenue, Amityville, New York 11701

Phone 516.767.6786 ~ Fax 516.740.3066

[www.infinitydrain.com](http://www.infinitydrain.com)

**LT029-11-25**

---

PROUDLY MADE  
IN THE USA

