




## FCSGR 65 Fixed Flange Series

- FCSGR 6524 - 24" Complete Kit
- FCSGR 6532 - 32" Complete Kit
- FCSGR 6536 - 36" Complete Kit
- FCSGR 6542 - 42" Complete Kit
- FCSGR 6548 - 48" Complete Kit
- FCSGR 6560 - 60" Complete Kit

### Features

- Fixed flange with centered outlet location
- Indoor or outdoor use
- 16 gauge, 304L stainless steel grate and channel
- Pre - pitched channel
- Grate can be removed for cleaning
- NOT Site Sizable®
- Compatible with: liquid applied or fabric sheet membranes
- Flow rate - 9 gpm per outlet
  - Flow rate measured at outlet only. Measurement does not account for water in channel or sheeting on shower floor.
  - Additional outlets can be added and combined into a larger waste line to increase flow rates

### Installation



### Care & Maintenance


FCSGR 65 stainless steel linear drain top grates are made of 304L stainless steel. This material is non-porous, hygienic, rust-free and extremely durable. Bar Keepers Friend® and Soft Scrub® are commonly available products that can be used to protect and clean your Satin Stainless drain cover. For stains that have been left for an excessive amount of time, stronger cleaning agents such as Steel Brite® may be needed. For all finishes we recommend using mild soap and a soft cloth for cleaning. DO NOT use any abrasive cleaners, scrub pads or allow household cleaning agents, such as bleach, to sit on the drain cover for a long period of time. Stainless steel does not rust. External factors, such as contamination from other highly ferrous metals, built up road salt, sea salt, or chlorine may have caused "surface" rust which can be removed using Barkeepers Friend®, Soft Scrub®, or Steel Brite Cleaner. Always follow the directions on the bottle. Follow proper maintenance procedures to prevent excessive surface rust. In areas of frequent exposure to salt, chlorine, and other chemical compounds, maintenance of the stainless grates should be performed at least 2-3 times per year.

**Infinity Drain**  
145 Dixon Avenue  
Amityville, NY 11701  
Phone: 516.767.6786  
Fax: 516.740.3066




NOTE: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer.

# ID Infinity Drain®



- Ⓐ GE 65 - Stainless Steel Grate
- Ⓑ HB 65 - Hair Basket
- Ⓒ FCS 65 - Stainless Steel Channel
- Ⓓ ABS Channel Support

GRATE CAN BE ADJUSTED UPWARDS AN ADDITIONAL 1/2"



## SECTION 1-1

Model Number	Complete Kit Contents	A (Maximum Overall Length)	B (Maximum Grate Length)
<input type="checkbox"/> FCSGR 6524	1 - GE 6524 Grate 1 - FCS 6524 Channel with Schluter®-KERDI 1 - ABS Channel Support	26 1/8"	23 7/8"
<input type="checkbox"/> FCSGR 6532	1 - GE 6532 Grate 1 - FCS 6532 Channel with Schluter®-KERDI 1 - ABS Channel Support	34 1/8"	31 7/8"
<input type="checkbox"/> FCSGR 6536	1 - GE 6536 Grate 1 - FCS 6536 Channel with Schluter®-KERDI 1 - ABS Channel Support	38 1/8"	35 7/8"
<input type="checkbox"/> FCSGR 6542	1 - GE 6542 Grate 1 - FCS 6542 Channel with Schluter®-KERDI 1 - ABS Channel Support	44 1/8"	41 7/8"
<input type="checkbox"/> FCSGR 6548	1 - GE 6548 Grate 1 - FCS 6548 Channel with Schluter®-KERDI 1 - ABS Channel Support	50 1/8"	47 7/8"
<input type="checkbox"/> FCSGR 6560	1 - GE 6560 Grate 1 - FCS 6560 Channel with Schluter®-KERDI 1 - ABS Channel Support	62 1/8"	59 7/8"

### Finishes

- Satin Stainless (SS)     Polished Stainless (PS)     Oil Rubbed Bronze (ORB)     Satin Bronze (SB)     Matte Black (BK)     Satin Brass (SR)
- Satin Champagne (SC)     Polished Gold (PG)     Polished Brass (PB)     Gunmetal (GM)     Matte White (MW)

### Infinity Drain

145 Dixon Avenue  
Amityville, NY 11701  
Phone: 516.767.6786  
Fax: 516.740.3066  
www.infinitydrain.com



NOTE: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer.



## CUSTOM FLANGE WITH SCHLUTER®-KERDI SERIES DRAINS

If you can imagine it, we can manufacture it. Infinity Drain® offers a variety of customized drainage solutions to your exact specification. Customize length, outlets, configuration, styles, and finishes.





### **NEW** Next Day Custom

- Purchase orders and sign offs received by 10am ET will ship the following day
- Completed custom form must accompany purchase order
- Straight configuration and custom lengths up to 96"
- Grate Styles: Wedge Wire, Offset Slotted, Tile Insert Frame
- Installation types: Fixed Flange (FF), Flanged with Schluter® - Kerdi (FCS), and Double Waterproofing (FCB)
- Custom outlet placement for multiple outlets
- Finishes: Satin Stainless, Polished Stainless, Oil Rubbed Bronze, Satin Bronze and Matte Black




### Standard Custom

- Purchase orders and sign offs received by 10am ET will ship within 15 business days
- Completed custom form must accompany purchase order
- Straight configuration and custom lengths up to 96"
- Any standard grate style options
- Installation types: Fixed Flange (FF), Flanged with Schluter® - Kerdi (FCS), and Double Waterproofing (FCB)
- Custom outlet placement for multiple outlets
- Finishes: Satin Stainless, Polished Stainless, Oil Rubbed Bronze, Satin Bronze and Matte Black



### Custom-Custom

- Specialty installation options (Sink drain, Elevator drain, Threshold drain, Vinyl Clamp drain, etc.)
- Any shape and configuration
- Any installation type
- Any outlet type
- Any finish. Standard finishes and color match finish options available.



**[CLICK HERE - TO LEARN MORE ABOUT CUSTOM FABRICATION](#)**

For additional information regarding Custom Fabrication, Please contact Technical Support at [info@infinitydrain.com](mailto:info@infinitydrain.com)